

WEARE FR. 2024 PRODUCT CATALOG



MORE PEOPLE ARM THEMSELVES WITH BULWARK® THAN ANY OTHER FR BRAND.

We are Bulwark. The world's leading flame-resistant (FR) apparel brand. And the relentless protectors of the people who power the world. From outfitting you with the finest, most advanced, most intuitively designed FR products ever made, to surrounding you with the industry's premier FR education programs and consultative services with over 50 years of frontline experience, we are your total FR solution. So when you see our triangle on your left, trust you've done everything right. Because with Bulwark, you are armed – literally, and figuratively – with **the world's best.**





TABLE OF CONTENTS

11111

FABRIC GUIDE ICON LEGEND 10 iQ SERIES® CANVAS COLLECTION HI-VISIBILITY & RAINGEAR **4n** INSECT SHIELD® SHIRTS 58 PANTS **BIBS & COVERALLS** OUTERWEAR WORK & LAB COATS WOMEN'S ACCESSORIES CUSTOMIZATION **HOW TO MEASURE FIT CHARTS ADDITIONAL INFO PRODUCT INDEX**

FABRIC GUIDE

Use our fabric guide to help you select the optimal Bulwark® fabric for any situation. Our comprehensive range of industry-leading options guarantees a perfect fit for a wide variety of industrial applications.

11111

(i) iQ SERIES

iQ Series[®] products shift our collective mindset from the garment to the wearer and are designed to solve real-world problems. From the yarn blending to the fabric finishing, this product is created by a team of professionals with a hands-on approach. iQ products are created from blends of high performance fibers incorporated into superior fabrics. They are available in a variety of weights and are designed to achieve multiple industry standards.

EXCEL FR[®]

100% COTTON. 100% COMFORT. 100% FLAME-RESISTANT.

EXCEL FR[®] cotton garments offer unbeatable protection for foundries, flame cutting and welding, as well as electrical utilities and the chemical, oil, gas and petrochemical industries. All EXCEL FR[®] cotton apparel is permanently treated to guarantee flame resistance for the life of the garment.

EXCEL FR[®] COMFORTOUCH[®] COTTON'S COMFORT. NYLON'S DURABILITY.

This practical 88% Cotton/12% Nylon blend provides long-lasting protection for nearly all work environments. Ideal applications include ferrous metals, electrical utilities and the chemical, oil, gas and petrochemical industries. Every EXCEL FR ComforTouch garment is engineered to provide flame resistance for the life of the garment.

NOMEX[®] ESSENTIAL LIGHTWEIGHT. BREATHABLE. **INHERENTLY FLAME-RESISTANT.**

DuPont Nomex[®] Essential (93% Nomex[®] Aramid/ 5% Kevlar[®] Aramid/2% Anti-Static Fiber) garments are extremely durable. Nomex[®] Essential apparel is preferred by workers in petrochemical and refinery environments and makes a great choice for electric and gas utility workers.





FR





Bulw

FRO

HI-VISIBILITY FR

FLAME-RESISTANT. COMFORTABLE. COMPLIANT.

Bulwark^{*} offers garments designed to provide additional wearer safety during periods of limited visibility or in the often complex and varying backgrounds found in many occupations such as traffic control, construction and utility work along roadways and equipment operation.

HI-VISIBILITY RAINWEAR BE SAFE. BE DRY. BE SEEN.

Flame-resistant rainwear from Bulwark provides an effective barrier against rain and wind. Extra confidence comes from knowing these garments will not melt, drip or burn when exposed to an electrical arc or flash fire.

MOLTEN METAL[®] PROTECTION SHED MOLTEN ALUMINUM. CAST OFF CRYOLITE.

Because of its unique ability to shed molten aluminum as well as cryolite, specialized Molten Metal protective garments are used extensively throughout the aluminum casting industry. Our products are inherently flameresistant, so their ability to protect will never be compromised by laundering.

FR DISPOSABLES

PROTECT OTHER GARMENTS. PREVENT CONTAMINANT SOILING.

Sontara[®] Extend FR garments are water-repellent and made to withstand minor splashes without saturation to garments underneath. Use them to extend the life of more expensive thermal protective garments.

ELECTRICAL SWITCHING CLOTHING PROTECTION FOR MAXIMUM EXPOSURE.

For employees installing, maintaining or repairing high-voltage electrical systems, Bulwark's 40 cal/cm² electrical switching coat, bib and hood with face shield provide protection from extreme electrical arc risks.

ICON LEGEND

Throughout the catalog, you will notice different icons in the product descriptions for our garments. The icons help you quickly determine new products, CAT protection, NFPA[®] 2112 Compliance and ISO/EN certification.



ARC

RATINGS

NEW PRODUCT FOR 2024

Short sleeved FR shirts are not intended to be worn as single layer protection because they do not fully cover potentially exposed areas as completely as possible.

CATEGORY 1 PROTECTION

Arc-rated FR long-sleeve shirt and FR pants or FR coverall with a required minimum Arc Rating of 4 cal/cm².



CATEGORY 2 PROTECTION

Arc-rated FR long-sleeve shirt and FR pants or FR coverall with a required minimum Arc Rating of 8 cal/cm².



CATEGORY 3 PROTECTION

Arc-rated FR long-sleeve shirt and FR pants or FR coverall, arc flash suit, balaclavas etc. selected so that the system arc rating meets a required minimum Arc Rating of 25 cal/cm².



CE

IL-HS

IL-LS

HW

CATEGORY 4 PROTECTION

Arc-rated FR long-sleeve shirt and pants or FR coverall, and arc flash suit selected so that the system arc rating meets a required minimum Arc Rating of 40 cal/cm². CAT4 outerwear is not equivalent to 40 cal switching gear/flash suit and does not offer equivalent protection to workers engaged in switching and/or similar activities.

CP 100 PROTECTION

Garments that provide repellency for a low level of liquid chemical splash protection. They repel many but not all acids, corrosives, oxidizers and polar organic solvents¹, that typically have medium to high surface tension and medium to high polarity. Their application is only for inadvertent liquid chemical-splash of small volumes at atmospheric pressure. Garments that provide repellency for a low level of liquid chemical splash protection.

NFPA[®] 2112 COMPLIANT

Bulwark Protective Apparel offers flame-resistant protective garments that are certified by UL to meet the requirements of NFPA 2112 Standard on Flame-Resistant Clothing for Protection of Industrial Personnel Against Short-Duration Thermal Exposure from Fire. NFPA 2113 Standard on Selection, Care, Use, and Maintenance of Flame-Resistant Garments for Protection of Industrial Personnel Against Short-Duration Thermal Exposure from Fire, requires that garments cover the upper and lower body and flammable underlayers as completely as possible. Bulwark garments meet this requirement either as a single garment such as a coverall or when worn with another certified garment such as a shirt or pants to provide both upper and lower body coverage.

Some Bulwark FR garments have been designed according to EU Regulation 2016/425 and specifically to the European Standards ISO 13688: 2013 (General Requirements for Protective Clothing), EN ISO 11611: 2015 (Protective Clothing for welding and associated activities), EN ISO 11612: 2015 (Protective Clothing for Industrial Workers exposed to heat and flame), and IEC 61482-2: 2018 (Protective Clothing against the thermal hazards of an electric arc) to the referenced performance levels. EU Type examination by a Notified Body has proven that the clothing meets the fundamental requirements as described in the European EU Regulation 2016/425. The CE mark is the visible sign of our compliant PPE.

WASHDo not use bleach, hydrogen peroxide, starch or fabric softeners on any Bulwark garment. Please visit bulwark.comCODESfor complete laundry instructions.

INDUSTRIAL LAUNDER - HEAVY SDIL: This method of laundering is commonly used to remove heavy soil with a combination of higher water temperature (160° F max) and harsher chemistry. pH should be held to 11.5 max. More aggressive wash formulas may be necessary to remove heavy soils but may result in accelerated color loss, deterioration in performance of retroreflective trim and overall reduced garment service life.

INDUSTRIAL LAUNDER - LIGHT SOIL: This less aggressive (industrial) laundering process is commonly used on uniforms which are lightly soiled or made of fabrics that are not designed to withstand higher wash temperatures or harsher chemistry. In a typical light soil formula, water temperatures are usually held to a maximum of 140° F and pH to 10.5 max.

HDME WASH: A laundering process normally defined as washing in a residential type top- or front-loading unit followed by tumble drying. Detergents used in this process are formulated for home use and are readily available on the consumer market.

¹See bulwark.com/labs-and-material-handling.html for more information including a technical brief with a list of chemicals that have been tested.

ISO 13688:2013 - Protecti

PERFORMANCE CLASSIFICATIO

- Innocuousness
- Design
- Comfort
- Ageing
- Sizes (body dimensions)
- Marking
- User info

EN ISO 11612:2015 - Protec

PERFORMANCE CLASSIFICATIO

- A = Limited flamespread
- (A1 = surface ignition, A2 = edge ignition)
- B = Convective heat (class 1-3)
- C = Radiation heat (class 1-4)
- D = Molten aluminium (class 1-3)
- E = Molten iron (class 1-3)
- F = Contact heat (class 1-3)
- "0" means no protection offered

IEC 61482-2: Protective Clothing against t

PERFORMANCE CLASSIFICATIO

Arc thermal resistance on garment tested against:

- IEC 61482-1-1 ATPV method Min ATPV: 4 cal/cm Arc current: 8 kA Voltage: 2000 V Distance to sample: 30 cms
- Duration: 0,05-1,5 sec
- IEC 614825-1-2 Box test method Class 1-4 kA or Class 2-7 kA

EN ISO 11611:2015 - |

PERFORMANCE CLASSIFICATIO

A= Limited flame spread (A1= surface ignition, A2=edg

- **Class 1:** welding techniques with light spatter and drop
- Operation of machines e.g.:
- Oxygen cutting machinesPlasma cutting machines
- Resistance welding machines
- Machines for thermal spraying
- Bench welding
- **Class 2:** Welding techniques with heavy formation of sp Operation of machines e.g.:
- In confined spaces
- At overhead welding/cutting or in comparable cons

ve clothing - Genera	al requirements	
N	PERFORMANCE CLASSIFICATION	PICTOGRAM
	Compliant	ISO 13688:2013

and the second sec		and the second
ctive clothing agains	t heat and flame	
N	PERFORMANCE CLASSIFICATION	PICTOGRAM
	A1 B1	
	C1 D0 E0 F0	EN ISO 11612:2015 A1,B1,C1
	F1	

2018 - Live working -	
he thermal hazards of an electric arc	

DN	PERFORMANCE CLASSIFICATION	PICTOGRAM
	ATPV test method For individual ATPV ratings, see label sewn into garment	IEC 61482-2 :2009 ATPV = 4.1 CAL/CM ²

Protective clothing for welders			
DN	PERFORMANCE BULWARK FR	PICTOGRAM	
ge ignition)			
o formation e.g.:			
patter and drops e.g.:	A1 Class: 1		
strained positions			





iq series[®]

The industry's ongoing call for smarter FR deserves a revolutionary response. The Bulwark® iQ Series®. Every iQ garment is the product of a new way of thinking: Design to solve real world FR problems uncovered from first-hand, real-wear insights. Then employ the latest scientific advancements and fabric technologies to bring those designs to life. The future of FR is here. And it's brighter than ever before.



Let's be honest, "comfort" isn't exactly the first word that comes to mind when most people in the safety industry think of FR. The iQ Series[®] Comfort Collection set out to change that, by combining revolutionary design features with lightweight and breathable fabrics to make this collection the most comfortable FR on the market. Because the job isn't always comfortable, but that doesn't mean your FR workwear can't be.

VIEW THE COLLECTION: BULWARK.COM







All product on spread: Imported of Fabric Made in U.S.A.







NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series[®] Lightweight Comfort Woven Shirts are 4.5 oz. and made exclusively with Nomex[®] Comfort fabrics by DuPont[®]. The fabric keeps you cool and comfortable and comes with a side seam gusset, allowing it to move with you without riding up, restricting your movement or coming untucked. The men's shirt features larger chest pockets for more storage. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 label.

QS24 - Men's (Reg) S-6XL. (Long) S-6XL. Fit Chart MFC-77.

 $\label{eq:Fabric: Exclusively with Nomex* Comfort fabrics by DuPont*. Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex / 5% Kevlar* / 2% Carbon$

Protection: Arc Rating ATPV 6.1 calories/cm²

Colors: Brown (BN), Navy (NV), Royal Blue (RB)





iQ SERIES" WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series[®] Lightweight Comfort Woven Shirts are 4.5 oz. and made exclusively with Nomex[®] Comfort fabrics by DuPont[®]. The fabric keeps you cool and comfortable and comes with a side seam gusset, allowing it to move with you without riding up, restricting your movement or coming untucked. The women's shirt features a Napoleon chest pocket for secure storage and is uniquely designed to fit a woman's body. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 label.

QS23 - Women's (Reg) XS-3XL. Fit Chart LFC-02.

Fabric: Exclusively with Nomex[®] Comfort fabrics by DuPont[®]. Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex / 5% Kevlar[®] / 2% Carbon

Protection: Arc Rating ATPV 6.1 calories/cm²

Colors: Navy (NV), Royal Blue (RB)





IQ SERIES[®] MEN'S LIGHTWEIGHT COMFORT WOVEN ENHANCED VISIBILITY SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Lightweight Comfort Woven Enhanced Visibility Shirt is 5.5 oz. and made exclusively with TenCate Evolv™ fabric. It features larger chest pockets for more storage, and full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS50 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-77.

Fabric: Exclusively with TenCate Evolv[™]. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Grey Enhanced (EV), Navy Enhanced (NE)









IQ SERIES® MEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Lightweight Comfort Woven Shirt is 5.5 oz. and made exclusively with TenCate Evolv[™] fabric. It features larger chest pockets for more storage, and full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS50 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-77.

Fabric: Exclusively with TenCate Evolv[™]. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Dark Grey (DG), Navy (NV)



IO SERIES[®] WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

The iQ Series® Women's Lightweight Comfort Woven Shirt is uniquely designed to fit a woman's body. Lightweight and breathable, this shirt is 5.5 oz. and made exclusively with TenCate Evoly[™] fabric. It features a Napoleon pocket on the left chest for secure storage. Full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS51 - Women's (Reg) XS-3XL. Fit Chart LFC-38.

Fabric: Exclusively with TenCate Evolv[™]. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Dark Grey (DG), Navy (NV)



iQ SERIES[®] MEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Lightweight Comfort Woven Shirt is made exclusively with TenCate Evolv[™] fabric. It features larger chest pockets for more storage, and full underarm gussets allowing the garment to move with you without riding up, restriciting your movement or coming untucked. The protection level is easily visible on the sleeve with exterior CAT2 and 2112 labels.

QS52 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-77.

Fabric: Exclusively with TenCate Evolv[™]. Flame-resistant, 5.5 oz. (185 g/m²) 41% Modacrylic / 35% Lyocell / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Khaki (KH), Light Blue (LB), Light Grey (LG)









14 | iO SERIES®





iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

The iQ Series® Women's Lightweight Comfort Woven Shirt is uniquely designed to fit a woman's body. Lightweight and breathable, this shirt is 5.5 oz. and made exclusively with TenCate Evolv[™] fabric. It features a Napoleon pocket on the left chest for secure storage. Full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS53 - Women's (Reg) XS-3XL. Fit Chart LFC-38.

Fabric: Exclusively with TenCate Evolv[™]. Flame-resistant, 5.5 oz. (185 g/m²) 41% Modacrylic / 35% Lyocell / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²

Color: Khaki (KH)



ID SERIES® MEN'S MIDWEIGHT COMFORT WOVEN SNAP-FRONT SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Men's Midweight Comfort Woven with Snap-Front Shirt is 6 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. It features a banded collar, snap front closure, two large chest pockets with snap closure flaps that provide convenient storage, sewn-in pencil stall, multi-use utility loops in shoulder seams, and full underarm gussets keep your shirt from coming untucked.

OS28 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-77.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar[®] / 2% Carbon

Protection: Arc Rating ATPV 7.6 calories/cm²

Color: Red (RD)



iQ SERIES" WOMEN'S MIDWEIGHT **COMFORT WOVEN SNAP-FRONT SHIRT**

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Women's Midweight Comfort Woven with Snap-Front Shirt is 6 oz. and made exclusively with Nomex® Comfort fabrics by DuPont[®]. It features a banded collar, snap front closure, vertical zipper pocket on left chest for secure storage, multi-use utility loops in shoulder seams, and full underarm gussets keep your shirt from coming untucked. Feminine fit.

QS27 - Women's (Reg) XS-3XL. Fit Chart LFC-02.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon

Protection: Arc Rating ATPV 7.6 calories/cm²

Color: Red (RD)

RD



QS26NV



iQ SERIES[®] MEN'S MIDWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Men's Midweight Comfort Woven Shirt is 6 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. It features larger chest pockets for more storage and full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 labels.

QS26 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-77.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar[®]/ 2% Carbon

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Royal Blue (RB)



iO SERIES[®] WOMEN'S MIDWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Women's Midweight Comfort Woven Shirt is 6 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. The shirt is uniquely designed to fit a women's body. The fabric keeps you cool and comfortable and comes with a side seam gusset, allowing the garment to move with you without riding up, restricting your movement or coming untucked. Napoleon chest pocket provides secure storage. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 labels.

QS25 - Women's (Reg) XS-3XL. Fit Chart LFC-02.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar[®]/ 2% Carbon

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Royal Blue (RB)



iQ SERIES® MEN'S MIDWEIGHT COMFORT WOVEN ENHANCED VISIBILITY SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Men's Midweight Comfort Woven Enhanced Visibility Shirt is 6 oz. and made exclusively with Nomex® Comfort fabrics by DuPont[®]. It features larger chest pockets for more storage and full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 labels.

QS26 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-77.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar[®]/ 2% Carbon

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy Enhanced (NE), Royal Blue Enhanced (RE)

















NFPA® 2112 Compliant

The iQ Series® Comfort Plus Knit Henleys are the next-generation of FR workwear. The lightweight, moisture-wicking material is the first of its kind—available exclusively with Westex G2[™] fabrics by Milliken[®]. Underarm gussets allow you to stretch and reach, without your shirt riding up, while ribbing in the cuffs keeps your sleeves securely in place. The 4-button placket and contrast stitching give this henley a contemporary and stylish look, with the FR protection you expect from Bulwark. CAT2 and 2112 labels easily visible on the sleeve.

QT40 - Men's (Reg) S-4XL. (Long) L-3XL. Fit Chart MFC-03.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken[®]. Flame-resistant, 7.5 oz. (255 g/m²) 70% Cotton / 30% Polyester

Protection: Arc Rating E_{pr} 12 calories/cm²

Colors: Charcoal (CH), Khaki (KH)





IQ SERIES® MEN'S COMFORT KNIT TEE WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Total visibility meets pure agility. Moisture-wicking and breathable, made exclusively with innovative Westex G2[™] fabrics by Milliken[®], this NFPA[®] 2112 compliant FR tee features hi-vis striping on top of the solid orange enhanced vis base. Rib knit collar and cuffs stay in place without rolling, and full underarm gussets make bending, stretching and reaching easy and comfortable.

QT34 - Men's (Reg) S-4XL. (Long) L-3XL. Fit Chart MFC-03.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken[®]. Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm² CSA Z96 Class 2 Level 2 Compliant

Color: Orange (OR) Stocked in Canada only.





IQ SERIES® WOMEN'S COMFORT KNIT TEE WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

The work tee that fits and feels like your favorite weekend tee shirt with all the FR protection your workday requires. Moisture-wicking, breathable fabric keeps you cool and comfortable. Uniquely feminine features make this a flattering improvement upon your everyday workwear. 360° degree visbility with front and back 2" flame-resistant silver segmented heat seal reflective striping.

DT37 - Women's (Reg) XS-2XL, Fit Chart LFC-02.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken[®]. Flame-resistant, 5.3 oz (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm² CSA Z96 Class 2 Level 2 Compliant

Color: Orange (OR) Stocked in Canada only.

OR

iQ SERIES[®] **COMFORT KNIT LONG SLEEVE HENLEY**

11111111



QT12BL



iO SERIES® MEN'S COMFORT KNIT LONG SLEEVE POLO



NFPA® 2112 Compliant


A comfortable, casual polo shirt made for FR compliance. Believe it. The iQ Series® Comfort Knit Polo is designed so you can enjoy the lightweight, moisture-wicking material all year round. Underarm gussets allow you to reach, without your shirt coming untucked, while hidden ribbing in the cuffs keeps long sleeves in place. The zipper placket gives these shirts a contemporary and stylish look with CAT2 and 2112 labels easily visible on the sleeve.

QT12 - Men's (Reg) S-4XL. (Long) L-3XL. Fit Chart MFC-03.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken®. Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²

Colors: Black (BK), Blue (BL), Charcoal (CH), Dark Blue (DB), Khaki (KH), Red (RD)



iQ SERIES[®] MEN'S **COMFORT KNIT SHORT SLEEVE T-SHIRT**

NFPA® 2112 Compliant

Your everyday t-shirt, reinvented for work. The iQ Series® Comfort Knit T-Shirt is available in both short and long sleeve variations, so you can enjoy the lightweight, moisturewicking material all year round. Underarm gussets allow you to reach, without your shirt coming untucked. Contrast stitching gives these shirts a contemporary and stylish look, while a concealed chest pocket with pencil stall provides safe storage. Protection level is clearly marked with CAT2 and 2112 labels easily visible on the sleeve.

OT30 - Men's (Reg) S-4XL. (Long) L-3XL. Fit Chart MFC-03.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken[®]. Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²

Colors: Black (BK), Blue (BL), Charcoal (CH), Dark Blue (DB) Not intended to be worn as a single layer.



iQ SERIES® MEN'S COMFORT KNIT LONG SLEEVE T-SHIRT

NFPA® 2112 Compliant


Your everyday t-shirt, reinvented for work. The iQ Series® Comfort Knit T-Shirt is available in both short and long sleeve variations, so you can enjoy the lightweight, moisturewicking material all year round. Underarm gussets allow you to reach, without your shirt coming untucked, while hidden ribbing in the cuffs keeps long sleeves in place. Contrast stitching gives these shirts a contemporary and stylish look, while a concealed chest pocket with pencil stall provides safe storage. Protection level is clearly marked with CAT2 and 2112 labels easily visible on the sleeve.

QT32 - Men's (Reg) S-4XL. (Long) M-3XL. Fit Chart MFC-03.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken[®]. Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²

Colors: Black (BK), Blue (BL), Charcoal (CH), Dark Blue (DB), Khaki (KH), Red (RD)



iQ SERIES[®] **COMFORT KNIT POLO & TEE**

111111111



(1)

(4)

11111111



IO SERIES® WOMEN'S COMFORT KNIT POLO WITH 4-BUTTON PLACKET

NFPA® 2112 Compliant

Revolutionary FR workwear designed for women. The QT15 polo is designed for fit and comfort, with FR compliance, of course. The 4-button placket allows you to button all the way up for maximum safety, or unbutton when you're out of the line of fire. Shirring at the back of this shirt, with a two-ply voke creates a feminine silhouette, and the concealed rib knit cuffs stay in place all day long.

QT15 - Women's (Reg) XS-2XL. Fit Chart LFC-02.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken[®]. Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²

Colors: Black (BKB)*, Blue (BLB)*, Charcoal (CH), Dark Blue (DB), Khaki (KH), Red (RD)

*Contact customer service for availability.





QT31CH

iO SERIES[®] WOMEN'S COMFORT KNIT TEE

NFPA® 2112 Compliant

The work tee that fits and feels like your favorite weekend tee shirt with all the FR protection your workday requires. Moisturewicking, breathable fabric keeps you cool and comfortable, while full underarm gussets and concealed rib knit cuffs allow you to move freely throughout the day. Uniquely feminine features, like a fishtail hem and rib knit collar make this a flattering improvement upon your everyday workwear.

QT31 - Women's (Reg) XS-2XL. Fit Chart LFC-02.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken[®]. Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²

Colors: Charcoal (CH), Dark Blue (DB), Khaki (KH)





QP18NV

3)

iQ SERIES[®] **LIGHTWEIGHT COMFORT PANT**

(2)



1 TRIPLE NEEDLE OUT AND **INSEAM FOR EXTRA DURABILITY**

QP19NV

(2)

CARGO POCKET WITH SNAP **CLOSURE FOR SECURE STORAGE**

(3) **JEAN STYLE CUT**

(4) UTILITY POCKET ON RIGHT LEG FOR QUICK ACCESS TO STORAGE

(5) REINFORCED BACK PATCH POCKETS AND CARGO POCKET



IQ SERIES® MEN'S & WOMEN'S LIGHTWEIGHT COMFORT PANT

NFPA® 2112 Compliant

Let our work pant do a little more of the lifting. The Bulwark[®] iQ Series[®] Lightweight Comfort Pant is stylishly designed to keep you cool and in command all day long. This modern, straight fit jean style work pant features a one-piece waistband with wide belt loops, scoop front pockets, reinforced cargo pocket with snap closure on the left and patch hip pockets, a utility pocket on the right side plus triple needle out and inseam for extra durabilty.

OP18 - Men's 28-56 Even. Fit Chart K. **OP19** - Women's 0-24 Even. Fit Chart LFC-02.

Fabric: Exclusively with TenCate Evolv[™] 6.5 oz. 50% Aramid / 25% Lvocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.4 calories/cm² Color: Navy (NV)



iQ SERIES[®] LIGHTWEIGHT COMFORT PANT

11111111



QP16 - Men's 28-56 Even. Fit Chart K. **OP17** - Women's 0-24 Even. Fit Chart LFC-02.

Fabric: Exclusively with Nomex[®] Comfort fabrics by DuPont[®]. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar[®] / 2% Carbon

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Red (RD), Royal Blue (RB)





QP14NE

QP17RB

(1)

6)

iQ SERIES[®] **MEN'S LIGHTWEIGHT** COMFORT ENHANCED **VISIBILITY PANT**

NFPA® 2112 Compliant

This iQ Series[®] Lightweight CAT2 pant is stylishly designed to keep you cool and in command all day long. It is NFPA® 2112 compliant, with a straight-fit, modern jean style.

QP14 - Men's (Reg) 28-56 Even. Fit Chart K.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken[®]. Flame-resistant. 6.9 oz. (235 g/m²) 65% Cotton / 35% Polyester Ripstop Twill

Protection: Arc Rating ATPV 9.0 calories/cm²

Color: Navy (NE)







QP14BK

jean style.

Fit Chart K.







iO SERIES[®] MEN'S LIGHTWEIGHT **COMFORT PANT**

NFPA® 2112 Compliant

This iQ Series® Lightweight CAT2 pant is stylishly designed to keep you cool and in command all day long. It is NFPA® 2112 compliant, with a straight-fit, modern

QP14 - Men's (Reg) 28-56 Even.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) 65% Cotton / 35% Polyester Ripstop Twill

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Black (BK), Navy (NV)

BK NV

CAT IL-HS IL-LS HW

iO SERIES[®] WOMEN'S LIGHTWEIGHT **COMFORT PANT**

NFPA[®] 2112 Compliant

This iQ Series® Lightweight Pant is stylishly designed for women. With a more feminine cut, they'll keep you cool and in command all day long.

OP15 - Women's 0-24 Even. Fit Chart LFC-02.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) 65% Cotton / 35% Polyester Ripstop Twill

Protection: Arc Rating ATPV 9.0 calories/cm²

Color: Navy (NV)

NV

SINCE '71

23

IO SERIES® MOBILITY COLLECTION

R

The iQ Series[®] Mobility Collection is Bulwark[®] innovation in action. We studied the way you move, reach, bend and lift to create an all new line of FR workwear that not only keeps you protected from thermal hazards, but makes your workday a little easier, too. With gussets and pleats in all the right places, garments in the Mobility Collection won't ride up or restrict your range of motion. So you can go about your work with complete comfort and compliance.

VIEW THE COLLECTION: BULWARK.COM

QC20EV

IQ SERIES" MEN'S ENHANCED VISIBILITY MOBILITY COVERALL

NFPA® 2112 Compliant

The iQ Series[®] Mobility Coverall was built for comfort. The 5.5 oz. fabric with CAT2 protection feels light and smooth. The mobility design gives plenty of room for movement. This premium coverall features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort.

QC20 - Men's (Reg) S-4XL. (Long) M-4XL. Fit Chart MFC-14.

Fabric: Exclusively with TenCate Evolv[™]. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Grey Enhanced (EV), Navy Enhanced (NE)



All product on spread: Imported of Fabric Made in U.S.A.

iQ SERIES[®] WOMEN'S MOBILITY COVERALL

NFPA® 2112 Compliant

The iQ Series® Mobility Coverall was built for comfort. The 5.5 oz. fabric with CAT2 protection feels light and smooth. The mobility design gives plenty of room for movement. This premium coverall features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort.

QC21 - Women's (Reg) XS-2XL. Fit Chart LFC-05.

Fabric: Exclusively with TenCate Evolv[™]. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic Protection: Arc Rating ATPV 8.5

calories/cm²

Colors: Dark Grey (DG), Navy (NV)

DG NV

QC20NV

iQ SERIES" MEN'S MOBILITY COVERALL

NFPA® 2112 Compliant

The iQ Series[®] Mobility Coverall was built for comfort. The 5.5 oz. fabric with CAT2 protection feels light and smooth. The mobility design gives plenty of room for movement. This premium coverall features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort.

QC20 - Men's (Reg) S-4XL. (Long) M-4XL. Fit Chart MFC-14.

Fabric: Exclusively with TenCate Evolv[™]. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Dark Grey (DG), Navy (NV)

DG NV

SINCE '71

25

QC23NV

Curtho AT IL-LS HW

iQ SERIES[®] MEN'S LIGHTWEIGHT MOBILITY COVERALL

NFPA® 2112 Compliant

The iQ Series® Men's Lightweight Mobility Coverall was built for comfort and functionality. The 4.5 oz. fabric with CAT1 protection feels light and smooth. This premium coverall features special design features in the lower torso that gives the wearer room to squat. It also features a patented sleeve pleat that allows the arm full range of motion and the mobility design gives plenty of room for movement. The full design comes together to help you move, bend and work in comfort.

QC24 - Men's (Reg) S-4XL. (Long) M-4XL. Fit Chart MFC-14.

Fabric: Exclusively with Nomex[®] Comfort fabrics by DuPont[®]. Flame-resistant. 4.5 oz. (150 g/m²) 93% Nomex / 5% Kevlar[®]/ 2% Carbon

Protection: Arc Rating ATPV 6.1 calories/cm²

Colors: Navy (NV), Royal Blue (RB)



iQ SERIES[®] WOMEN'S MIDWEIGHT MOBILITY COVERALL

NFPA® 2112 Compliant

The iQ Series® Women's Midweight Mobility Coverall was built for comfort. The 6 oz. fabric with CAT1 protection feels light and smooth. This premium coverall features a patented sleeve pleat giving the arms full range of motion. The mobility design gives plenty of room for movement. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort. OC23 - Women's (Reg) XS-2XL.

Fit Chart LFC-05.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont[®]. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar[®] / 2% Carbon

Protection: Arc Rating ATPV 7.6 calories/cm² **Colors:** Navy (NV), Red (RD), Royal Blue (RB)





The iQ Series® Men's Midweight Mobility Coverall was built for comfort. The 6 oz. fabric with CAT1 protection feels light and smooth. This premium coverall features a patented sleeve pleat giving the arms full range of motion. The mobility design gives plenty of room for movement. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort.

Fit Chart MFC-14.

2% Carbon



QC24RB

OC22 - Men's (Reg) S-4XL. (Long) M-4XL.

Fabric: Exclusively with Nomex[®] Comfort fabrics by DuPont[®]. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar[®] /

Protection: Arc Rating ATPV 7.6 calories/cm² Colors: Navy (NV), Red (RD), Royal Blue (RB)

iQ SERIES[®] MEN'S MIDWEIGHT ENHANCED VISIBILITY MOBILITY COVERALL

NFPA® 2112 Compliant

The iQ Series® Men's Midweight Enhanced Visibility Mobility Coverall was built for comfort. The 6 oz. fabric with CAT1 protection feels light and smooth. This premium coverall features a patented sleeve pleat giving the arms full range of motion. The mobility design gives plenty of room for movement. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort.

QC22 - Men's (Reg) S-4XL. (Long) M-4XL. Fit Chart MFC-14.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont[®]. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy Enhanced (NE), Royal Blue Enhanced (RE)

NE RE

IQ SERIES[®] ENDURANCE WORK SHIRT

11111111

QS40NV

IQ SERIES" MEN'S ENDURANCE WORK SHIRT

NFPA® 2112 Compliant

This CAT2 iQ Series[®] work shirt was designed especially for hard work, with comfort and durability built to last. Mobility features like underarm gussets make moving, bending and working a little bit easier.

QS40 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-77.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken[®]. Flame-resistant, 6.9 oz. (235 g/m²) Ripstop Twill, 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 9.0 calories/cm² Colors: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV)



OSERIES ENDURANCE COLLECTION

R

FR workwear won't pass muster if it doesn't last. The iQ Series[®] Endurance Collection is a line of durable FR without the tradeoffs and compromises traditionally associated with durability. iQ's revolutionary dual elemental protection penetrates FR chemistry deep into the fiber of the fabric without adding weight, while the addition of polyester improves strength and overall durability, so you can be confident your FR protection will last every bit as long as you do.

VIEW THE COLLECTION: BULWARK.COM





QS41KH

IQ SERIES" WOMEN'S ENDURANCE WORK SHIRT

NFPA® 2112 Compliant

An FR shirt with a feminine look and feel? You better believe it. The iQ Series® Women's Endurance Work Shirt is made for a woman's body with princess seams at the front for a more feminine fit, but you'll still get all the protection of Bulwark® FR gear and the comfort of our iQ Series®, made exclusively with Westex G2[™] fabrics by Milliken®. Full underarm gussets allow you to move freely, while a sleeve pocket gives you easy access to storage. And because it's part of the iQ Series® Endurance line, this shirt can take as many washes as you can give it without losing its FR protection.

QS41 - Women's (Reg) XS-3XL. Fit Chart LFC-02.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken[®]. Flame-resistant, 6.9 oz. (235 g/m²) Ripstop Twill, 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Grey (GY), Khaki (KH), Navy (NV)



iQ SERIES[®] **ENDURANCE WORK PANT**

2

11111111

(1)

3`

(4)

QP10NV

QS40GE

IO SERIES® MEN'S ENDURANCE ENHANCED VISIBILITY WORK SHIRT

NFPA® 2112 Compliant

Enhanced visibility meets enhanced versatility with this popular Bulwark® iQ Series® Work Shirt. Full underarm gussets give you a greater range of reach while remaining tucked. Plus, a gas monitor pocket at the front shoulders, reinforced front pockets and a patch chest pocket with an integrated pencil stall give you convenient, safe storage options in every direction. Triple-needle seams add that extra degree of durability that ensure every Bulwark® iQ Series® Endurance offering lives up to its name.

QS40 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-77.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken[®]. Flame-resistant, 6.9 oz. (235 g/m²) Ripstop Twill, 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 9.0 calories/cm² **Colors:** Grey (GE), Navy (NE)

GE NE

QP11NV



1 **EXTENSION BELT LOOP** FOR WIDER BELTS

(2) **REINFORCED POCKETS FOR** ADDED DURABILITY

(3) **CROTCH GUSSET FOR MOBILITY**

4 TRIPLE NEEDLE SEAMS FOR **EXTRA DURABILITY**



IQ SERIES® MEN'S & WOMEN'S ENDURANCE WORK PANT

NFPA® 2112 Compliant

Built to work. Built to last. Bigger belt loops, tripleneedle felled outseams and seat seam keep your act together for all day comfort and performance, without the fatigue or the fraying. Plus, reinforced pocket bags double down on durability. And looking for greater function, without the malfunction? This work pant features an ultra-convenient concealed button, pocket-in-pocket and utility loop that serves you well while you do the work. Last but not least, this pant features a crotch gusset for greater freedom of movement.

QP10 - Men's (Reg) 28-36, 38-56 Even. Fit Chart I.

QP11 - Women's (Reg) 0-24 Even. Fit Chart LFC-02.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken[®]. Flame-resistant, 9 oz. (305 g/m²) 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 10 calories/cm²

Color: Navy (NV)

NV





CANVAS COLLECTION

Bulwark's Canvas Collection blends the classic look and unbeatable durability of brown duck workwear with Bulwark's proven FR protection. Reinforced with double fabric in heavy wear areas and triple-needle topstitching throughout, this collection is designed to withstand maximum wear and tear, without sacrificing style or safety.

NOT INTENDED TO BE WORN AS A SINGLE LAYER

LLS8BD

BROWN DUCK VEST JACKET LINER

Bulmark

NFPA[®] 2112 Compliant

Concealed snap-front closure. Rib knit collar. Two large inset slash-welted pockets. One inside chest pocket. Snaps into JLB6 jacket sold separately. DWR (Durable Water Repellent).

LLSB - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Insulation: 14 oz. (475 g/m²) 50% FR Cotton / 50% Modacrylic Insulation

Protection: Arc Rating ATPV 47 calories/cm² Color: Brown Duck (BD)







10000

BROWN DUCK UNIVERSAL FIT SNAP-ON HOOD

Hook-and-loop closure at front neck. Drawstring around face opening. Sized to fit over hard hat. Snaps to JLB6 and JLC6, sold separately. DWR (Durable Water Repellent).

HLH4 - Men's One size.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

- Lining: 14 oz. (475 g/m²) 50% Cotton / 50% Modacrylic Insulation
- Protection: Arc Rating ATPV 47 calories/cm²

Color: Brown Duck (BD)





VLS2BD

JLB6BD

JLC6BD



SHERPA LINED BROWN DUCK VEST

NFPA® 2112 Compliant

This full-zip CAT3 vest is lined with soft Sherpa fabric with a Nomex® taped brass zipper and storm flap and is NFPA® 2112 compliant. It offers excellent FR protection, with great comfort. DWR (Durable Water Repellent).

VLS2 - Men's (Reg) S-2XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water Repellent

Insulation: Flame-resistant, 13 oz. (440 g/m²) Sherpa Blend

Protection: Arc Rating E_{RT} 33 calories/cm²

Color: Brown Duck (BD)



NOT INTENDED TO BE WORN AS A SINGLE LAYER

BROWN DUCK LINED BOMBER JACKET

NFPA® 2112 Compliant

Flame-resistant, lay-flat collar. Utility loops at shoulder and left sleeve pocket. Accommodates snap-on hood HLH4 and liners LLS8, LNL8 and LNS8 sold separately. DWR (Durable Water Repellent).

JLBG - Men's (Reg) S-4XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 7 oz. (235 g/m²) 100% Cotton Sanded

Protection: Arc Rating ATPV 35 calories/cm²

Color: Brown Duck (BD)

BROWN DUCK LINEMAN'S COAT

NFPA® 2112 Compliant

Concealed, snap-front, storm flap closure. Lanyard access opening on center back Ω accommodates safety harness. Updated cuff construction. Accommodates snap-on hood HLH4 and vest jacket liner LLS8, sold separately. DWR (Durable Water Repellent).

JLC6 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 6.5 oz. (220 g/m²) 70% Nomex[®] / 30% FR Lenzing[®]

Protection: Arc Rating ATPV 41 calories/cm²

Color: Brown Duck (BD)

BD

JLH6BD

INSULATED BROWN DUCK

NFPA® 2112 Compliant

All main seams have triple-needle topstitching. Rib knit sleeve cuffs and waistband. Concealed hook-and-loop front storm flap closure. Two large side pockets. Two inside chest pockets.

JLHG - Men's (Reg) S-4XL. (Long) L-3XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 13 oz. (440 g/m²) Duck, 100% Cotton

Lining: 5.5 oz. (185 g/m²) Quilted Modacrylic Blend Insulation

Protection: Arc Rating ATPV 48 calories/cm² **Color:** Brown Duck (BD)

BD

JLH4BD

Lanyard access opening on center back, accommodates safety harness





BROWN DUCK HOODED JACKET

NFPA® 2112 Compliant

Permanently attached hood with adjustable drawcord. Lanyard access opening on center back, accommodates safety harness. Two front pouch-style pockets with reinforced bartacks. DWR (Durable Water Repellent).

JLH4 - Men's (Reg) S-4XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 7 oz. (235 g/m²) 100% Cotton Sanded **Protection:** Arc Rating ATPV 35 calories/cm² **Color:** Brown Duck (BD)

BD

BROWN DUCK UNLINED BIB OVERALL

BLF6BD

Bulwark

NFPA® 2112 Compliant

Large, double front pocket. Double fabric on leg and thigh. Leg zippers to knee. Elastic suspenders.

BLFG - Men's 32-44 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 13 oz. (440 g/m²) Duck, 100% Cotton

Protection: Arc Rating ATPV 16 calories/cm²

Color: Brown Duck (BD)



DUCK UNLINED BIB OVERALL

NFPA® 2112 Compliant

Reinforced double knees. Concealed. Nomex[®] taped, brass zipper front. Elasticized shoulder straps with non-conductive adjustable hardware. Two large center front pockets with pencil stall.

BLF8BD

BLF8 - Men's (Reg) M-3XL. (Long) L-2XL. Fit Chart MFC-14.

Fabric: Flame-resistant, 11 oz. (390 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Protection: Arc Rating ATPV 16 calories/cm²

Colors: Brown Duck (BD), Navy Duck (NV)



BROWN DUCK DELUXE INSULATED BIB OVERALL

Pulwark

NFPA® 2112 Compliant

If you're looking for the ultimate in rugged durability, warmth, and FR protection, then this heavyweight brown duck bib overall is made for you. With CAT4 protection, insulation throughout and side vent openings, these overalls will keep you warm and comfortable while they protect you.

BLN4BD

BLN4 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 11 oz. (390 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 100% Cotton

Insulation: 100% Modacrylic

Protection: Arc Rating ATPV 47 calories/cm²

Color: Brown Duck (BD)

BD



INSULATED BROWN DUCK BIB OVERALL

NFPA® 2112 Compliant

Large, double front pocket. Double fabric on leg and thigh. Leg zippers. Elasticized shoulder straps with non-conductive adjustable hardware. Quilted lining from waist to ankle. Leg zippers to thigh.

BLNG - Men's 32-44 Even. Fit Chart MFC-14.

Fabric: Flame-resistant

Shell: 13 oz. (440 g/m²) Duck, 100% Cotton

Lining: 5.5 oz. (186 g/m²) 44% Cotton / 6.5% Nylon / 46% Modacrylic / 3.5% Polyester with 6 oz. (203 g/m²) 88% Cotton / 12% Nylon face fabric

Protection: Arc Rating ATPV 48 calories/cm²

Color: Brown Duck (BD)

BD

PLJ6KH

PLJ8BD



CAT IL-HS IL-LS HW

LOOSE FIT MIDWEIGHT **CANVAS JEAN**

NFPA® 2112 Compliant

Comfortable broken-in fabric. Light duck summer option. All main seams have triple-needle topstitching.

PLJG - Men's 30-36, 38-54 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 8.5 oz. (290 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²

Colors: Khaki (KH), Navy (NV)





DUNGAREE

NFPA® 2112 Compliant

Five jean-style pockets. Rule pocket and utility pocket on right leg. Hammer loop and utility pocket on left leg. Triple-needle felled outseam.

PLJB - Men's 28-50 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 11 oz. (390 g/m²) 88% Cotton / 12% Nylon, Water-repellent

Protection: Arc Rating ATPV 16 calories/cm²

Colors: Brown Duck (BD), Navy Duck (NV)

BD NV





HI-VISIBILITY & RAINGEAR



Don't get left in the dark. When you need to be seen, you can count on Bulwark® FR's Hi-Visibility workwear. Flame-resistant, comfortable and compliant, our Hi-Visibility collection is designed to provide extra safety for FR environments with limited visibility or complex backgrounds like oil & gas extraction, oil & gas refining, mining, construction and utility work.

S1B2HG

MEN'S HI-VISIBILITY COLORBLOCK DRESS SHIRT

NFPA® 2112 Compliant

This is the next generation of protection—FR and hivisibility with a tailored, professional look and advanced features for comfort, plus CAT2 AR/FR protection and NFPA® 2112 compliancy. Color-blocked hi-vis upper half provides ANSI 107-2010 Class 3 Level 2 and ANSI 107-2015 Type R Class 3 compliancy, while grey lower half conceals dirt and stains.

NEW!

WIIIIIN.

S1B2 - Men's (Reg) M-5XL. (Long) M-5XL. Fit Chart MFC-77.

Fabric: 5.7 oz (195 g/m²) 51% Lyocell / 39% Modacrylic / 10% Aramid

Protection: Arc Rating ATPV 8.2 calories/cm² ANSI 107 Type R Class 3 Compliant

0 0

Color: Hi-Vis Yellow/Heather Grey (HG)



VISIBILITY





MEN'S HI-VISIBILITY DRESS SHIRT

NFPA® 2112 Compliant

This hi-vis work shirt combines CAT2 FR/AR protection with ANSI/ISEA 107 Type R Class 3 compliancy and a professional workwear look. Two chest pockets with button flap closure provide secure storage. 2" reflective striping offers 360° visibility to keep you seen and safe.

S1W2 - Men's (Reg) M-4XL. (Long) M-5XL. Fit Chart MFC-10.

Fabric: 5.7 oz (195 g/m²) 51% Lyocell / 39% Modacrylic / 10% Aramid

Protection: Arc Rating ATPV 8.2 calories/cm² ANSI 107 Type R Class 3 Compliant

Color: Hi-Vis Yellow (HV)





HI-VISIBILITY COLOR BLOCK UNIFORM SHIRT

NFPA® 2112 Compliant

360° visibility with front and back 2" flame-resistant heat seal silver reflective striping. Banded, topstitched collar. Topstitched cuffs with button closure. Hemmed front with button closure. Tailored sleeve placket. Full underarm gussets. Color block shirt with hi-vis top half and grey bottom half to conceal dirt and stains. Napoleon pocket at left front with zipper closure, right front chest pocket with pencil stall.

SLB4 - Men's (Reg) M-3XL. (Long) M-3XL. Fit Chart MFC-77.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm² ANSI 107 Type R Class 3 Compliant

Color: Hi-Vis Yellow/Grey (HG)

HG

HI-VISIBILITY WORK SHIRT

NFPA® 2112 Compliant

360° visibility with front and back 2" flame-resistant silver reflective striping. Two-piece, lined collar. Two chest pockets with button closures and sewn-in pencil stall. Button-front closure. Lined cuff with button closure.

SMW4 - Men's (Reg) M-3XL. (Long) M-3XL. Fit Chart MFC-46.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm² ANSI 107 Type R Class 2 Compliant

Color: Yellow/Green (HV)





HI-VISIBILITY LIGHTWEIGHT COLORBLOCK LONG SLEEVE T-SHIRT

SMB2HN

NFPA® 2112 Compliant

360° visibility with front and back 2" segmented heat seal reflective trim. Left chest pocket with pencil stall. Rib-knit collar and cuffs. Colorblocked to hide dirt and stains in key areas.

2

SMB2 - Men's (Reg) M-5XL. (Long) L-5XL. Fit Chart MFC-03.

 Fabric: (Yellow)
 Flame-resistant, 6.7 oz. (225 g/m²)

 48%
 Modacrylic / 37%
 Lyocell / 15%
 Aramid
 (Navy) 45% Modacrylic / 35% Lyocell / 20% Aramid

Protection: Arc Rating E_{BT} 8.2 calories/ cm² ANSI 107 Type R Class 3 Compliant

Color: Yellow/Navy (HN)

SML4HV

- and



HI-VISIBILITY LIGHTWEIGHT LONG SLEEVE HENLEY

HN

NFPA® 2112 Compliant

360° visibility with front and back 2" segmented heat seal reflective trim. Four-button henley placket. Left chest pocket with pencil stall. Full underarm gussets. Rib knit collar and cuffs.

SML4 - Men's (Reg) M-5XL. (Long) L-5XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 8.3 calories/cm² ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)



SMK8HV

HI-VISIBILITY LIGHTWEIGHT LONG SLEEVE T-SHIRT

NFPA® 2112 Compliant

360° visibility with front and back 2" silver heat seal reflective trim. Full underarm gusset. Left chest pocket with pencil stall. Rib-knit collar and cuffs.

SMKB - Men's (Reg) M-5XL. (Long) L-5XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 8.3 calories/cm² ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV





SMZ4HV



HI-VISIBILITY PULLOVER HOODED FLEECE SWEATSHIRT

NFPA[®] 2112 Compliant

When hi-vis and fleece come together, the result is fewer layers and more comfort. Think of this as your favorite FR hooded sweatshirt combined with your hi-vis vest. CAT3 protection meets ANSI 107 Type R Class 3 compliance with 2" reflective striping for 360° visibility. Durable Water Repellent (DWR) Finish.

SMH4 - Men's (Reg) M-5XL. (Long) L-2XL. Fit Chart MFC-03.

Fabric: 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para Aramid / 4% Spandex

Protection: Arc Rating ATPV 27 calories/cm² ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)



HI-VISIBILITY ZIP-FRONT HOODED FLEECE SWEATSHIRT WITH WAFFLE LINING

NFPA[®] 2112 Compliant

This fleece hoodie is the ultimate combination of FR protection, hi-vis compliance and comfort for extra cold days on the job. With CAT4 protection and ANSI 107 Type R Class 3 compliancy, plus waffle knit lining for an extra layer of warmth. Durable Water Repellent (DWR) Finish.

SMZ4 - Men's (Reg) S-5XL. (Long) L-2XL. Fit Chart MFC-03.

Fabric: Flame-resistant

Shell: 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para Aramid / 4% Spandex

Lining: Waffle, 100% FR Cotton 7.6 oz (215 g/m²)

Protection: Arc Rating ATPV 45 calories/cm² ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)



HI-VISIBILITY COLOR BLOCK PULLOVER FLEECE SWEATSHIRT WITH WAFFLE LINING

NFPA® 2112 Compliant

Cold days on the job call for heavy-duty FR protection that keeps you as warm as it does safe. This hooded color-blocked pullover sweatshirt is the ultimate combination of FR protection, hi-vis compliance and comfort. Made of warm, stylish fleece, lined with knit waffle. Durable Water Repellent* (DWR) Finish on Hi-Vis Yellow. *Grey fabric does not contain DWR finish.

SMB4 - Men's (Reg) M-5XL. (Long) L-2XL. Fit Chart MFC-03.

Fabric: (Hi-Vis Yellow) 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para Aramid / 4% Spandex. DWR finish. [Grey] 12.5 oz (425 g/m²) 95% Cotton / 5% Spandex brushed fleece. No DWR finish.

Lining: Waffle, 100% FR Cotton 7.6 oz (255 g/m²)

Protection: Arc Rating ATPV 45 calories/cm² ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HG)



0

HI-VISIBILITY LINED BOMBER JACKET

NFPA® 2112 Compliant

360° visibility with front and back 2" silver reflective striping. DWR (Durable Water-Repellent) finish. Separating, heavyduty, Nomex® taped brass zipper, fully covered with twolayer storm flap, concealed snap closure. Two-layer stand-up collar. Two-layer concealed snap cuff. Two large external patch pockets, with concealed snap secured flaps with hand warmers. One inside chest pocket. Deep-pleated action back. Fully-tunneled elasticized waistband. Inside zipper guards on all zippers. Accommodates snap-on hood HMH2HVB and liners LNL8, LNS8 sold separately.

JMJG - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid. Water-repellent

Lining: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 31 calories/cm² ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)





HI-VISIBILITY VESTS



HI-VISIBILITY INSULATED VEST

NFPA® 2112 Compliant (Must be worn over NFPA® 2112 compliant shirt)

Serious FR protection combined with high visibility and insulation to keep you extra warm in this CAT4 vest, with all the bells and whistles, so you can do your best work. ANSI 107 Type R Class 2 Compliant and water repellent, so you can stay seen, safe and dry while you work.

VMS4 - Men's (Reg) M-3XL. (Long) L-2XL. Fit Chart MFC-17.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid, Water-repellent

Lining: 14 oz. (405 g/m²) Quilted Cotton / Modacrylic Insulation

Protection: Arc Rating ATPV 45 calories/cm² ANSI 107 Type R Class 2 Compliant

Color: Yellow/Green (HV)



HI-VISIBILITY SAFETY VEST

NFPA® 2112 Compliant (Must be worn over NFPA® 2112 compliant shirt)

FR and high visibility get together in this CAT2, ANSI 107 Type R Class 2 compliant dual-hazard safety vest with hook-and-loop front closure and adjustable sides for a comfortable and safe fit.

VMV4 - Men's S/M, L/XL, 2XL/3XL, 4XL/5XL. Fit Chart MFC-18.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm² ANSI 107 Type R Class 2 Compliant

Color: Yellow/Green (HV)



HI-VIS ICON LEGEND



Intended for use by personnel exposed to vehicular traffic from public access rights of way or roadway temporary traffic control zones. Class 2 garments require the use of greater amounts of hi-visibility materials than Class 1 apparel, which help distinguish between a human and an inanimate object.



Intended for use by personnel exposed to vehicular traffic from public access rights of way or roadway temporary traffic control zones. Class 3 garments mandate the greatest amount of hivisibility material for workers in moving, complex backgrounds, including reflective striping on sleeves and pant legs (if present).



Pants, bib overalls, shorts and gaiters meeting minimum area requirements for background material and retroreflective trim. Class E apparel, however, cannot be worn alone to provide adequate visibility of workers. When Class E items are worn with Performance Class 2 or Class 3 apparel, the overall classification of the ensemble is Performance Class 3.



CMD8HV





2) TWO, DOUBLE-NEEDLE TOPSTICHED PATCH CHEST POCKETS WITH FLAPS

3 TWO-WAY CONCEALED NOMEX® TAPED BRASS BREAK-AWAY ZIPPER

4 ANSI 107 TYPE R **CLASS 3 COMPLIANT**

5) 360° VISIBILITY WITH FRONT 6 **BACK 2" REFLECTIVE STRIPING**

HI-VISIBILITY DELUXE COVERALL

NFPA[®] 2112 Compliant

360° visibility with front and back 2" silver reflective striping. One-piece, topstitched, lay-flat collar. One-piece bi-swing action back. Two-way concealed Nomex[®] taped brass break-away zipper, concealed snap at top of zipper at neck. Concealed snap closure on sleeve cuff. Two, double-needle topstitched patch chest pockets with flaps and concealed snap closure. Two front swing pockets are topstitched and lined. Two patch hip pockets have single concealed snap closure. One sleeve pocket sewn to left bicep with pencil stall. Rule pocket on right leg. Elastic waist inserts in back.

CMD8 - Men's (Reg) 38-58 Even. (Long) 42-58 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Para-Aramid

Protection: Arc Rating ATPV 9.0 calories/cm² ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)



JXN4YE

HI-VISIBILITY FLAME-RESISTANT RAIN JACKET

Non-conductive durable hardware. Silver reflective striping. Two patch pockets with flaps. Vented back with "D" ring access. Take-up tabs on cuff. 360° visibility with front and back 2" reflective striping. Tuck away roll-up hood.

JXN4 - Men's (Reg) S-6XL. Fit Chart MFC-53.

Fabric: 10 oz. (340 g/m²) Polyurethane on a Knit Flame-Resistant Treated Cotton, Water-repellent

Protection: Arc Rating ATPV 24 calories/cm², E_{RT} 28 calories/cm² Meets ASTM F1891 Standard Specification for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)







HI-VISIBILITY FLAME-RESISTANT RAIN BIB OVERALLS

Non-conductive durable hardware. 2" reflective striping. Elasticized shoulder straps with non-conductive adjustable hardware. Take-up tabs at ankles.

BXN4 - Men's (Reg) S-6XL. Fit Chart MFC-51. (Must be worn over NFPA® 2112 compliant shirt or under jacket)

Fabric: 10 oz. (340 g/m²) Polyurethane on a Knit Flame-Resistant Treated Cotton, Water-repellent

Protection: Arc Rating ATPV 24 calories/cm², E_{pt} 28 calories/cm² ANSI/ISEA 107 Class E (Type R Class 3 when worn with JXN4YE)

Meets ASTM F1891 Standard Specification for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-**Resistant Rainwear for Protection Against Flame Hazards**

Color: Yellow/Green (YE)



HI-VISIBILITY FLAME-RESISTANT RAIN JACKET

Non-conductive durable hardware. Silver reflective striping. Two patch pockets with flaps. Vented back with "D" ring access. Take-up tabs on cuff. 360° visibility with front and back 2" reflective striping. Tuck away roll-up hood. 360° visibility with front and back 1 1/2" reflective striping. Tuck away roll-up hood.

JXN6YE

JXNG - Men's (Reg) S-6XL. Fit Chart MFC-53.

Fabric: 13 oz. (440 g/m²) PVC / Modacrylic Knit, Water-repellent

Protection: Arc Rating ATPV 8.5 calories/cm², E_{pr} 36 calories/cm² ANSI/ISEA 107 Type R Class 2 Compliant (Type R Class 3 when worn with BXN6)

Meets ASTM F1891 Standard Specification for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant **Rainwear for Protection Against Flame Hazards**

Color: Yellow/Green (YE)



MUST BE WORN OVER NFPA® 2112 COMPLIANT SHIRT OR UNDER JACKET

Bulwark

BXN6YE

CAT SUPPLEMENTAL CLASS E

HI-VISIBILITY FLAME-RESISTANT RAIN BIB OVERALLS

Non-conductive durable hardware. 2" reflective striping. Elasticized shoulder straps with non-conductive adjustable hardware. Take-up tabs at ankles.

BXNG - Men's (Reg) S-6XL. Fit Chart MFC-42. (Must be worn over NFPA® 2112 compliant shirt or under jacket)

Fabric: 13 oz. (440 g/m²) PVC / Modacrylic Knit

Protection: Arc Rating ATPV 8.5 calories/cm², E_{BT} 36 calories/cm² ANSI/ISEA 107 Class E Compliant (Type R Class 3 when worn with JXN6YE)

Meets ASTM F1891 Standard Specification

for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)







insect 🕈 shield®

Those who work in the great outdoors know, there's one particularly pesky downside to all that fresh air: insects. That's why we're proud to offer our line of FR workwear using Insect Shield®. This technology is proven to effectively repel insects ranging from mosquitos to ticks and flies to chiggers, with protection that lasts through 50 home washes. So you can work pest-free and confidently compliant.

INSECT SHIELD[®]





IQ SERIES® MENS & WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT WITH INSECT SHIELD®

NFPA[®] 2112 Compliant

QS50 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-77.

QS51 - Women's (Reg) XS-3XL. Fit Chart LFC-02.

Fabric: Exclusively with TenCate Evolv[™]. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm² **Color:** Dark Grev (DI)

DI

EXTING CAT

iQ SERIES® MEN'S & WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT WITH INSECT SHIELD®

NFPA[®] 2112 Compliant

QS52 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-77.

QS53 - Women's (Reg) XS-3XL. (Available in Khaki only) Fit Chart LFC-02.

Fabric: Exclusively with TenCate Evolv[™]. Flame-resistant, 5.5 oz. (185 g/m²) 41% Modacrylic / 35% Cellulosic / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm² **Colors:** Light Blue (BI), Light Grey (GI), Khaki (KI)





HW

INSECT SHIELD[®] LIGHTWEIGHT SOCK

ISLS - Unisex (Reg) M-L. Fit Chart MFC-102.

Fabric: 6 oz. (200 g/m²) 70% Viscose / 25% Polyester / 3% Rubber / 2% Spandex Elastane

Protection: Insect Shield. *NOT FLAME-RESISTANT.* Color: Charcoal (CH)

CH







IQ SERIES" MEN'S COMFORT KNIT LONG SLEEVE HENLEY WITH INSECT SHIELD"

NFPA® 2112 Compliant

Raglan sleeves. Hidden rib knit cuffs.

QT20 - Men's (Reg) S-4XL. (Long) L-3XL. Fit Chart MFC-03.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken®. Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²

Color: Charcoal (CI)

CI

iQ SERIES" WOMEN'S COMFORT KNIT TEE WITH INSECT SHIELD"

NFPA® 2112 Compliant

QT31 - Women's (Reg) XS-2XL. Fit Chart LFC-02.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken[®]. Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²

Color: Charcoal (CI)

CI

MEN'S HI-VISIBILITY LIGHTWEIGHT LONG SLEEVE T-SHIRT WITH INSECT SHIELD®

NFPA® 2112 Compliant

SMKB - Men's (Reg) M-5XL. (Long) L-5XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 8.3 calories/cm² ANSI/ISEA 107 Type R Class 3 Compliant

Color: Yellow/Green (HI)

HI

INSECT SHIELD

QP14NI

NSECT

iO SERIES[®] **MEN'S LIGHTWEIGHT COMFORT PANT** WITH INSECT SHIELD

QP14 - Men's (Reg) 28-56 Even. Fit Chart K.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken[®]. Flame-resistant, 6.9 oz. (235 g/m²) 65% Cotton / 35% Polyester Ripstop Twill

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Black (BI),

iO SERIES[®]

WOMEN'S

LIGHTWEIGHT

NFPA[®] 2112 Compliant

COMFORT PANT

WITH INSECT SHIELD

QP15 - Women's 0-24 Even. Fit Chart LFC-02.

Fabric: Exclusively with

Milliken[®]. Flame-resistant,

6.9 oz. (235 g/m²) 65%

Cotton / 35% Polyester

Protection: Arc Rating

ATPV 9.0 calories/cm²

Color: Navy (NI)

NI

Ripstop Twill

Westex G2[™] fabrics by

QP15NI





PEJ8DI



Navy (NI)



PSJ4SI



MEN'S STRAIGHT FIT STRETCH JEAN WITH INSECT SHIELD®

NFPA[®] 2112 Compliant

Sits just below natural waist. Straight thigh and leg opening. One-piece waistband with metal button closure (metal is not exposed to skin). Soft for modern look.

PSJ4 - Men's 30, 32-36, 38-50 Even. Hemmed. Fit Chart L.

Fabric: Flame-resistant, 12 oz. (405 g/m²) 94% Cotton / 5% Polyester / 1% Spandex

Protection: Arc Rating ATPV 15 calories/cm²

Color: Sanded Denim (SI)

SI



MEN'S PRE-WASHED DENIM DUNGAREE WITH INSECT SHIELD®

NFPA[®] 2112 Compliant

Sits at natural waist. Loose seat and thigh. Wider leg opening. Two deep scoop pockets. Two oversized reinforced hip pockets. Rule pocket on right leg with wrap around utility pocket. Soft pre-wash for comfort and look.

PEJ8 - Men's 28-50 Even. Fit Chart A.

Fabric: Flame-resistant, 14.75 oz. (500 g/m²) 100% Cotton Denim

Protection: Arc Rating ATPV 21 calories/cm²

Color: Blue Denim (DI)

DI

IQ SERIES[®] WOMEN'S MOBILITY **COVERALL WITH INSECT SHIELD**[®] NFPA® 2112 Compliant

QC21 - Women's (Reg) XS-2XL. Fit Chart LFC-05.

Fabric: Exclusively with TenCate Evolv[™]. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic **Protection:** Arc Rating ATPV 8.5 calories/cm²

Color: Dark Grey (DI)

DI

IQ SERIES[®] MEN'S MOBILITY **COVERALL WITH INSECT SHIELD**[®]

NFPA[®] 2112 Compliant

QC20 - Men's (Reg) S-4XL. (Long) M-4XL. Fit Chart MFC-14.

Fabric: Exclusively with TenCate Evolv[™]. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Color: Dark Grey (DI)

DI





SHIRTS

11111

More styles. More colors. More protection. Bulwark's FR shirts come in every style from sporty polos to professional uniform shirts, and modern henleys to long-wearing tees. So you can be cool, comfortable, and compliant. All year long.



SES2TN





SNAP-FRONT UNIFORM SHIRT

NFPA® 2112 Compliant

This lightweight uniform shirt offers a tailored, professional look with CAT1 protection and NFPA® 2112 compliance. Placket front with snap closure gives a classic uniform shirt look with easy donning and doffing.

SNSG - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-10.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Colors: Navy (NVB)*, Red (RDB)*, Royal Blue (RB) *Contact customer service for availability.



(ILLS HW

SNAP-FRONT UNIFORM SHIRT

NFPA® 2112 Compliant

This midweight NFPA® 2112 compliant, CAT1 uniform shirt offers a tailored, professional look with two chest pockets and sewn-in pencil stall for storing tools and personal effects.

SES2 - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-10.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 7.7 calories/cm²

Colors: Navy (NVB)*, Royal Blue (RB), Tan (TN) *Contact customer service for availability.



SNAP-FRONT UNIFORM SHIRT

NFPA® 2112 Compliant

This lightweight uniform shirt offers a tailored, professional look with CAT1 protection and NFPA® 2112 compliance. Placket front with snap closure gives a classic uniform shirt look with easy donning and doffing.

SNS2 - Men's (Reg) S-3XL. (Long) M-3XL. Fit Chart MFC-10.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) Nomex[®] Essential (93% Nomex[®] Aramid / 5% Kevlar[®] Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 4.4 calories/cm²

Colors: Light Blue (LBB)*, Navy (NV), Red (RD), Royal Blue (RB), Tan (TN) ***Contact customer service for availability.**











4.5 OZ. UNIFORM SHIRT

NFPA® 2112 Compliant

This lightweight uniform shirt offers a tailored, professional look with CAT1 protection and NFPA® 2112 compliance. Tailored sleeve placket, topstitched cuffs and straight back yoke look sharp and professional while being protective.

SND2 - Men's (Reg) S-3XL. (Long) M-3XL. Fit Chart MFC-77.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) Nomex[®] Essential (93% Nomex[®] Aramid / 5% Kevlar[®] Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 4.4 calories/cm²

Colors: Gulf Blue (GB), Navy (NV), Red (RDB)*, Royal Blue (RB), Tan (TN) *Contact customer service for availability.





5.8 OZ. UNIFORM SHIRT

NFPA® 2112 Compliant

Banded topstitched collar. Two chest pockets with button flap closures and sewn in pencil stall. Placket front with button closure. Tailored sleeve placket. Topstitched cuff with button closure.

SMU4 - Men's (Reg) S-3XL. (Long) M-3XL. Fit Chart MFC-77.

Fabric: Flame-resistant, 5.8 oz. (200 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 6.5 calories/cm²

Color: Khaki (KH)

6 OZ. UNIFORM SHIRT

NFPA® 2112 Compliant

Enjoy this classic uniform shirt made to withstand your work while providing CAT1 protection and NFPA® 2112 compliancy. It features a banded, topstitched collar as well as two chest pockets with button flap closures and sewn in pencil stall.

SNDG - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-10.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Colors: Navy (NVB)*, Royal Blue (RB) *Contact customer service for availability.

NVB RB

SLU8NV

6 DZ. UNIFORM SHIRT

NFPA® 2112 Compliant

This uniform shirt offers a tailored, professional look plus advanced features like full underarm gussets, for comfort and ease of movement with CAT2 protection.

SLUB - Men's (Reg) S-3XL. (Long) M-3XL. Fit Chart MFC-77.

Fabric: Flame-resistant, 6 oz. (205 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 9.1 calories/cm²

Colors: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV), Orange (OR)



All product on spread: Imported of Fabric Made in U.S.A.



SMUCNV

Bulwark







MEN'S DRESS UNIFORM SHIRT WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Banded, topstitched collar. Two chest pockets with flaps and button closure with sewn-in pencil stall. Placket front with button closure. Topstitched cuff with button closure. Tailored sleeve placket.

SMUC - Men's (Reg) S-5XL. (Long) M-4XL. Fit Chart MFC-10.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid

Protection: Arc Rating ATPV 11 calories/cm²

Color: Navy (NV). Stocked in Canada only.





7 OZ. ENHANCED VISIBILITY UNIFORM SHIRT

NFPA® 2112 Compliant

When your work shirt is enhanced vis, the result is fewer layers and greater comfort. Think of this as your favorite FR work shirt combined with your hi-vis vest. CAT2 protection and NFPA® 2112 compliant with 2" reflective striping for 360° visibility to keep you seen and safe.

SLDT - Men's (Reg) S-3XL. (Long) M-3XL. Fit Chart MFC-10.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV)



7 OZ. DRESS UNIFORM SHIRT WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

When your work shirt gets the enhanced vis treatment, the result is fewer layers and more comfort. Think of this as your favorite FR work shirt combined with your hi-vis vest. 360° visibility with front and back 2" flame-resistant yellow/silver/ yellow reflective striping.

SLUC - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-77.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Color: Navy (NV). Stocked in Canada only.

SLB4HG

NFPA® 2112 Compliant

This is the next-generation of protection. FR and hi-visibility with a tailored, professional look and advanced features for comfort. Color-blocked hi-vis upper half provides ANSI/ISEA 107 Type R Class 3 compliancy, while grey lower half conceals dirt and stains.

SLB4 - Men's (Reg) M-3XL. (Long) M-3XL. Fit Chart MFC-77.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm² ANSI/ISEA 107 Type R Class 3 Compliant

Color: Hi-Vis Yellow/Grey (HG)

HG







64 | SHIRTS



6 OZ. UNIFORM SHIRT WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

An enhanced vis work shirt means you can skip the added vest. Think of this as your favorite FR work shirt combined with your enhanced vis vest, for fewer layers and greater mobility. 360° visibility with front and back 2" flame-resistant silver reflective striping.

SLUS - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-10.

Fabric: Flame-resistant, 6 oz. (205 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 9.1 calories/cm² CSA Z96 Class 2 Level 2 Compliant

Color: Orange (OR). Stocked in Canada only.





7 OZ. ENHANCED VISIBILITY UNIFORM SHIRT

NFPA® 2112 Compliant

When your work shirt gets the hi-vis treatment, the result is fewer layers and more comfort. Think of this as your favorite FR work shirt combined with your hi-vis vest. CAT2 protection with 2" reflective striping for 360° visibility to keep you seen and safe.

SLAT - Men's (Reg) S-3XL. (Long) M-3XL. Fit Chart MFC-77.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Color: Orange (OR)



7 OZ. DRESS UNIFORM SHIRT

NFPA® 2112 Compliant

This midweight dress uniform shirt offers a tailored, professional look with CAT2 protection and NFPA® 2112 compliance, plus underarm gussets for increased ease of movement.

SMU2 - Men's (Reg) S-3XL. (Long) M-3XL. Fit Chart MFC-77.

Khaki, Light Blue:

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid **Protection:** Arc Rating ATPV 9.0 calories / cm²

Navy:

Fabric: Flame-resistant, 47% Modacrylic / 37% Lyocell / 16% Aramid **Protection:** Arc Rating ATPV 11 calories/cm²

Colors: Khaki (KH), Light Blue (LB), Navy (NV)



SLP2KH

6.5 OZ. DRESS SHIRT

NFPA® 2112 Compliant

Looking to shake up your FR collection? This midweight dress shirt offers all the features you need in a professional work shirt, plus CAT2 protection and a stylish plaid pattern.

SLP2 - Men's (Reg) S-3XL. (Long) M-3XL. Fit Chart MFC-10.

Fabric: Flame-resistant, 6.5 oz (220 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 9.5 calories/cm² Color: Khaki (KH)

SLU2SY

war







CAT IL-HS IL-LS HW

7 OZ. DRESS UNIFORM SHIRT

NFPA[®] 2112 Compliant

This midweight uniform shirt gives a tailored look and offers features like full underarm gussets for improved comfort and performance with CAT2 protection.

SLU2 - Men's (Reg) S-3XL. (Long) M-3XL. Fit Chart MFC-77.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV), Royal Blue (RB), Silver Grey (SY)



5.25 OZ. DRESS SHIRT

Banded, topstitched, button-down collar. One chest pocket with button closure and sewn-in pencil stall. Placket front with button closure. Topstitched cuff with button closure. Tailored sleeve placket.

SEGG - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-152.

Fabric: Flame-resistant, 5.25 oz. (180 g/m²) 100% Cotton

Protection: Arc Rating ATPV 5.5 calories/cm²

Color: Light Blue (LB)

LB

7 OZ. WORK SHIRT

NFPA® 2112 Compliant

This is the go-to work shirt with CAT2 protection to keep you compliant. Two chest pockets with button flap closures and sewn-in pencil stall.

SLW2 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-46.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV), Orange (ORB)*, Royal Blue (RBB)* *Contact customer service for availability.

		0.00			
GV I	КН	IR	NV	NPR	BRR

STG2NV

FLEX KNIT BUTTON DOWN SHIRT

NFPA® 2112 Compliant

The best of two hard-working worlds, this lightweight FR Flex Knit combines the crisp, professional look of an office work shirt and the comfort of your favorite T-shirt. Spandex-blend fabric allows it to stretch freely. Button-down collar keeps you looking crisp and sharp all day. Easy-to-spot CAT2/2112 label on the left sleeve leave no question that you're protected on the job site. Red buttonhole stitching and embroidery on right sleeve placket leave no doubt you're armed with the very best.

STG2 - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-77.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% cotton / 7% spandex

Protection: Arc Rating ATPV 8.3 calories/cm² Colors: Charcoal (CH), Navy (NV)



LIGHTWEIGHT STRETCH FABRIC


flexes with your body for added comfort and range of movement

REINFORCED CHEST POCKETS with button flaps allows for convenient storage

SIDE SEAM GUSSETS allows it to stretch freely without coming untucked

STG4CH





FLEX KNIT BUTTON DOWN WORK SHIRT

NFPA® 2112 Compliant

The best of two hard-working worlds, this lightweight FR Flex Knit combines the crisp, professional look of an office work shirt and the comfort of your favorite T-shirt. Spandex-blend fabric and side seam gussets allows it to stretch freely without coming untucked. Two reinforced chest pockets with button flaps allows convenient storage. Easy-to-spot CAT2/2112 label on the left sleeve leave no question that you're protected on the job site.

STG4 - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-77.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% cotton / 7% spandex

Protection: Arc Rating ATPV 8.3 calories/cm²

Colors: Charcoal (CH), Khaki (KH), Navy (NV)



SWW2SY

CAT IL-HS IL-LS HW

WELDING WORK SHIRT

NFPA® 2112 Compliant

Two chest pockets with snap flap closures and sewn-in soapstone stall. Special gored sleeve opening. Square hemmed front with snap closure. Sleeve soapstone holder. Special application garment. Sleeves lined with TUFFWELD® fabric.

SWW2 - Men's (Reg) M-3XL. Fit Chart MFC-144.

Shell: Flame-resistant, 7 oz. (235 g/m²) 100% Cotton

Sleeve Lining: TUFFWELD* Flame-resistant, 8.5 oz. (300 g/m²) 60% FR Rayon / 40% Aramid

Protection: Arc Rating ATPV 7.7 calories/cm²

Color: Silver Grey (SY)





CAT IL-HS IL-LS HW

7 OZ. WORK SHIRT

NFPA® 2112 Compliant

Lay-flat collar. Hemmed front with closures. One-piece lined cuffs with closures. Sleeve vents. Two chest pockets with button flap closures and sewn-in pencil stall.

SEW2 - Men's (Reg) S-3XL. (Long) M-3XL. Fit Chart MFC-152.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 7.7 calories/cm²

Colors: Khaki (KH), Light Blue (LB), Navy (NV), Silver Grey (SY)



CONCEALED-GRIPPER POCKETLESS WORK SHIRT

NFPA® 2112 Compliant

Lay-flat collar. Hemmed front with closures. One-piece lined cuffs with closures. Sleeve vents.

SMS2 - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-152.

Grey and Light Blue:

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid **Protection:** Arc Rating ATPV 9.0 calories/cm²

Navy:

Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid **Protection:** Arc Rating ATPV 11 calories/cm²

Colors: Grey (GY), Light Blue (LB), Navy (NV)







SLS2NV

CAT IL-HS IL-LS HW

CONCEALED-GRIPPER POCKETLESS WORK SHIRT

NFPA® 2112 Compliant

Lay-flat collar. Hemmed front with closures. One-piece lined cuffs with closures. Sleeve vents. Concealed gripper closures.

SLS2 - Men's (Reg) S-3XL. (Long) M-3XL. Fit Chart MFC-152.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Light Blue (LB), Navy (NV)





ENHANCED VISIBILITY CONCEALED-GRIPPER POCKETLESS WORK SHIRT

NFPA® 2112 Compliant

Lay-flat collar. Hemmed front with closures. One-piece lined cuffs with closures. Sleeve vents.

SMSG - Men's (Reg) S-3XL. (Long) M-XXL. Fit Chart MFC-152.

Light Blue:

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid **Protection:** Arc Rating ATPV 9.0 calories/cm²

Navy:

Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid **Protection:** Arc Rating ATPV 11 calories/cm²

Colors: Light Blue (LB), Navy (NV)



HI-VISIBILITY WORK SHIRT

NFPA® 2112 Compliant

This hi-vis work shirt combines CAT2 protection with ANSI/ISEA 107 Type R Class 2 compliancy and a professional workwear look. 2" reflective striping offers 360° visibility to keep you seen and safe.

SMW4 - Men's (Reg) M-3XL. (Long) M-3XL. Fit Chart MFC-152.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm² ANSI/ISEA 107 Type R Class 2 Compliant

Color: Yellow/Green (HV)

HV

A STREET, STRE

WORK SHIRTS



SHORT SLEEVE T-SHIRT

NFPA® 2112 Compliant

Rib-knit crewneck collar. Hemmed sleeve. Single spade chest pocket. Heat seal Bulwark® triangle centered at neck to show wearer has on FR undergarment.

SETB - Men's (Reg) S-4XL. (Long) L-2XL. Fit Chart MFC-13.

Fabric: Flame-resistant, 7 oz. (235 g/m²) Jersey, 100% Cotton

Protection: Arc Rating ATPV 8.9 calories/cm² Not intended to be worn as a single layer. Colors: Charcoal (CH), Navy (NV)



SMT2NV



LONG SLEEVE PERFORMANCE T-SHIRT

NFPA® 2112 Compliant

Rib knit collar and cuffs. Raglan sleeves. Full side seam gusset. **SMT2 -** Men's (Reg) M-3XL.

Fit Chart MFC-03. **Fabric:** Flame-resistant, 6.7 oz. (225 g/m²) 45% Modacrylic /

35% FR Lyocell / 20% Aramid **Protection:** Arc Rating E_{BT} 8.2 calories/cm²

Colors: Grey (GY), Navy (NV)



FLEX KNIT TEE

NFPA® 2112 Compliant Side seams curve around torso for optima

Side seams curve around torso for optimal fit. Front pocket with pencil stall and lightweight stretch fabric that flexes with your body for added comfort and range of movement.

STT2 - Men's (Reg) S-4XL. (Long) L-2XL. Fit Chart MFC-13.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% Cotton / 7% Spandex

Protection: Arc Rating ATPV 8.3 calories/cm²

Colors: Charcoal (CH), Khaki (KH), Navy (NV) **Coming soon!** Black (BK), Light Blue (LB)





Section 2015 FLEX KNIT HENLEY

NFPA® 2112 Compliant


Side seams curve around torso for optimal fit. Front pocket with pencil stall and lightweight stretch fabric that flexes with your body for added comfort and range of movement.

STL2 - Men's (Reg) S-4XL. (Long) L-2XL. Fit Chart MFC-13.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% Cotton / 7% Spandex

Protection: Arc Rating ATPV 8.3 calories/cm²

Colors: Charcoal (CH), Khaki (KH), Navy (NV) **Coming soon!** Black (BK), Light Blue (LB), Red (RD)





SET2CH



SMT6KH

AT HW

NOT INTENDED TO BE WORN AS A SINGLE LAYER

SHORT SLEEVE LIGHTWEIGHT KNIT T-SHIRT

Lightweight. Rib knit collar. Single chest pocket.

SMTG - Men's (Reg) S-5XL. (Long) L-2XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 5 oz. (170 g/m²) 70% Modacrylic / 30% Tencel

Protection: Arc Rating E_{BT} 4.8 calories/cm² **Not intended to be worn as a single layer. Colors:** Khaki (KH), Navy (NV)



LONG SLEEVE T-SHIRT NFPA® 2112 Compliant

The most comfortable long sleeve T-shirt you'll ever wear—we even removed the tag for a non-itchy experience. This CAT2, NFPA® 2112 compliant tee features a heat seal Bulwark® triangle centered at neck to show wearer has on FR undergarment and rib knit cuffs.

SET2 - Men's (Reg) S-4XL. (Long) L-4XL. Fit Chart MFC-100.

Fabric: Flame-resistant, 7 oz. (235 g/m²) Jersey, 100% Cotton

Double-layer, rib knit collar sized to protect the neck. Rib knit cuffs.

Fabric: Flame-resistant, 7 oz. (235 g/m²) Jersey, 100% Cotton

Protection: Arc Rating ATPV 8.9 calories/cm²

Colors: Charcoal (CH), Navy (NV)

MOCK TURTLENECK

SEK2 - Men's (Reg) S-4XL. (Long) L-2XL.

Protection: Arc Rating ATPV 8.9 calories/cm²

NFPA® 2112 Compliant

Fit Chart MFC-100.

Color: Navy (NV)

NV







SML8KH



LONG SLEEVE LIGHTWEIGHT KNIT T-SHIRT

Lightweight. Rib knit collar and cuffs. Single chest pocket.

SMTB - Men's (Reg) S-5XL. (Long) L-2XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 5 oz. (170 g/m²) 70% Modacrylic / 30% Tencel

Protection: Arc Rating E_{RT} 4.8 calories/cm²

Colors: Khaki (KH), Navy (NV)

KH NV

LONG SLEEVE HENLEY

NFPA® 2112 Compliant

Raglan sleeves. Fabric is moisture wicking and breathable.

SML2 - Men's (Reg) M-3XL. Fit Chart MFC-03.

Grey and Navy:

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) Swiss Pique, 45% Modacrylic / 35% Lyocell / 20% Aramid **Protection:** Arc Rating E_{er} 8.2 calories/cm²

Khaki:

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid **Protection:** Arc Rating ATPV 8.3 calories/cm²

Colors: Grey (GY), Khaki (KH), Navy (NV)



AT HW

LONG SLEEVE LIGHTWEIGHT HENLEY

Rib knit collar and cuffs. Three button front placket. Single chest pocket.


SMLB - Men's (Reg) S-5XL. (Long) L-3XL. Fit Chart MFC-13.

Fabric: Flame-resistant, 5 oz. (170 g/m²) 70% Modacrylic / 30% Tencel

Protection: Arc Rating E_{BT} 4.8 calories/cm²

Color: Khaki (KH)

KH



SMP2KH

SMP8NV

CLASSIC POLO

NFPA® 2112 Compliant

Three-button placket. Dyed to match rib knit collar and cuffs. Raglan sleeves. Sleeve pocket. Fabric is moisture-wicking and breathable.

SMP2 - Men's (Reg) M-3XL. Fit Chart MFC-03.

Grey and Navy:

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) Swiss Pique, 45% Modacrylic / 35% Lyocell / 20% Aramid

Protection: Arc Rating E_{RT} 8.2 calories/cm²

Khaki:

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) 48% Modacrylic / 37% lyocell / 15% aramid

Protection: Arc Rating ATPV 8.3 calories/cm²

Colors: Grey (GY), Khaki (KH), Navy (NV)



CLASSIC POLO

NFPA® 2112 Compliant

Three-button placket. Dyed to match rib knit collar and cuffs. Raglan sleeves. Sleeve pocket. Fabric is moisture-wicking and breathable.

SMPB - Men's (Reg) M-3XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) Swiss Pique, 45% Modacrylic / 35% Lyocell / 20% Aramid

Protection: Arc Rating E_{BT} 8.2 calories/cm² **Not intended to be worn as a single layer.**

Colors: Grey (GY), Navy (NV)



NOT INTENDED TO BE WORN AS A SINGLE LAYER



MPS4KH

Contrast Mesh Full Underarm Gussets

SEL2LB

LONG SLEEVE HENLEY

NFPA® 2112 Compliant

Three button placket. Knit henley collar. Rib knit cuff. Single spade chest pocket.

SEL2 - Men's (Reg) S-5XL. (Long) L-2XL. Fit Chart MFC-100.

Fabric: Flame-resistant, 7.5 oz. (212.6 g/m²) Jersey, 100% Cotton

Protection: Arc Rating ATPV 8.9 calories/cm²

Colors: Charcoal (CH), Khaki (KH), Light Blue (LB), Navy (NV), Orange (OR)





Contrast Mesh Full Underarm Gussets



FR TWO-TONE BASE LAYER WITH CONCEALED CHEST POCKET

Concealed chest pocket. Self-fabric crew neck collar. Raglan sleeves. Hemmed sleeves. Contrast mesh full underarm gussets. Heat seal Bulwark® triangle centered at neck to show wearer has on FR undergarment.

MPS4 - Men's (Reg) S-5XL. (Long) L-2XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 5.5 oz. (185 g/m²) 90% Cotton / 10% Polyester with moisture management finish

Protection: Arc Rating ATPV 6.4 calories/cm² **Not intended to be worn as a single layer.**

Colors: Grey (GY), Khaki (KH)





FR TWO-TONE BASE LAYER WITH CONCEALED CHEST POCKET

Concealed chest pocket. Self-fabric crew neck collar. Raglan sleeves. Hemmed sleeves. Contrast mesh full underarm gussets. Heat seal Bulwark® triangle centered at neck to show wearer has on FR undergarment.

MPSB - Men's (Reg) S-5XL. (Long) L-2XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 5.5 oz. (185 $\rm g/m^2$) 90% Cotton / 10% Polyester with moisture management finish

Protection: Arc Rating ATPV 6.4 calories/cm²

Colors: Grey (GY), Khaki (KH)

GY KH





PANTS

Bulwark® FR pants and jeans are designed for work. With pockets in all the right places, fabric that moves with you, a modern fit and feel, plus all the FR protection you demand, our pants keep up with you, from work to play and back again.

SINCE '71

DENIM JEANS

PEJ6SW

Santha IL-HS IL-LS HW LOOSE FIT STONE-WASHED DENIM JEAN

NFPA® 2112 Compliant

Sits below natural waist. Loose seat and thigh. Wider leg opening than classic fit. Soft pre-wash and stone-washed fabric for comfort and look.

PEJG - Men's 28, 30-36, 38-50 Even. Fit Chart H.

Fabric: Flame-resistant, 14.75 oz. (500 g/m²) 100% Cotton Denim

Protection: Arc Rating ATPV 21 calories/cm²

Color: Stone Wash (SW)

SW



CAT IL-HS IL-LS HW

Fit Chart A.

Cotton Denim

calories/cm²

SD

STRAIGHT FIT

SANDED DENIM JEAN

Sits below natural waist. Straight thigh and leg opening. Fits over work boots.

One-piece waistband with metal button

skin). Soft pre-wash and sanded fabric

PEJM - Men's 28, 30-36, 38-50 Even.

closure (metal is not exposed to the

for modern and comfortable look.

Fabric: Flame-resistant, 12.5 oz.

Protection: Arc Rating ATPV 18

Color: Sanded Denim (SD)

(425 g/m²) 100% Pre-Washed



RELAXED FIT BOOTCUT JEAN WITH STRETCH

BACK

NFPA® 2112 Compliant

Sits just below natural waist. Relaxed through waist, hip, and thigh. Bootcut leg opening. One-piece waistband with metal button closure (metal is not exposed to skin). Soft pre-wash, sanded and tacked fabric.

PSJ2 - Men's 30, 32-36, 38-50 Even. Hemmed. Fit Chart L.

Fabric: Flame-resistant, 12 oz. (405 g/m²) 94% Cotton / 5% Polyester / 1% Spandex

Protection: Arc Rating ATPV 15 calories/cm²

Color: Sanded Denim (SD)

SD



All product on spread: Imported of Fabric Made in U.S.A.

PSJ4SD





STRAIGHT FIT JEAN WITH STRETCH

NFPA® 2112 Compliant

Sits just below natural waist. Straight thigh and leg opening. One-piece waistband with metal button closure (metal is not exposed to skin). Soft pre-wash and sanded fabric for modern look.

PSJ4 - Men's 30, 32-36, 38-50 Even. Hemmed. Fit Chart L.

Fabric: Flame-resistant, 12 oz. (405 g/m²) 94% Cotton / 5% Polyester / 1% Spandex

Protection: Arc Rating ATPV 15 calories/cm²

Color: Sanded Denim (SD)



BACK

STRETCH DENIM DUNGAREE

NFPA® 2112 Compliant

Relaxed through waist, hip, and thigh to allow for easy movement. Increased durability with triple needle felled outter and seat seams. Five jean style pockets, ruler pocket on right leg and utility pocket on left leg adds extra storage. Utility loop on left hip and reinforced pockets to prevent holes.

PSJG - Men's 30, 32-36, 38-50 Even. Hemmed. Fit Chart L.

Fabric: Flame-resistant, 12 oz. (405 g/m²) 94% Cotton / 5% Polyester / 1% Spandex

Protection: Arc Rating ATPV 15 calories/cm²

Color: Sanded Denim (SD)

SD

SINCE '71 B1

PRE-WASHED DENIM DUNGAREE

NFPA® 2112 Compliant

Sits at natural waist. Loose seat and thigh. Wider leg opening. Two deep scoop pockets. Two oversized reinforced hip pockets. Rule pocket on right leg with wrap around utility pocket. Soft pre-wash for comfort and look.

PEJ8 - Men's (Blue Denim) 28-50 Even, (Stone Wash) 30-50 Even. Fit Chart A.

Fabric: Flame-resistant, 14.75 oz. (500 g/m²) 100% Cotton Denim

Protection: Arc Rating ATPV 21 calories/cm² **Colors:** Blue Denim (DW), Stone Wash (SW)



ULIKANNE

CONTROL AND ILLS HW

RELAXED FIT DENIM JEAN

NFPA® 2112 Compliant Sits at natural waist. Relaxed seat and thigh.

Straight leg opening. One-piece waistband with button closure.

PEJ2 - Men's 28, 30-36, 38-50 Even. Fit Chart A.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 100% Cotton Denim

Protection: Arc Rating ATPV 18 calories/cm²

Color: Dark Denim (DD)



82 | PANTS

PNJ8RB

DENIM JEANS

CLASSIC FIT PRE-WASHED DENIM JEAN

NFPA® 2112 Compliant

Sits at natural waist. Relaxed seat and thigh. Straight leg opening. Soft pre-wash for comfort and look.

PEJ4 - Men's 28, 30-36, 38-50 Even. Fit Chart H.

Fabric: Flame-resistant, 14.75 oz. (500 g/m²) 100% Pre-Washed Cotton Denim

Protection: Arc Rating ATPV 21 calories/cm²

Color: Blue Denim (DW)

DW

LIGHTWEIGHT JEAN PANT

NFPA® 2112 Compliant

One-piece waistband with sew on button closure. Five jeanstyle pockets. Two-needle felled seam construction.

PNJ8 - Men's 28-50 Even. Fit Chart A.

Fabric: Flame-resistant, 7.5 oz. (255 g/m²) Twill, Nomex[®] Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 7.0 calories/cm²

Color: Royal Blue (RB)

RB

 \mathbf{Z}

PP

REE

Ð

C

CANVAS

1 2

C

Q

CERTIF

1

PLJ6KH

LOOSE FIT MIDWEIGHT CANVAS JEAN

NFPA® 2112 Compliant

Comfortable broken-in fabric. Light duck summer option. All main seams have triple-needle topstitching.

PLJG - Men's 30-36, 38-54 Even. Fit Chart J.

Fabric: Flame-resistant, 8.5 oz. (290 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²

Colors: Khaki (KH), Navy (NV)



PLC2NV



NFPA® 2112 Compliant Left and right cargo pocket have

two snap closures.

PLC2 - Men's 28-36, 38-52 Even. Fit Chart B.

Fabric: Flame-resistant, 9 oz. (305 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²

Color: Navy (NV)



PLJ8BD

MIDWEIGHT DUNGAREE

NFPA® 2112 Compliant

Five jean-style pockets. Rule pocket and utility pocket on right leg. Hammer loop and utility pocket on left leg. Triple-needle felled outseam.

PLJB - Men's 28-50 Even. Fit Chart A.

Fabric: Flame-resistant, 11 oz. (390 g/m²) 88% Cotton / 12% Nylon, Water-repellent

Protection: Arc Rating ATPV 16 calories/cm²

Colors: Brown Duck (BD), Navy Duck (NV)



PMU2KH

PNW2RB

PMW2NV

PEW2KH

LIGHTWEIGHT CARGO PANT

NFPA® 2112 Compliant

Waistband with concealed hook and eye closure. Two utility pockets. Left cargo pocket has two snap closures. Right utility pocket is open.

PMU2 - Men's 28-36, 38-52 Even. Fit Chart B.

Khaki:

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacryclic / 37% Lyocell / 15% Aramid Protection: Arc Rating ATPV 9.0 calories/cm²

Navy:

Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacryclic / 37% Lyocell / 16% Aramid Protection: Arc Rating ATPV 11 calories/cm²

Colors: Khaki (KH), Navy (NV)



LIGHTWEIGHT WORK PANT

NFPA® 2112 Compliant

Waistband with shank button closure. Two slack-style front pockets. Left hip pocket with button closure.

PNW2 - Men's 28-34, 36-50 Even. Fit Chart B.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex[®] Essential (93% Nomex[®] Aramid / 5% Kevlar[®] Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Colors: Navy (NV), Royal Blue (RB)



LIGHTWEIGHT WORK PANT

NFPA® 2112 Compliant

Waistband with button closure. Two slack-style front pockets. Left hip pocket with button closure.

PMW2 - Men's 28-50 Even. Fit Chart B.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacryclic / 37% Lyocell / 16% Aramid

Protection: Arc Rating ATPV 11 calories/cm²

Color: Navy (NV)

NV



Street IL-HS IL-LS HW

MIDWEIGHT WORK PANT

NFPA® 2112 Compliant Waistband with button closure.

Two slack-style front pockets. Left hip pocket with button closure.

PEW2 - Men's 28-34, 36-50 Even. Fit Chart B.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Colors: Charcoal (CH), Khaki (KH), Navy (NV), Orange (ORB)*, Royal Blue (RBB)*, Visual Green (VG)

*Contact customer service for availability.



Fit Chart B.

calories/cm²

NV RBB

86 PANTS

E IL-HS IL-LS HW

MIDWEIGHT WORK PANT

NFPA® 2112 Compliant

Waistband with shank button closure. Two slack-style front pockets. Left hip pocket with button closure.

PLW2 - Men's 28-34, 36-50 Even.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12

Colors: Navy (NV), Royal Blue (RBB)*

*Contact customer service for availability.

E CAT IL-HS IL-LS HW

MOLTEN METAL WORK PANT

NFPA® 2112 Compliant

Combine with work coat KEM2VG and KEM4VG on page 130.

PEM2 - Men's (Reg) 28-34, 36-52 Even. Fit Chart B.

Fabric: Flame Resistant, 13 oz. (440 g/m²) 100% Cotton Whipcord

Protection: Arc rating ATPV 12 calories/cm²

Color: Visual Green (VG)







BIBS & COVERALLS

When you need serious protection, Bulwark® FR bibs and coveralls are a no-brainer. Available in a number of styles and protection levels, including options with Hi-Vis striping, multiple pockets for extra storage and with or without insulation. Our coveralls do just what the name says: they cover it all.

SINCE '71



BROWN DUCK UNLINED BIB OVERALL

NFPA® 2112 Compliant

Large, double front pocket. Double fabric on leg and thigh. Leg zippers to knee. Elastic suspenders.

BLFG - Men's 32-44 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 13 oz. (440 g/m²) Duck, 100% Cotton

Protection: Arc Rating ATPV 16 calories/cm²

Color: Brown Duck (BD)

BD

E CAT IL-HS IL-LS HW **DUCK UNLINED BIB OVERALL**

NFPA® 2112 Compliant

Reinforced double knees. Concealed, Nomex[®] taped, brass zipper front. Elasticized shoulder straps with nonconductive adjustable hardware. Two large center front pockets with pencil stall.

BLF8BD

BLFB - Men's (Reg) M-3XL. (Long) L-2XL. Fit Chart MFC-14.

Fabric: Flame-resistant, 11 oz. (390 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Protection: Arc Rating ATPV 16 calories/cm²

Colors: Brown Duck (BD), Navy Duck (NV)



PREMIUM UNLINED **BIB OVERALL**

NFPA® 2112 Compliant

Reinforced double knees. Concealed, Nomex[®] taped, brass zipper front. Elasticized shoulder straps with non-conductive adjustable hardware.

BNF8NV

BNF8 - Men's (Reg) M-3XL. (Long) L-2XL. Fit Chart MFC-14.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar[®] Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Colors: Navy (NV), Royal Blue (RBB)*

*Contact customer service for availability.

NV RBB

(IL-LS HW

DELUXE INSULATED BIB OVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Reinforced double knees. Concealed, Nomex® taped, brass zipper front, Elasticized shoulder straps with nonconductive adjustable hardware. 2" reflective trim for enhanced visibility. Two large center front pockets with pencil stall.

BLCSOR

BLCS - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 100% Cotton Insulation Package: 14 oz. (474 g/m²)

100% Modacrylic

Protection: Arc Rating ATPV 36 calories/cm²

Color: Orange (OR) Stocked in Canada only.

DELUXE INSULATED BIB OVERALL WITH REFLECTIVE TRIM NFPA® 2112 Compliant

with pencil stall.

Fit Chart MFC-15.

Fabric: Flame-resistant

RB

BNNTRB

BLCTNV

Reinforced double knees. Concealed, Nomex® taped, brass zipper front, Elasticized shoulder straps with non-conductive adjustable hardware. 2" reflective trim for enhanced visibility. Two large center front pockets

BNNT - Men's (Reg) S-3XL. (Long) M-2XL.

Shell: 6 oz. (205 g/m²) Water-repellent Nomex[®] Essential (93% Nomex[®] Aramid / 5% Kevlar[®] Aramid / 2% Other Fiber)

Lining: 100% Meta-aramid

Insulation Package: 13.5 oz. (458 g/m²) 100% Aramid with Wind Barrier

Protection: Arc Rating E_{or} 59 calories/cm²

Color: Royal Blue (RB) Stocked in Canada only.

DELUXE INSULATED BIB OVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Reinforced double knees. Concealed, Nomex® taped, brass zipper front, Elasticized shoulder straps with nonconductive adjustable hardware. 2" reflective trim for enhanced visibility. Two large center front pockets with pencil stall.

BLCT - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 100% Cotton

Insulation Package: 14 oz. (475 g/m²) 100% Modacrylic

Protection: Arc Rating ATPV 36 calories/cm²

Color: Navy (NV) Stocked in Canada only.

NV

BROWN DUCK DELUXE INSULATED BIB OVERALL

BLN4BD

NFPA® 2112 Compliant

Reinforced double knees. Full. Nomex[®] taped, ankle-to-hip brass zippers with concealed closure. Elasticized shoulder straps with non-conductive adjustable hardware.

BLN4 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 11 oz. (390 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 100% Cotton

Insulation: 100% Modacrylic

Protection: Arc Rating ATPV 47 calories/cm²

Color: Brown Duck (BD)



INSULATED BROWN DUCK BIB OVERALL

NFPA® 2112 Compliant

Reinforced double knees, Full, Nomex® taped, ankle-to-hip brass zippers with concealed closure. Elasticized shoulder straps with non-conductive adjustable hardware. Large, double front pocket. Double fabric on leg and thigh. Leg zippers to thigh. Quilted lining from waist to ankle.

BLN6BD

BLNG - Men's 32-44 Even. Fit Chart MFC-14.

Fabric: Flame-resistant

Shell: 13 oz. (440 g/m²) Duck, 100% Cotton

Lining: 11.5 oz. Modacrylic Quilted Lining Protection: Arc Rating ATPV 48 calories/cm²

Color: Brown Duck (BD)

80

DELUXE INSULATED BIB OVERALL

NFPA® 2112 Compliant

Reinforced double knees. Concealed. Nomex[®] taped, brass zipper front. Elasticized shoulder straps with nonconductive adjustable hardware. Two large center front pockets with pencil stall.

BLC8NV

BLC8 - Men's (Reg) S-5XL. (Long) M-3XL. Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent


Lining: 100% Cotton


GY NV

Insulation Package: 14 oz. (474 g/m²) 100% Modacrylic

Protection: Arc Rating ATPV 36 calories/cm²

Colors: Grey (GY), Navy (NV)





CONTRO CAT IL-HS IL-LS HW LIGHTWEIGHT PREMIUM COVERALL

CNB2RB

This lightweight premium coverall provides CAT1 protection with innovative features for extra comfort and convenience. Multi functional utility loop inserted into shoulder seam and eight total pockets keep your tools and personal effects within reach while you work.

CNB2 - Men's (Reg) 38-54 Even. (Long) 42-52 Even. Fit Chart MFC 97.

State II-LS HW

LIGHTWEIGHT

NFPA® 2112 Compliant

PREMIUM COVERALL

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) Nomex[®] Essential (93% Nomex[®] Aramid / 5% Kevlar[®] Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 4.4 calories/cm²

Colors: Navy (NV), Red (RD), Royal Blue (RB), Tan (TN)





Fit Chart MFC 97.

CLB2KH

NFPA® 2112 Compliant

This lightweight premium coverall provides CAT2 protection without added bulk. Innovative features provide extra comfort and convenience. Eight total pockets keep your tools at hand, while elastic waist inserts and deep-pleated action back provide added mobility and comfort while you work.

CLB2 - Men's (Reg) M-3XL. (Long) L-3XL.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Khaki (KH), Navy (NV), Royal Blue (RB)





MIDWEIGHT **PREMIUM COVERALL**

NFPA® 2112 Compliant

This midweight premium coverall provides CAT2 protection with innovative features for extra comfort and convenience. Eight total pockets keep your tools at hand, while elastic waist inserts and deep-pleated action back provide added mobility and comfort while you work.

CLBG - Men's (Reg) M-4XL. (Long) L-4XL. Fit Chart MFC 97.

Fabric: Flame-resistant. 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²

Color: Navy (NV)

NV

CEB2RD

💽 🛕 IL-HS IL-LS HW

MIDWEIGHT PREMIUM COVERALL

NFPA® 2112 Compliant

This midweight premium coverall provides CAT2 protection with added features for comfort and convenience. Premium features like side vent openings and a deep-pleated action back provide added mobility while you work.

CEB2 - Men's (Reg) 38-54 Even. (Long) 42-52 Even. Fit Chart MFC 14.

Fabric: Flame-resistant. 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Colors: Medium Grey (GY), Red (RD)





CNB6 - Men's

Fit Chart MFC 97.

calories/cm²

Royal Blue (RB)

NV OR RB

MIDWEIGHT

NFPA® 2112 Compliant

PREMIUM COVERALL

This midweight premium coverall provides

CAT1 protection with innovative features

for extra comfort and convenience. Eight

effects within reach while you work.

(Reg) 38-58 Even. (Long) 42-58 Even.

Fabric: Flame-resistant, 6 oz. (205 g/m²)

Nomex[®] Essential (93% Nomex[®] Aramid /

5% Kevlar[®] Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2

Colors: Navy (NV), Orange (OR)*,

*CNB6OR is stocked in Canada only.

(Short - RB only) 38-48 Even.

total pockets keep your tools and personal

PREMIUM

CLC8NV

CLCB - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC 97. Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 100% Cotton

NV



Protection: Arc Rating ATPV 36 calories/cm²

CLBDOR

INSULATED COVERALL

NFPA® 2112 Compliant

Two-way, Nomex[®] taped brass zipper front with concealed snap closures. Two-piece, insulated, stand-up collar with concealed snap closure. Knit storm cuff in hemmed sleeve ends with hook-and-loop suppression tabs. Seven patch pockets. Action back. Reinforced knees. Full Nomex[®] taped ankle-to-hip brass zippers, concealed snap closure. Elastic waist inserts. Accommodates snap on hood HLH2, sold separately.

Insulation Package: 14 oz. (474 g/m²) 100% Modacrylic

Color: Navy (NV)



PREMIUM COVERALL WITH 4" REFLECTIVE TRIM

NFPA® 2112 Compliant

Men's Premium Coverall with 4" Reflective Trim. Mandarin-style, stand-up, two-way safety collar. Concealed snap closure on cuff.

CLBD - Men's (Reg) 40-58 Even. (Long) 46-52 Even. Fit Chart MFC 14.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm² CSA Z96 Class 3 Level 2 Compliant

Color: Orange (OR) Stocked in Canada only.





CNBCRD

Contract IL-LS HW

PREMIUM COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Two-piece, lay flat collar, hemmed sleeve with adjustable snap closure. Deep pleated action back. 360° visibility with front and back 2 1/2" yellow/silver/yellow reflective striping.

CNBC - Men's (Reg) 38-60 Even. (Long) 42-60 Even. Fit Chart MFC-97.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex[®] Essential (93% Nomex[®] Aramid / 5% Keylar[®] Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm² CSA Z96 Class 1 Level FR Compliant

Colors: Navy (NV), Red (RD), Royal Blue (RB) Stocked in Canada only.





CTBANV

PREMIUM COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Mandarin-style, stand-up, two-way safety collar. Concealed snap closure on cuff. Deep-pleated action back. 360° visibility with front and back 2 1/2" yellow/silver/yellow reflective striping.

CTBA - Men's (Reg) 38-58 Even. (Long) 42-58 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Navy (NV), Royal Blue (RB)



Stocked in Canada only.



CNBTNV

PREMIUM COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Mandarin-style, stand-up, two-way safety collar. Concealed snap closure on cuff. Deep-pleated action back.

CNBT - Men's (Reg) 38-58 Even. (Long) 42-58 Even. Fit Chart MFC-97.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex[®] Essential (93% Nomex[®] Aramid / 5% Kevlar[®] Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Color: Navy (NV)





CTBBOR

PREMIUM COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Mandarin-style, stand-up, two-way safety collar. Concealed snap closure on cuff. Deep-pleated action back. 360° visibility with front and back 2" silver reflective striping.

CTBB - Men's (Reg) 38-58 Even. (Long) 42-58 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm² CSA Z96 Class 3 Level 2 Compliant

Color: Orange (OR) Stocked in Canada only.



PREMIUM COVERALL WITH REFLECTIVE TRIM NFPA® 2112 Compliant Two-piece, lay flat collar, hemmed

left chest.

CLBCNV

calories/cm²

sleeve with adjustable snap closure. Deep pleated action back. 360° visibility with front and back 2 ¹/₂" vellow/silver/ yellow reflective striping. Mic tab on

CLBC - Men's (Reg) 38-58 Even. (Long) 42-58 Even. Fit Chart MFC-97.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill. 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12

CSA Z96 Class 1 Level FR Compliant

Colors: Navy (NV), Orange (OR), Royal Blue (RB) Stocked in Canada only.

NV OR RB

ഗ COVERALL PREMIUM



CMBCRB

PREMIUM COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Mandarin-style, stand-up, two-way safety collar. Concealed snap closure on cuff. Deep-pleated action back. 360° visibility with front and back 2 1/2" yellow/silver/yellow reflective striping.

CMBC - Men's (Reg) 38-60 Even. (Long) 42-60 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²

CSA Z96 Class 1 Level FR Compliant Color: Roval Blue (RB)

Stocked in Canada only.

RB



FLAME RESISTANT (FR)/ **CHEMICAL-SPLASH PROTECTION (CP)**

These FR/CP garments bring together the latest innovations in chemical protection safety to protect wearers against multiple hazards. Flame resistant fabric prevents clothing ignition during short-duration thermal exposures. FR/CP garments also repel small amounts of liquid chemicals that are either dropped or splashed on the fabric, resisting penetration and wicking of an inadvertent, secondary liquid chemicalsplash. They are also lightweight, breathable and comfortable to wear. Not only are they lightweight and easy to wear, but they also have a finish that does not contain any intentionally added PFAS.

🖲 🔝 👗 II-LS HW

MEN'S FLAME RESISTANT (FR) / CHEMICAL-SPLASH PROTECTION (CP) PREMIUM COVERALL

NFPA® 2112 Compliant

Black stand up collar with concealed snap at neck. Action back. Two-way, concealed, Nomex[®] tape, brass, break-away zipper. Elastic waist. Snapped wrist closure. Pockets include: splash resistant side pass-through with snap closure, two front inset pockets, two rear patch pockets, two double stitched chest pockets with snap flaps.

CNRG - Men's (Reg) XS-5XL. (Long) L-3XL. Fit Chart MFC-97.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) 93% Meta-Aramid / 5% Para-Aramid / 2% Antistat

Protection: Short-duration thermal hazards and inadvertent liquid chemical splashes. Arc Rating ATPV 5.2 calories/cm².

Colors: Navy (NV), Royal Blue (RB)



.

CLD4KH

DELUXE COVERALL

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Two-way, concealed, Nomex[®] taped, brass break-away zipper with concealed snap at top of zipper and at neck. Concealed snap closure on cuff. Deep-pleated action back. Two angled chest pockets with flaps that conceal zipper closures.

CLD4 - Men's (Reg) 34-58. (Long) 42-58. Fit Chart MFC-14.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Sateen, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 9.1 calories/cm²

Colors: Grey (GY), Khaki (KH), Navy (NV), Royal Blue (RB)



(CAT IL-HS IL-LS HW **DELUXE COVERALL**

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Two-way, concealed, Nomex® taped, brass break-away zipper with concealed snap at top of zipper and at neck. Concealed snap closure on cuff. Deep-pleated action back.

CLDG - Men's (Short) 38-56 Even. (Reg) 34-66 Even. (Long) 38-66 Even. (X-Long) 42-60 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Color: Grey (GY)



calories/cm²

NV

CLZ4NV

CED2RB

CAT IL-HS IL-LS HW

DELUXE COVERALL

NFPA® 2112 Compliant

Two angled chest pockets with flaps that conceal zipper closures. Leg zippers. Hook-and-loop suppression tabs on sleeve

CLZ4 - Men's (Reg) 38-58 Even. (Long) 42-58 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Sateen, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 9.1

Color: Navy (NV)



DELUXE COVERALL

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Two-way, concealed, Nomex® taped, brass break-away zipper with concealed snap at top of zipper and at neck. Concealed snap closure on cuff. Deep-pleated action back.

CED2 - Men's (Reg) M-5XL. (Long) L-4XL. Fit Chart MFC-97

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Colors: Navy (NV), Orange (OR), Royal Blue (RB)



NFPA® 2112 Compliant

Two-piece, topstitched, lay-flat collar. Two-way, concealed, Nomex® taped, brass break-away zipper with concealed snap at top of zipper and at neck. Concealed snap closure on cuff. Deep-pleated action back.

CMD6KH

CMDG - Men's (Reg) S-5XL. (Long) L-4XL. Fit Chart MFC-97.

Khaki:

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid **Protection:** Arc Rating ATPV 9.0 calories/cm²

Navy:

Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid **Protection:** Arc Rating ATPV 11 calories/cm²

Colors: Khaki (KH), Navy (NV)



HI-VISIBILITY DELUXE COVERALL

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Two-way, concealed, Nomex[®] taped, brass break-away zipper with concealed snap at top of zipper and at neck. Concealed snap closure on cuff. Deep-pleated action back. 360° visibility with front and back 2" silver reflective striping.

CMD8HV

CMDB - Men's (Reg) 38-58 Even. (Long) 42-58 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell /

15% Para-Aramid **Protection:** Arc Rating ATPV 9.0 calories/cm² **ANSI/ISEA 107 Type R Class 3 Compliant**

Color: Yellow/Green (HV)

Section 10 Section 10

CMP6NV

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Two-way, concealed, Nomex® taped, brass break-away zipper with concealed snap at top of zipper and at neck. Concealed snap closure on cuff. Deep-pleated action back. 360° visibility with front and back 2 ½" silver reflective striping.

CMP6 - Men's (Reg) 38-60 Even. (Long) 42-60 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid

Protection: Arc Rating ATPV 11 calories/cm²

Color: Navy (NV)

NV

INDUSTRIAL COVERALL

NFPA® 2112 Compliant

CEH2NV

Two-way, concealed, Nomex[®] taped, brass break-away zipper. One-piece, topstitched, lay-flat collar. Hemmed sleeves. Hemmed sleeve ends. Deep-pleated action back. Bartacked pocket flaps.

CEH2 - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-14.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Color: Navy (NV)



VG

CEW2VG

CECWNV

CLASSIC COVERALL WITH GRIPPER FRONT

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Hemmed sleeves. Six concealed grippers with gripper at neck. Two-piece, sleeve vent, gripper closure.

CEW2 - Men's (Reg) S-4XL. (Long) S-2XL. Fit Chart MFC-97.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Color: Visual Green (VG)

WELDING COVERALL

Patch pockets at chest and hip have flaps and concealed snap closures. Waist is designed so that molten metal can not pool at the seam.

CECW - Men's (Reg) 38-58 Even. (Long) 42-58 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Color: Navy (NV)

NV

CLASSIC COVERALL

NFPA® 2112 Compliant

Two-way, concealed, Nomex[®] taped, brass break-away zipper. One-piece, topstitched, lay-flat collar. Hemmed sleeves.

CEC2OR

CEC2 - Men's (Reg) 38-64 Even. (Long) 42-58 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Colors: Khaki (KH), Navy (NV), Orange (OR)



CLASSIC COVERALL WITH REFLECTIVE TRIM

CECTNV

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Two-way concealed Nomex® taped brass break-away zipper, concealed snap at top of zipper neck. Hemmed sleeves. Two set-in front pockets. One chest pocket. Two patch hip pockets. Side vent openings. 360° visibility with front and back 2" yellow/silver/ yellow reflective striping.

CECT - Men's (Reg) 42-56. Fit Chart MFC-14.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Color: Navy (NV)

NV



CHEMICAL SPLASH DISPOSABLE FLAME-RESISTANT COVERALL

Attached hood. Zipper front. Elastic-cinch sleeve ends, leg ends and face openings. Limited-use disposable garments are not designed as a primary source of thermal protection and must be worn over suitable flame-resistant clothing.

KDE4 - Men's (Reg) M-5XL. Fit Chart MFC-16.

Fabric: 3 oz. (101 g/m²) 41% Wood Pulp / 34% Polyester / 25% Polyvinyl chloride with FR finish

Protection: Arc Rating N/A

Color: Sky Blue (SB)

SB



EXTEND FR DISPOSABLE FLAME-RESISTANT COVERALL - SONTARA®

Zipper front. Full-coverage collar. Limited-use disposable garments are not designed as a primary source of thermal protection and must be worn over suitable flame-resistant clothing.

KEE2 - Men's (Reg) M-3XL. Fit Chart MFC-16.

Fabric: 2.4 oz. (81 g/m²) 55% Wood Pulp / 45% polyester with FR finish, Sontara®

Protection: Arc Rating N/A

Color: Sky Blue (SB)

SB





OUTERWEAR

When the temps tumble, it's time to layer up. FR outerwear from Bulwark® comes in styles to suit anything Jack Frost can throw at you, from light winds to bonechilling blizzards and everything in between. And with Bulwark innovation, you can layer on the warmth without the added bulk.

SINCE '71





NFPA® 2112 Compliant

Concealed separating, heavy-duty, Nomex[®] taped, brass zipper. New rib knit collar. Two large, inset, welted-slash pockets. Left sleeve pocket. Updated fit.

JET2 - Men's (Reg) S-4XL. (Long) L-XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 9 oz. (305 g/m²) Twill, 100% Cotton, Water-repellent

Lining: 14 oz. (475 g/m²) Quilted Cotton / Modacrylic Insulation

Protection: Arc Rating ATPV 45 calories/cm²

Color: Navy (NV)



TEAM JACKET

NFPA® 2112 Compliant

Concealed separating, heavy-duty, Nomex[®] taped, brass zipper. New rib knit collar. Two large, inset, welted-slash pockets. Left sleeve pocket. Updated fit.

JNT2 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Nomex[®] Essential (93% Nomex[®] Aramid / 5% Kevlar[®] Aramid / 2% Other Fiber)

Lining: 9.3 oz. (315 g/m²) Quilted Aramid Insulation

Protection: Arc Rating E_{BT} 58 calories/cm²

Colors: Black (BKB)*, Navy (NV) *Contact customer service for availability.







ZIP-IN / ZIP-OUT JACKET

NFPA® 2112 Compliant

Separating, heavy-duty, Nomex® taped brass zipper. Two-piece, lay-flat collar. Updated cuff. Banded waist with button-close tabs. Two large inset, welted-slash pockets. Left sleeve pocket. Updated fit. Accommodates LML4 zip-in sleeved liner, sold separately.

JEL2 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm² When worn with LML4 ensemble Arc Rating is ATPV 45 calories/cm²

Color: Navy (NV)



IL-LS HW

ZIP-IN / ZIP-OUT MODA-QUILT® LINER

Updated fit. Zip-in/zip-out brass Nomex® taped zipper track. Fully-insulated sleeves. Zips into JEL2, sold separately.

LML4 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant, 15.5 oz. (525 g/m²)

Lining: 100% Cotton

Insulation: 80% Modacrylic / 20% Polyester

Protection: Arc Rating N/A. When zipped into JEL2 jacket Arc Rating is ATPV 56 calories/cm²

Color: Grey (GY)











COTH CAT ILLS HW

DELUXE PARKA NFPA® 2112 Compliant

Updated fit. Two-way, heavy-duty, Nomex[®] taped, separating brass zipper fully covered with updated collar and storm flap construction. DWR (Durable Water Repellent) finish. Knit Nomex[®] storm cuff within hemmed sleeve end with hook-and-loop suppression tabs. Accommodates snap-on hood HLH2, sold separately.

JLPB - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 14 oz. (475 g/m²) Quilted Cotton / Modacrylic Insulation

Protection: Arc Rating ATPV 36 calories/cm²

Colors: Grey (GY), Navy (NV)



DELUXE PARKA

NFPA® 2112 Compliant

Updated fit. Two-way, heavy-duty, Nomex[®] taped, separating brass zipper fully covered with updated collar and storm flap construction. DWR (Durable Water Repellent) finish. Knit Nomex[®] storm cuff within hemmed sleeve end with hook-and-loop suppression tabs. Accommodates snap-on hood HNH2, sold separately.

JNP2 - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Nomex[®] Essential (93% Nomex[®] Aramid / 5% Kevlar[®] Aramid / 2% Other Fiber), Water-repellent

Lining: 14.2 oz. (480 g/m²) Aramid Insulation with Wind Barrier

Protection: Arc Rating E_{BT} 59 calories/cm²

Colors: Navy (NV), Royal Blue (RBB)*
*Contact customer service for availability.



DELUXE PARKA WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Updated fit. Two-way, heavy-duty, Nomex[®] taped, separating brass zipper fully covered with updated collar and storm flap construction. DWR (Durable Water Repellent) finish. Knit Nomex[®] storm cuff within hemmed sleeve end with hookand-loop suppression tabs. Front/back 2" yellow/silver/yellow reflective striping. Accommodates snap-on hood HLH2, sold separately.

JLPC - Men's (Reg) S-4XL. (Long) L-4XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 14 oz. (475 g/m²) Quilted Cotton / Modacrylic Insulation

Protection: Arc Rating ATPV 36 calories/cm²

Colors: Navy (NV), Royal Blue (RB). Stocked in Canada only.



NDTE: CAT4 outerwear is not equivalent to 40 cal switching gear/flash suit and does not offer equivalent protection to workers engaged in switching and/or similar activities.



JLPSOR







DELUXE PARKA WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Updated fit. Two-way, heavy-duty, Nomex[®] taped, separating brass zipper fully covered with updated collar and storm flap construction. DWR (Durable Water Repellent) finish. Knit Nomex[®] storm cuff within hemmed sleeve end with hookand-loop suppression tabs. Front/back 2" silver reflective striping. Accommodates snap-on hood HLH2, sold separately.

JLPS - Men's (Reg) S-4XL. (Long) L-4XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 14 oz. (475 g/m²) Quilted Cotton / Modacrylic Insulation

Protection: Arc Rating ATPV 36 calories/cm² CSA Z96 Class 2 Level 2 Compliant

Color: Orange (OR). Stocked in Canada only.

OR



DELUXE PARKA WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Updated fit. Two-way, heavy-duty, Nomex® taped, separating brass zipper fully covered with updated collar and storm flap construction. DWR (Durable Water Repellent) finish. Knit Nomex® storm cuff within hemmed sleeve end with hook-and-loop suppression tabs. Front/back 2" yellow/silver/yellow reflective striping. Accommodates snap-on hood HNH2, sold separately.

JNPC - Men's (Reg) S-4XL. (Long) M-4XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Nomex[®] Essential (93% Nomex[®] Aramid / 5% Kevlar[®] Aramid / 2% Other Fiber) Water-repellent

Lining: 14.2 oz. (480 g/m²) Aramid Insulation with Wind Barrier

Protection: Arc Rating E_{pr} 59 calories/cm²

Color: Royal Blue (RB). Stocked in Canada only.

RB

CAT IL-LS HW

UNIVERSAL FIT SNAP-ON INSULATED HOOD

HNH2 - Men's - One Size.

Hook-and-loop closure at front neck. Drawstring around face opening. Sized to fit over hard hat. Visit bulwark.com for fabric and protection details. Snaps to JNP2, JNPC, JNJ6 and JNJC, sold separately.

Colors: Navy (NV), Royal Blue (RB)



A IL-HS IL-LS HW

UNIVERSAL FIT SNAP-ON HOOD

HLH2 - Men's - One Size. Snaps to JLJ6, JLR8, JLP8, JLPC, JLPS and CLC8, sold separately. Visit bulwark.com for fabric and protection details. **Colors:** Grey (GY), Navy (NV), Orange (OR), Royal Blue (RB)



NFPA® 2112 Compliant

Jacket Liner with updated fit, snaps into our Lined Bomber Jackets for a heavier-weight wear option. Liners and Jackets are sold separately. Snaps into JLB6, JLJ6, JMJ6, JNJC, and JNJ6. Visit bulwark.com for fabric details.

LNLB - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-101.

Protection: Arc Rating E_{RT} 37 calories/cm²

Color: Navy (NV)



LLL8NV

INS8NV

LNL8NV



MUST BE WORN OVER AN NFPA* 2112 COMPLIANT SHIRT

Bulwark

Bulwark

CAT IL-HS IL-LS HW

LIGHTWEIGHT SLEEVED JACKET LINER

NFPA® 2112 Compliant

This lightweight CAT3 jacket liner with updated fit, snaps into JLB6, JLJ6, JMJ6, and JNJ6 jackets (sold separately), for an added layer of warmth and FR protection, only when you need it. Visit bulwark.com for fabric details.

LLL8 - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-101.

Protection: Arc Rating ATPV 36 calories/cm² Color: Navy (NV)



VEST JACKET LINER

NFPA® 2112 Compliant Must be worn over an NFPA 2112 compliant shirt.

This lightweight Vest Jacket Liner has an updated fit and snaps into our Lined Bomber Jackets for a heavier-weight wear option. Liners and Jackets are sold separately. Visit bulwark.com for fabric details.

LNSB - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-101.

Protection: Arc Rating E_{RT} 37 calories/cm²

Color: Navy (NV)

NV







HI-VISIBILITY LINED BOMBER JACKET

NFPA® 2112 Compliant

Updated fit. Separating, heavy-duty Nomex[®] taped brass zipper, fully covered with updated collar and storm flap construction. Updated cuff. Utility loop at shoulder. Two external patch pockets, with concealed snap secured flaps with hand warmers. Inside chest pocket. Deep-pleated action back. Elasticized waistband. 360° visibility with front and back 2" silver reflective striping. DWR (Durable Water Repellent) finish. Inside zipper guards on all zippers. Accommodates snap-on hood HMH2 and liners LNL8 and LNS8, sold separately.

JMJG - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid, Water-repellent

Lining: 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 31 calories/cm²

ANSI/ISEA 107 Type R Class 3 Compliant Color: Yellow/Green (HV)

HV

See the second seco

NFPA® 2112 Compliant

Updated fit. Separating, heavy-duty Nomex® taped brass zipper, fully covered with updated collar and storm flap construction. Updated cuff. Utility loop at shoulder. Two external patch pockets, with concealed snap secured flaps with hand warmers. Inside chest pocket. Left sleeve pocket. Deep-pleated action back. Elasticized waistband. 360° visibility with front and back 2" yellow/silver/yellow reflective striping. Accommodates snap-on hood HLH2 and liner, LLL8, sold separately. DWR (Durable Water Repellent).

JLJT - Men's (Reg) S-5XL. (Long) M-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-Repellent

Lining: 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 29 calories/cm²

Color: Navy (NV). Stocked in Canada only.

NV

IN A INS INS IN LINED BOMBER JACKET WITH CSA COMPLIANT REFLECTIVE TRIM

NFPA® 2112 Compliant

Updated fit. Separating, heavy-duty Nomex[®] taped brass zipper, fully covered with updated collar and storm flap construction. Updated cuff. Utility loop at shoulder. Two external patch pockets, with concealed snap secured flaps with hand warmers. Inside chest pocket. Left sleeve pocket. Deep-pleated action back. Elasticized waistband. 2" silver reflective striping. Accommodates snap-on hood HLH2 and liner LLL8, sold separately. DWR (Durable Water Repellent).

JLJP - Men's (Reg) S-5XL. (Long) M-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 29 calories/cm²

CSA Z96 Class 2 Level 2 Compliant

Color: Orange (OR) Stocked in Canada only.

OR



JNJ6NV

JLR8GY

(IL-LS HW

LINED BOMBER JACKET WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Updated fit. Separating, heavy-duty Nomex® taped brass zipper, fully covered with updated collar and storm flap construction. Updated cuff. Two external patch pockets, with concealed snap secured flaps with hand warmers. Inside chest pocket. Left sleeve pocket. Utility loops at shoulder. Deep-pleated action back. Elasticized waistband. 360° visibility with front and back 2" vellow/silver/vellow reflective striping. Accommodates snap-on hood HNH2 and liners LNL8, LNS8, sold separately. DWR (Durable Water Repellent).

JNJC - Men's (Reg) S-4XL. (Long) M-4XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Nomex[®] Essential (93% Nomex[®] Aramid / 5% Kevlar[®] Aramid / 2% Other Fiber). Water-repellent

Lining: 4.5 oz. (110 g/m²) Nomex[®] Essential (93% Nomex[®] Aramid / 5% Kevlar[®] Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 20 calories/cm²

Color: Royal Blue (RB). Stocked in Canada only.



LINED BOMBER JACKET

NFPA® 2112 Compliant

Updated fit. Separating, heavy-duty Nomex® taped brass zipper, fully covered with updated collar and storm flap construction. Updated cuff. Two external patch pockets, with concealed snap secured flaps with hand warmers. Inside chest pocket. Left sleeve pocket. Utility loops at shoulder. Deep-pleated action back. Elasticized waistband. Accommodates snap-on hood HNH2 and liners LNL8, LLL8, and LNS8, sold separately. DWR (Durable Water Repellent).

JNJG - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Nomex[®] Essential (93% Nomex[®] Aramid / 5% Kevlar[®] Aramid / 2% Other Fiber), Water-repellent

Lining: 4.5 oz. (110 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber) Ripstop

Protection: Arc Rating ATPV 20 calories/cm²

Colors: Navy (NV), Royal Blue (RB)



INSULATED BOMBER JACKET

NFPA® 2112 Compliant

Utility loops at shoulder and left sleeve pocket. Accommodates snap-on hood HLH2, sold separately. DWR (Durable Water Repellent).

JLR8 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 14 oz. (474 g/m²) Quilted Cotton / Modacrylic Insulation

Protection: Arc Rating ATPV 36 calories/cm²

Colors: Grey (GY), Navy (NV), Royal Blue (RBB)* *Contact customer service for availability.



JLJ6NV

State IL-HS IL-LS HW

LINED BOMBER JACKET

NFPA® 2112 Compliant

Updated fit. Separating, heavy-duty Nomex® taped brass zipper, fully covered with updated collar and storm flap construction. Updated cuff. Two external patch pockets, with concealed snap secured flaps with hand warmers. Inside chest pocket. Left sleeve pocket. Utility loops at shoulder. Deep-pleated action back. Elasticized waistband. Accommodates snap-on hood HLH2 and liners LNL8, LLL8, and LNS8, sold separately. DWR (Durable Water Repellent).

JLJG - Men's (Reg) S-6XL. (Long) L-4XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 29 calories/cm² Color: Navy (NV)

NV

NOT INTENDED TO BE WORN AS A SINGLE LAYER

LLS8BD

BROWN DUCK VEST JACKET LINER

Bulwark

NFPA® 2112 Compliant

Concealed snap-front closure. Rib knit collar. Two large inset slash-welted pockets. One inside chest pocket. Snaps into JLB6 jacket sold separately. DWR (Durable Water Repellent).

LLSB - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Insulation: 14 oz. (475 g/m²) 50% FR Cotton / 50% Modacrylic Insulation

Protection: Arc Rating ATPV 47 calories/cm²





A ILHS ILLS HW

Looor

BROWN DUCK UNIVERSAL FIT SNAP-ON HOOD

Hook-and-loop closure at front neck. Drawstring around face opening. Sized to fit over hard hat. Snaps to JLB6 and JLC6, sold separately. DWR (Durable Water Repellent).

HLH4 - Men's One size.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 14 oz. (475 g/m²) 50% Cotton / 50% Modacrylic Insulation

Protection: Arc Rating ATPV 47 calories/cm²

Color: Brown Duck (BD)



VLS2BD

JLB6BD

JLC6BD



SHERPA LINED BROWN DUCK VEST

NFPA® 2112 Compliant

This full-zip CAT3 vest is lined with soft Sherpa fabric with a Nomex® taped brass zipper and storm flap and is NFPA® 2112 compliant. It offers excellent FR protection, with great comfort. DWR (Durable Water Repellent).

VLS2 - Men's (Reg) S-2XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water Repellent


Insulation: Flame-resistant, 13 oz. (440 g/m²) Sherpa Blend

Protection: Arc Rating E_{RT} 33 calories/cm²

Color: Brown Duck (BD)

BD

NOT INTENDED TO BE WORN AS A SINGLE LAYER



BROWN DUCK LINED BOMBER JACKET

NFPA® 2112 Compliant

Flame-resistant, lay-flat collar. Utility loops at shoulder and left sleeve pocket. Accommodates snap-on hood HLH4 and liners LLS8, LNL8 and LNS8 sold separately. DWR (Durable Water Repellent).

JLBG - Men's (Reg) S-4XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 7 oz. (235 g/m²) 100% Cotton Sanded

Protection: Arc Rating ATPV 35 calories/cm²

Color: Brown Duck (BD)

BROWN DUCK LINEMAN'S COAT

NFPA® 2112 Compliant

Concealed, snap-front, storm flap closure. Lanyard access opening on center back, accommodates safety harness. Updated cuff construction. Accommodates snap-on hood HLH4 and vest jacket liner LLS8, sold separately. DWR (Durable Water Repellent).

JLCG - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 6.5 oz. (220 g/m²) 70% Nomex[®] / 30% FR Lenzing[®]

Protection: Arc Rating ATPV 41 calories/cm²

Color: Brown Duck (BD)

BD

JLH6BD

INSULATED BROWN DUCK

NFPA® 2112 Compliant

All main seams have triple-needle topstitching. Rib knit sleeve cuffs and waistband. Concealed hook-and-loop front storm flap closure. Two large side pockets. Two inside chest pockets.

JLHG - Men's (Reg) S-4XL. (Long) L-3XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 13 oz. (440 g/m²) Duck, 100% Cotton

Lining: 5.5 oz. (185 g/m²) Quilted Modacrylic Blend Insulation

Protection: Arc Rating ATPV 48 calories/cm² **Color:** Brown Duck (BD)

BD

JJLC6BD

Lanyard access opening on center back, accommodates safety harness





BROWN DUCK HOODED JACKET

NFPA® 2112 Compliant

Permanently attached hood with adjustable drawcord. Lanyard access opening on center back, accommodates safety harness. Two front pouch-style pockets with reinforced bartacks. DWR (Durable Water Repellent).

JLH4 - Men's (Reg) S-4XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 7 oz. (235 g/m²) 100% Cotton Sanded **Protection:** Arc Rating ATPV 35 calories/cm² **Color:** Brown Duck (BD)

BD

NFPA® 2112 Compliant

SEZ2BK

KE

JAC

FLEECE

Left napoleon chest pocket with zipper closure. Right open chest pocket with reinforced ripstop fabric. Two large hand warmer pockets with zipper closure. Full zip. Rib cuffs.

SEZ2 - Men's (Reg) S-3XL. (Long) M-3XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex

Protection: Arc Rating E_{BT} 17 calories/cm² **Colors:** Black (BK), Navy (NV)



120 | OUTERWEAR

All product on spread: Imported of Fabric Made in U.S.A.

SEH4NV

SEH8NV

SEC2NV

. 0

ZIP-FRONT HOODED SWEATSHIRT COTTON / SPANDEX BLEND

NFPA® 2112 Compliant

Hood with drawstring closure. Zipper front. Rib knit cuffs and waistband. Two patch pockets.

SEH4 - Men's (Reg) S-5XL. (Long) M-5XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex

Protection: Arc Rating E_{BT} 17 calories/cm²

Colors: Charcoal (CH), Navy (NV)



NEW &

IMPROVED



NFPA® 2112 Compliant

Two-ply hood with drawstring closure and ¼ zip-front. Rib knit cuff and waistband. Side seam pockets. Raglan sleeve.

SEHB - Men's (Reg) S-3XL. (Long) M-3XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex Brushed Fleece

Protection: Arc Rating E_{pt} 17 calories/cm²

Color: Navy (NV)



Image: A minimized by the second seco

NFPA® 2112 Compliant

Rib knit cuff, neck and waistband. Plain front.

SEC2 - Men's (Reg) S-5XL. (Long) L-XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex Brushed Fleece

Protection: Arc Rating E_{BT} 17 calories/cm²

Color: Navy (NV)



SWEATSHIRTS



SWEATSHIRT

-

HOODIE

FLEECE

SEB4NV



FULL ZIP HOODED FLEECE

NFPA® 2112 Compliant

This warm stylish fleece may become your new favorite hoodie—it's casual, comfortable and up to the job, with CAT2 AR/FR protection. A durable water repellent (DWR) finish to keep you dry.

SMZ8 - Men's (Reg) S-5XL. (Long) M-5XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 13 oz. (368 g/m²) 56% Modacrylic / 34% Lyocell / 10% Aramid. DWR Finish.

Protection: Arc Rating E_{RT} 9.9 calories/cm²



PULLOVER HOODED FLEECE SWEATSHIRT

NFPA® 2112 Compliant

Cold days on the job call for heavy-duty FR protection that keeps you as warm as it does safe. This CAT2 AR/FR pullover hooded sweatshirt is made of warm, stylish fleece that can be worn on or off the job.

SEB4 - Men's (Reg) S-5XL. (Long) M-5XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 12.5 oz (425 g/m²) 95% Cotton / 5% Spandex **Protection:** Arc Rating E_{BT} 17 calories/cm² **Color:** Navy (NV)





FR FLEECE FULL ZIP HOODIE

NFPA® 2112 Compliant

Forget choosing between warmth and comfort, this full zip jacket has it all. With the HoodShield[™] integrated face covering and durable water repellent finish, you'll stay dry and protected from the coldest temps. Full zip closure allows for easy on and off.

SMMG - Men's (Reg) S-3XL. (Long) M-3XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 12.3 oz. (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para-aramid / 4% Spandex with DWR Finish

Protection: Arc Rating ATPV 27 calories/cm²

Color: Navy (NV)



STZ2NV

NFPA[®] 2112 Compliant

Comfort meets style with stretch fabric that flexes with your body with contrasting sleeves. 1/4 zip closure adds and athletic inspired look for easy on and off.

NEW!

STZ2 - Men's (Reg) S-4XL. (Long) L-2XL. Fit Chart MFC-100.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% Cotton / 7% Spandex

Protection: Arc Rating ATPV 8.3 calories/cm² Color: Navy (NV) // Coming Soon! Black (BK)





MEN'S FR FLEECE HOODIE

NFPA® 2112 Compliant

SMM4NV

A hoodie that helps you storm through the workday shielded from the elements – with everything in working order. Featuring HoodShield[™] integrated face covering to shield your face from the wind and cold. A durable water repellent finish to keep you dry. Reinforced forearms that add durability where you need it most. And an oversized hand warmer pocket that includes an extra hidden internal pocket with zipper closure for secure storage.

SMM4 - Men's (Reg) S-3XL. (Long) M-3XL. Size Chart MFC-03.

Fabric: Flame-resistant, 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para-armid / 4% Spandex with DWR Finish

Protection: Arc Rating ATPV 27 calories/cm² Color: Navy (NV)

NV



DWR FINISH Durable Water Repellent Finish repels the elements

HIDDEN POCKET Hidden Internal Pocket with zipper closure



BACK



SMZ4HV

SMB4HG



HOODED FLEECE SWEATSHIRT NFPA[®] 2112 Compliant

HI-VISIBILITY PULLOVER

When hi-vis and fleece come together, the result is fewer layers and more comfort. Think of this as your favorite FR hooded sweatshirt combined with your hi-vis vest. CAT3 protection meets ANSI 107 Type R Class 3 compliance with 2" reflective striping for 360° visibility. Durable Water Repellent (DWR) Finish.

SMH4 - Men's (Reg) M-5XL. (Long) L-2XL. Fit Chart MFC-03.

Fabric: 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para Aramid / 4% Spandex

Protection: Arc Rating ATPV 27 calories/cm² ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)



HI-VISIBILITY ZIP-FRONT HOODED FLEECE SWEATSHIRT WITH WAFFLE LINING

NFPA® 2112 Compliant

This fleece hoodie is the ultimate combination of FR protection, hi-vis compliance and comfort, for extra cold days on the job. With CAT4 protection and ANSI 107 Type R Class 3 compliancy, plus waffle knit lining for an extra layer of warmth. Durable Water Repellent (DWR) Finish.

SMZ4 - Men's (Reg) S-5XL. (Long) L-2XL. Fit Chart MFC-03.

Fabric: Flame-resistant

Shell: 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para Aramid / 4% Spandex

Lining: Waffle, 100% FR Cotton 7.6 oz (215 g/m²)

Protection: Arc Rating ATPV 45 calories/cm² ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)



HI-VISIBILITY COLOR BLOCK PULLOVER FLEECE SWEATSHIRT WITH WAFFLE LINING

NFPA® 2112 Compliant

Cold days on the job call for heavy-duty FR protection that keeps you as warm as it does safe. This hooded color-blocked pullover sweatshirt is the ultimate combination of FR protection, hi-vis compliance and comfort. Made of warm, stylish fleece, lined with knit waffle. Durable Water Repellent* (DWR) Finish on Hi-Vis Yellow. *Grey fabric does not contain DWR finish.

SMB4 - Men's (Reg) M-5XL. (Long) L-2XL. Fit Chart MFC-03.

Fabric: (Hi-Vis Yellow) 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para Aramid / 4% Spandex. DWR finish. [Grey] 12.5 oz (425 g/m²) 95% Cotton / 5% Spandex brushed fleece. No DWR finish.

Lining: Waffle, 100% FR Cotton 7.6 oz (255 g/m²)

Protection: Arc Rating ATPV 45 calories/cm² ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HG)



126 | OUTERWEAR









THERMAL LINED ZIP-FRONT HOODED **SWEATSHIRT COTTON / SPANDEX BLEND**

NFPA® 2112 Compliant

Hood with drawstring closure. Full zipper front. Garment is fully lined except for pockets. Hand warmer pockets (not lined). Rib knit cuffs and waistband.

SEZ4 - Men's (Reg) S-5XL. (Long) M-5XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex Brushed Fleece

Lining: 7.6 oz. (260 g/m²) 100% Cotton Waffle Texture Knit

Protection: Arc Rating ATPV 54 calories/cm²

Color: Navy (NV)





ZIP-FRONT HOODED FLEECE SWEATSHIRT

NFPA® 2112 Compliant

Single-ply hood with drawstring closure. Zipper front. Hemmed sleeves with elastic waist. Two patch pockets. Brushed fleece on both sides.

SMHG - Men's (Reg) S-3XL. (Long) M-3XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 10 oz. (340 g/m²) 44% Modacrylic / 40% Wool / 11% Aramid / 5% Lyocell with DWR Finish

Protection: Arc Rating ATPV 20 calories/cm²

Color: Navy (NV)

NV

FRONT ZIP FLEECE SWEATSHIRT -MODACRYLIC BLEND

NFPA® 2112 Compliant

Double sided brush fleece with reinforcement patches. Hood with drawstring, zip front and napoleon pockets.

SMHB - Men's (Reg) S-3XL. (Long) S-3XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 10 oz. (340 g/m²) 44% Modacrylic / 40% Wool / 11% Aramid / 5% Lyocell with DWR Finish

Protection: Arc Rating ATPV 20 calories/cm²

Color: Black (BK)

BK

JXN4YE



BXN4YE

HI-VISIBILITY FLAME-RESISTANT RAIN JACKET

Non-conductive durable hardware. Silver reflective striping. Two patch pockets with flaps. Vented back with "D" ring access. Take-up tabs on cuff. 360° visibility with front and back 2" reflective striping. Tuck away roll-up hood.

JXN4 - Men's (Reg) S-6XL. Fit Chart MFC-53.

Fabric: 10 oz. (340 g/m²) Polyurethane on a Knit Flame-Resistant Treated Cotton, Water-repellent

Protection: Arc Rating ATPV 24 calories/cm², E_{pt} 28 calories/cm² Meets ASTM F1891 Standard Specification for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)





HI-VISIBILITY FLAME-RESISTANT RAIN BIB OVERALLS

Non-conductive durable hardware. 2" reflective striping. Elasticized shoulder straps with non-conductive adjustable hardware. Take-up tabs at ankles.

BXN4 - Men's (Reg) S-6XL. Fit Chart MFC-51. (Must be worn over NFPA® 2112 compliant shirt or under jacket)

Fabric: 10 oz. (340 g/m²) Polyurethane on a Knit Flame-Resistant Treated Cotton, Water-repellent

Protection: Arc Rating ATPV 24 calories/cm², E_{pt} 28 calories/cm² ANSI/ISEA 107 Class E (Type R Class 3 when worn with JXN4YE)

Meets ASTM F1891 Standard Specification for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-**Resistant Rainwear for Protection Against Flame Hazards**

Color: Yellow/Green (YE)



JXN6YE

HI-VISIBILITY FLAME-RESISTANT RAIN JACKET

Non-conductive durable hardware. Silver reflective striping. Two patch pockets with flaps. Vented back with "D" ring access. Take-up tabs on cuff. 360° visibility with front and back 2" reflective striping. Tuck away roll-up hood. 360° visibility with front and back 1 1/2" reflective striping. Tuck away roll-up hood.

JXNG - Men's (Reg) S-6XL. Fit Chart MFC-53.

Fabric: 13 oz. (440 g/m²) PVC / Modacrylic Knit, Water-repellent

Protection: Arc Rating ATPV 8.5 calories/cm², E_{pr} 36 calories/cm² ANSI/ISEA 107 Type R Class 2 Compliant (Type R Class 3 when worn with BXN6)

Meets ASTM F1891 Standard Specification for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant **Rainwear for Protection Against Flame Hazards**

Color: Yellow/Green (YE)



MUST BE WORN OVER NFPA® 2112 COMPLIANT SHIRT OR UNDER JACKET

Bulwark

BXN6YE

CAT SUPPLEMENTAL CLASS E

HI-VISIBILITY FLAME-RESISTANT RAIN BIB OVERALLS

Non-conductive durable hardware. 2" reflective striping. Elasticized shoulder straps with non-conductive adjustable hardware. Take-up tabs at ankles.

BXNG - Men's (Reg) S-6XL. Fit Chart MFC-42. (Must be worn over NFPA® 2112 compliant shirt or under jacket)

Fabric: 13 oz. (440 g/m²) PVC / Modacrylic Knit

Protection: Arc Rating ATPV 8.5 calories/cm², $E_{\rm BT}$ 36 calories/cm² ANSI/ISEA 107 Class E Compliant (Type R Class 3 when worn with JXN6YE)

Meets ASTM F1891 Standard Specification

for Arc- and Flame-Resistant Rainwear Meets ASTM F2733 Standard Specification for Flame-Resistant

Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)





(CAT) IL-HS IL-LS HW

WORK COAT

NFPA® 2112 Compliant Concealed gripper-front closure. Hemmed gored sleeves, concealed gripper take up. No exposed metal. **KEW2** - Men's (Reg) S-4XL. (Long) L-2XL. Fit Chart MFC-12. **Fabric:** Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton **Protection:** Arc Rating ATPV 11 calories/cm² **Color:** Visual Green (VG)





MEN'S MOLTEN METAL WORK COAT

NFPA® 2112 Compliant

Concealed gripper-front closure. Hemmed gored sleeves. Concealed gripper take up. No exposed metal. **KEM2 -** Men's (Reg) S-4XL. (Long) L-XXL. Fit Chart MFC-12. **Fabric:** Flame-resistant, 13 oz. (440 g/m²) 100% Cotton Whipcord **Protection:** Arc rating ATPV 12 calories/cm² **Color:** Visual Green (VG)





MEN'S MOLTEN METAL ENHANCED VISIBILITY COAT

NFPA® 2112 Compliant

Concealed gripper-front closure. Hemmed gored sleeves. Concealed gripper take up. No exposed metal. 360° visibility with front and back. 2" yellow/silver/yellow reflective striping.

KEM4 - Men's (Reg) S-4XL. (Long) L-XXL. Fit Chart MFC-12.

Fabric: Flame-resistant, 13 oz. (440 g/m²) 100% Cotton Whipcord **Protection:** Arc rating ATPV 12 calories/cm² **Color:** Visual Green (VG)



KNC2RB

MEN'S FR LAB COAT WITH KNIT CUFFS

NFPA® 2112 Compliant

Four exterior pockets for ample storage. Rib knit cuffs to keep you protected even during movement. Concealed and reinforced gripper front for ease of donning and doffing. Slit-back hem for ease of walking.

KNC2 - Men's (Reg) XS-5XL. Fit Chart MFC-109.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex[®] Aramid / 5% Kevlar[®] / 2% other fiber

Protection: Arc Rating ATPV 4.4 calories/cm²

Color: Royal Blue (RB)



LAB COATS





WOMEN'S FR LAB COAT WITH KNIT CUFFS

NFPA® 2112 Compliant

Four exterior pockets for ample storage. Rib knit cuffs to keep you protected even during movement. Concealed and reinforced gripper front for ease of donning and doffing. Side vents at hem for ease of walking.

KNC3 - Women's (Reg) XS-3XL. Fit Chart LFC-41.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex® Aramid / 5% Kevlar® / 2% other fiber

Protection: Arc Rating ATPV 4.4 calories/cm²

Color: Royal Blue (RB)





KEL2LB

LAB COAT

NFPA® 2112 Compliant

Lapel collar. Hemmed sleeve ends. One chest pocket.

KEL2 - Men's (Reg) XS-4XL. Fit Chart MFC-12.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 7.7 calories/cm²

Color: Light Blue (LB)



ILLS HW

LAB COAT NFPA® 2112 Compliant

Button-front closure. Lapel collar. Hemmed sleeve ends.

KNL2RDB

KNL2 - Men's (Reg) XS-4XL. Fit Chart MFC-99.

Fabric: Flame-resistant, 6 oz. (150 g/m²) Nomex[®] Essential (93% Nomex[®] Aramid / 5% Kevlar[®] Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Colors: Navy (NV), Red (RDB)*, Royal Blue (RB)

*Contact customer service for availability.

NV RDB RB



WOMEN'S LAB COAT

KNL3RB

NFPA® 2112 Compliant

This lab coat is designed especially for women. Princess seams provide a feminine fit and it's also NFPA® 2112 compliant. A button front closure provides for easy donning and doffing and extra protection. This FR lab coat will keep you protected in the lab without getting in the way of your work.

KNL3 - Women's (Reg) XS-2XL. Fit Chart LFC-01.

Fabric: Flame-resistant, 4.5 oz. (205 g/m²) Nomex[®] Essential (93% Nomex[®] Aramid / 5% Kevlar[®] Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 4.4 calories/cm²

Colors: Navy (NV), Red (RDB)*, Royal Blue (RB)

*Contact customer service for availability.



CONCEALED SNAP FRONT LAB COAT

NFPA® 2112 Compliant

Concealed snap-front closure. Lapel collar. Hemmed sleeve ends with concealed adjustable snaps. Side vent openings. Two chest pockets and two front hip pockets.

KLL6NV

KLLG - Men's (Reg) XS-4XL. Fit Chart MFC-99.

Fabric: Flame-resistant, 6 oz. (205 g/m²) 88% Cotton/ 12% Nylon

Protection: Arc Rating ATPV 9.1 calories/cm²

Color: Navy (NV)



LAB COATS

KNL6RB

CONCEALED SNAP FRONT LAB COAT

NFPA® 2112 Compliant

This flame resistant lab coat has a CAT1 protection and is also NFPA® 2112 compliant. Plus, it comes equipped with concealed snap front closures for easy donning and doffing. Two chest pockets provides a place for your tools or personal effects.

KNLG - Men's (Reg) S-4XL. Fit Chart MFC-99.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex[®] Essential (93% Nomex[®] Aramid / 5% Kevlar[®] Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Color: Royal Blue (RB)

RB



FLAME RESISTANT (FR)/ CHEMICAL-SPLASH PROTECTION (CP)

These FR/CP garments bring together the latest innovations in chemical protection safety to protect wearers against multiple hazards. Flame resistant fabric prevents clothing ignition during short-duration thermal incidents and emergency exposure to flame. FR/CP garments also repel small amounts of liquid chemicals that are either dropped or splashed on the fabric, resisting penetration and wicking of an inadvertent, secondary liquid chemical-splash. They are also lightweight, breathable and comfortable to wear. Not only are they lightweight and easy to wear, but they also have a finish that does not contain any intentionally added PFAS.

🕵 🚹 👗 II-LS HW

MEN'S & WOMEN'S FLAME RESISTANT (FR) / CHEMICAL-SPLASH PROTECTION (CP) LAB COATS

NFPA® 2112 Compliant

Concealed snap-front closure. Black lay flat collar for easy recognition as a CP lab coat. FR-only knit cuffs – safer than typical open cuff. Splash-resistant pass-throughs for easy inner pocket access. Pockets include one two-needle top-stitched chest pocket with pencil stall and two two-needle top-stitched lower pockets with flaps. KNR7 features tailored fit specifically for women.

KNRG - Men's (Reg) XS-5XL. Fit Chart MFC-179. **KNR7** - Women's (Reg) XS-2XL. Fit Chart LFC-80

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) 93% Meta-Aramid / 5% Para-Aramid / 2% Antistat

Protection: Short-duration thermal hazards and inadvertent liquid chemical splashes. Arc Rating ATPV 5.2 calories/cm².

Color: Royal Blue (RB)







WOMEN'S

FR workwear built for women? Believe it. Introducing Bulwark's full line of FR clothing designed to fit the unique shape of a woman's body, with seaming and gusseting that contours to your shape. Because putting yourself in harm's way shouldn't require putting yourself in men's clothing.

SINCE '71



QS51DG 0 0 0 0 0 0



iQ SERIES" WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series[®] Lightweight Comfort Woven Shirts are 4.5 oz. and made exclusively with Nomex[®] Comfort fabrics by DuPont[®]. The fabric keeps you cool and comfortable and comes with a side seam gusset, allowing it to move with you without riding up, restricting your movement or coming untucked. The women's shirt features a Napoleon chest pocket for secure storage and is uniquely designed to fit a woman's body. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 label.

QS23 - Women's (Reg) S-3XL. Fit Chart LFC-02.

Fabric: Exclusively with Nomex[®] Comfort fabrics by DuPont[®]. Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex / 5% Kevlar[®] / 2% Carbon

Protection: Arc Rating ATPV 6.1 calories/cm²

Colors: Navy (NV), Royal Blue (RB)



iQ SERIES" WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

The iQ Series[®] Women's Lightweight Comfort Woven shirt is uniquely designed to fit a woman's body. Lightweight and breathable, this shirt is 5.5 oz. and made exclusively with TenCate Evolv[™] fabric. It features a Napoleon pocket on the left chest for secure storage. Full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS51 - Women's (Reg) XS-3XL. Fit Chart LFC-02.

Fabric: Exclusively with TenCate Evolv[™]. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Dark Grey (DG), Navy (NV)



iQ SERIES" WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

The iQ Series® Women's Lightweight Comfort Woven shirt is uniquely designed to fit a woman's body. Lightweight and breathable, this shirt is 5.5 oz. and made exclusively with TenCate Evolv™ fabric. It features a Napoleon pocket on the left chest for secure storage. Full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS53 - Women's (Reg) XS-3XL. Fit Chart LFC-02.

Fabric: Exclusively with TenCate Evolv[™]. Flame-resistant, 5.5 oz. (185 g/m²) 41% Modacrylic / 35% Cellulosic / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²

Color: Khaki (KH)









IQ SERIES® WOMEN'S ENDURANCE WORK SHIRT

NFPA® 2112 Compliant

An FR shirt with a feminine look and feel? You better believe it. The iQ Series® Women's Endurance Work Shirt is made for a woman's body with princess seams at the front for a more feminine fit, but you'll still get all the protection of Bulwark® FR gear and the comfort of our iQ Series®, made exclusively with Westex G2[™] fabrics by Milliken®. Full underarm gussets allow you to move freely, while pockets give you easy access to storage. And because it's part of the iQ Series Endurance line, this shirt can take as many washes as you can give it without losing its FR protection.

QS41 - Women's (Reg) XS-3XL. Fit Chart LFC-02.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken[®]. Flame-resistant, 6.9 oz. (235 g/m²) Ripstop Twill, 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Grey (GY), Khaki (KH), Navy (NV)





iQ SERIES" WOMEN'S MIDWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Women's Midweight Comfort Woven Shirt is 6 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. The shirt is uniquely designed to fit a women's body. The fabric keeps you cool and comfortable and comes with a side seam gusset, allowing the garment to move with you without riding up, restricting your movement or coming untucked. Napoleon chest pocket provides secure storage. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 labels.

QS25 - Women's (Reg) XS-3XL. Fit Chart LFC-02.

Fabric: Exclusively with Nomex $^{\circ}$ Comfort fabrics by DuPont $^{\circ}$. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar $^{\circ}$ / 2% Carbon

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Royal Blue (RB)





IQ SERIES" WOMEN'S MIDWEIGHT COMFORT WOVEN SNAP-FRONT SHIRT

NFPA® 2112 Compliant

Banded collar, snap front, vertical zipper pocket on left chest provides secure storage, multi-use utility loops in shoulder seams, full underarm gussets keep your shirt from coming untucked. Femine fit.

QS27 - Women's (Reg) XS-3XL. Fit Chart LFC-02.

Fabric: Exclusively with Nomex[®] Comfort fabrics by DuPont[®]. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar[®] / 2% Carbon

Protection: Arc Rating ATPV 7.6 calories/cm²

Color: Red (RD)

RD



SND3TNB





WOMEN'S DRESS UNIFORM SHIRT

NFPA® 2112 Compliant Banded, topstitched collar. Cuffs with button closure. Button-front placket.

SLU3 - Women's (Reg) S-2XL. Fit Chart LFC-02.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Khaki (KH), Light Blue (LB), Navy (NV), Orange (ORB)*, Royal Blue (RBB)*, Silver Grey (SYB)* *Contact customer service for availability.



(CONTRO CAT IL-LS HW

WOMEN'S DRESS UNIFORM SHIRT

NFPA® 2112 Compliant

Banded, topstitched collar. Cuffs with button closure. Button-front placket. Full underarm gussets.

SND3 - Women's (Reg) S-3XL. Fit Chart LFC-38.

Fabric: Flame-Resistant, 4.5 oz (150 g/m²) 93% Nomex, 5% Kevlar Aramid, 2% Other Fiber

Protection: Arc rating ATPV 4.4 calories/cm² **Colors:** Navy (NVB)*, Royal Blue (RBB)*, Tan (TNB)* *Contact customer service for availability.



₩ WOMEN'S DRESS SHIRT

Banded, topstitched collar. Cuffs with button closure. Button-front placket.

SEG5 - Women's (Reg) S-3XL. Fit Chart LFC-02.

Fabric: Flame-resistant, 5.25 oz. (180 g/m²) 100% Cotton

Protection: Arc Rating ATPV 5.5 calories/cm²

Color: Khaki (KHB)* *Contact customer service for availability.







WOMEN'S SHIRTS

WOMEN'S FLEX KNIT BUTTON DOWN SHIRT

NFPA® 2112 Compliant

The best of two hard-working worlds, this lightweight FR Flex Knit combines the crisp, professional look of a classic button-down with a feminine look and feel and the comfort of your favorite T-shirt. Lightweight stretch fabric flexes with your body for added comfort and range of movement.

STG3 - Women's (Reg) S-2XL. Fit Chart LFC-02.

Fabric: Flame-resistant, 6.75 oz (230 g/m²) 93% Cotton / 7% spandex

Protection: Arc rating ATPV 8.3 calories/cm²

Color: Charcoal (CH)

CH

WOMEN'S SNAP FRONT UNIFORM SHIRT

NFPA® 2112 Compliant

Banded, topstitched collar. Placket front with snap closure gives a classic uniform shirt look with easy donning and doffing. Multi-functional utility loop inserted into shoulder seam.

SNS3 - Women's (Reg) S-3XL. Fit Chart LFC-02.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²), Nomex[®] Essential 93% Nomex Aramid / 5% Kevlar Aramid / 2% other Fiber

Protection: Arc rating ATPV 4.4 calories/cm²

Colors: Navy (NVB)*, Red (RDB), Royal Blue (RBB)*, Tan (TNB)* *Contact customer service for availability.

NVB RDB RBB TNB

BANDED COLLAR keeps you looking sharp and professional all day

TWO CHEST POCKETS

with flaps and button closure for convenient, secure storage

LIGHTWEIGHT STRETCH FABRIC

flexes with your body for added comfort and range of movement

FULL UNDERARM F GUSSET keeps your shirt tucked in

STG5NV

WOMEN'S FLEX KNIT BUTTON DOWN WORK SHIRT

NFPA® 2112 Compliant

The best of two hard-working worlds, this lightweight FR Flex Knit combines the crisp, professional look of an office work shirt and the comfort of your favorite T-shirt. Lightweight stretch fabric and side seam gussets flex with your body for added comfort and range of movement. Two chest pockets with button flaps allows for convenient storage. Easy-to-spot CAT2/2112 label on the left sleeve leave no question that you're protected on the job site.

STG5 - Women's (Reg) S-2XL. Fit Chart LFC-02.

Fabric: Flame-resistant, 6.75 oz (230 g/m²) 93% Cotton / 7% spandex

Protection: Arc rating ATPV 8.3 calories/cm²

Colors: Charcoal (CH), Khaki (KH), Navy (NV)









WOMEN'S CONCEALED-GRIPPER POCKETLESS WORK SHIRT

NFPA® 2112 Compliant

Streamlined. Pocketless. FR. This is your go-to work shirt, with CAT2 FR protection and NFPA $^{\circ}$ 2112 compliance.

SLS3 - Women's (Reg) S-2XL. Fit Chart LFC-02.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Color: Light Blue (LBB), Navy (NV)



CAT IL-LS HW ST R 2

WOMEN'S HI-VISIBILITY WORK SHIRT

This hi-vis work shirt combines CAT2 FR protection ANSI 107 Type R Class 2 compliancy and a professional workwear look. 2" reflective striping offers 360° visibility to keep you seen and safe.

SMW3 - Women's (Reg) S-3XL. Fit Chart LFC-02.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9 calories/cm² ANSI 107 Type R Class 2 Compliant

Color: Yellow/Green (HVB)*
*Contact customer service for availability.

HVB

WOMEN'S CONCEALED-GRIPPER POCKETLESS WORK SHIRT

NFPA® 2112 Compliant

When your work shirt is enhanced vis, the result is fewer layers and greater comfort. Think of this as your favorite FR work shirt combined with your hi-vis vest. Features underarm gussets for increased mobility, back darts for a feminine fit, CAT2 FR protection and NFPA® 2112 compliant, with reflective striping for 360° visibility to keep you seen and safe.

SMS5 - Women's (Reg) S-2XL. Fit Chart LFC-02.

Fabric: Flame-resistant, 7 oz (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc rating ATPV 9 calories/cm²

Colors: Light Blue (LB), Navy (NV)





IQ SERIES® WOMEN'S COMFORT KNIT TEE WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

360° degree visbility with front and back 2" flame-resistant silver segmented heat seal reflective striping.

QT37 - Women's (Reg) XS-2XL. Fit Chart LFC-02.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken[®]. Flame-resistant, 5.3 oz (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm² CSA Z96 Class 2 Level 2 Compliant

Color: Orange (OR) Stocked in Canada only.





STL3NV

STT3NV

🏡 WOMEN'S FLEX KNIT TEE

NFPA® 2112 Compliant

Side seams curve around torso for optimal fit. Front pocket with pencil stall and lightweight stretch fabric that flexes with your body for added comfort and range of movement. Dropped back hem presents a flattering silhouette.

STT3 - Women's (Reg) XS-4XL. (Long) L-XXL. Fit Chart LFC-02.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% cotton / 7% spandex

Protection: Arc Rating ATPV 8.3 calories/cm² Colors: Charcoal (CH), Khaki (KH), Navy (NV)

Coming soon! Black (BK), Light Blue (LB)

BK CH KH LB NV



LONG SLEEVE HENLEY

NFPA® 2112 Compliant

Three-button placket. Knit henley collar. Rib knit cuffs.

SEL3 - Women's (Reg) S-XXL. Fit Chart LFC-02.

Fabric: Flame-resistant, 7 oz. (235 g/m²) Jersey, 100% Cotton

Protection: Arc Rating ATPV 8.9 calories/cm²

Colors: Khaki (KHB)*, Navy (NV) *Contact customer service for availability.











WOMEN'S FLEX KNIT HENLEY

NFPA® 2112 Compliant

A hard-working Henley with a casual, contemporary look. The lightweight fabric flexes for added comfort and range of movement, curved flatlock seams for optimal fit, unique front pocket design with pencil stall. CAT 2/2112 left sleeve label leaves no question you're protected on the job site.

STL3 - Women's (Reg) S-4XL. (Long) L-XXL. Fit Chart LFC-02.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% cotton / 7% spandex

Protection: Arc Rating ATPV 8.3 calories/cm²

Color: Navy (NV)



IQ SERIES® WOMEN'S COMFORT KNIT POLO WITH 4-BUTTON PLACKET

NFPA® 2112 Compliant

Revolutionary FR workwear designed for women's bodies. The QT15 polo is designed for fit and comfort, with FR compliance, of course. The four-button placket allows you to button all the way up for maximum safety, or unbutton when you're out of the line of fire. Shirring at the back of this shirt, with a two-ply yoke creates a feminine silhouette, and the concealed rib knit cuffs stay in place all day long.

QT15 - Women's (Reg) XS-2XL. Fit Chart LFC-02.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken®. Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²

Colors: Black (BKB)*, Blue (BLB)*, Charcoal (CH), Dark Blue (DB), Khaki (KH), Red (RD) ***Contact customer service for availability.**





IQ SERIES® WOMEN'S COMFORT KNIT TEE

NFPA® 2112 Compliant

The work tee that fits and feels like your favorite weekend tee shirt with all the FR protection your workday requires. Moisture-wicking, breathable fabric keeps you cool and comfortable, while full underarm gussets and concealed rib knit cuffs allow you to move freely throughout the day. Uniquely feminine features, like a fishtail hem and rib knit collar make this a flattering improvement upon your everyday workwear.

QT31 - Women's (Reg) XS-2XL. Fit Chart LFC-02.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken[®]. Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²

Colors: Charcoal (CH), Dark Blue (DB), Khaki (KH)



iQ SERIES[®] **LIGHTWEIGHT COMFORT PANT**

111111111

3

(4)

(5)

2

3

(4)

(5)

QP19NV

(2)

WOMEN'S

JEAN STYLE CUT

CARGO POCKET WITH SNAP CLOSURE FOR SECURE STORAGE

TRIPLE NEEDLE OUT AND

INSEAM FOR EXTRA DURABILITY

UTILITY POCKET ON RIGHT LEG

FOR QUICK ACCESS TO STORAGE

REINFORCED BACK PATCH POCKETS AND CARGO POCKET

IO SERIES® WOMEN'S LIGHTWEIGHT COMFORT PANT

NFPA® 2112 Compliant

Let our work pant do a little more of the lifting. The Bulwark[®] iQ Series[®] Lightweight Comfort Pant is stylishly designed to keep you cool and in command all day long. This modern, straight fit jean style work pant features a one-piece waistband with wide belt loops, scoop front pockets, reinforced cargo pocket with snap closure on the left and patch hip pockets, a utility pocket on the right side plus triple needle out and inseam for extra durabilty.

OP19 - Women's 0-24 Even. Fit Chart LFC-02.

Fabric: Exclusively with TenCate Evolv[™] 6.5 oz. 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.4 calories/cm² Color: Navy (NV)



IO SERIES® WOMEN'S ENDURANCE WORK PANT

QP11NV

NFPA® 2112 Compliant

Bigger belt loops, triple-needle felled outseams and seat seam keep your act together for all day performance without the fraying. Reinforced pocket bags double down on durability. These pants feature an ultra-convenient concealed button, pocketin-pocket, and utility loop that serves you well while you do the work. Last but not least, they feature a crotch gusset for greater freedom of movement.

QP11 - Women's (Reg) 0-24 Even. Fit Chart LFC-02.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken[®]. Flame-resistant, 9 oz. (305 g/m²) 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 10 calories/cm² Color: Navy (NV)



iQ SERIES®

This iQ Series® Lightweight Comfort Pant is stylishly designed for women. With a more feminine cut, they'll keep you cool and in command all day long.

Fabric: Exclusively with Westex G2[™] fabrics by Milliken[®]. Flame-resistant, 6.9 oz. (235 g/m²) 65% Cotton / 35% Polyester Ripstop Twill

Protection: Arc Rating ATPV 9.0 calories/cm²

NV

QP15NV



WOMEN'S LIGHTWEIGHT **COMFORT PANT**

NFPA® 2112 Compliant

QP15 - Women's 0-24 Even. Fit Chart LFC-02.

Color: Navy (NV)

QP17RB



iO SERIES® WOMEN'S LIGHTWEIGHT **COMFORT PANT**

NFPA® 2112 Compliant

This straight-fit jean style work pant features a one-piece waistband with wide belt loops and a right front belt extension loop. Scoop front pockets, patch pocket hip pockets, a double utility pocket on the right side plus a cargo pocket with snap closure on left covers your storage needs. Double articulated knees and a full crotch gusset help make bending a breeze.

QP17 - Women's 0-24 Even. Fit Chart LFC-02.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont[®]. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar[®]/ 2% Carbon

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Red (RD), Royal Blue (RB)

NV RD RB

CENTRES AT IL-LS HW

WOMEN'S WORK PANT

PNW3RBB

NFPA® 2112 Compliant

Waistband with button closure. Two slack-style front pockets. Left hip pocket with button closure.

PNW3 - Women's 4-24. Fit Chart LFC-02.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex[®] Essential (93% Nomex[®] Aramid / 5% Kevlar[®] Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Colors: Navy (NVB)*, Royal Blue (RBB)*

*Contact customer service for availability.



CAT IL-HS IL-LS HW **WOMEN'S WORK PANT**

NFPA® 2112 Compliant

Waistband with button closure. Two slack-style front pockets. Left hip pocket with button closure.

PEW3KHB

PEW3 - Women's (Navy) 4-24. (Khaki) 2-32.

Fit Chart LFC-02. Fabric: Flame-resistant, 9 oz.

(305 g/m²) Twill, 100% Cotton Protection: Arc Rating ATPV 11 calories/cm²

Colors: Khaki (KHB)*, Navy (NV)

*Contact customer service

for availability. NV



NFPA® 2112 Compliant

Waistband with button closure. Two slack-style front pockets. Left hip pocket with button closure. Two utility pockets.

Left cargo pocket has two snap closures. PMU3 - Women's 4-24.

PMU3NV

Fit Chart LFC-02.

Khaki: Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid Protection: Arc Rating ATPV 9.0 calories/cm²

Navy:

Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid Protection: Arc Rating ATPV 11 calories/cm²

Colors: Khaki (KH), Navy (NV)



WOMEN'S WORK PANT

PMW3NV

NFPA® 2112 Compliant

Waistband with button closure. Two slack-style front pockets. Left hip pocket with button closure.

PMW3 - Women's 4-24. Fit Chart LFC-02.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid

Protection: Arc Rating ATPV 11 calories/cm²

Color: Navy (NV)



Fit Chart LFC-02.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

calories/cm²

Colors: Black (BKB)*, Navy (NVB)*, Royal Blue (RBB)*

*Contact customer service for availability.



CAT IL-HS IL-LS HW

WOMEN'S WORK PANT

NFPA® 2112 Compliant

Waistband with button closure. Two slack-style front pockets. Left hip pocket with button closure.

PLW3 - Women's 0-24.

Protection: Arc Rating ATPV 12



WOMEN'S STRAIGHT FIT JEAN WITH STRETCH

NFPA® 2112 Compliant

One-piece waistband with button closure. Five jean-style pockets. Two-needle felled inseam construction. Straight through waist. Bootcut leg opening. Contoured waistband with metal button closure (metal is not exposed to skin). Soft, pre-washed and sanded fabric.

PSJM - Women's 0-24. Fit Chart LFC-02.

Fabric: Flame-resistant, 12.5 oz (425 g/m²) 98% cotton / 2% spandex

Protection: Arc Rating ATPV 21 calories/cm²

Color: Sanded Denim (SD)

SD

ШÌ

MEN'S

WOMEN'S CURVY FIT **JEAN WITH STRETCH**

NFPA® 2112 Compliant

Lightweight fabric with stretch that makes this work jean feel like an everyday jean. Light hand sanding and whiskering gives a more fashionable appearance. Felled inseam and seat seam adds durability. Contoured waistband provides a more comfortable fit. Metal button closure (metal is not exposed to the skin). Two patch on spade shaped hip pockets. Scoop front pockets with watch pocket on right side. Zipper fly closure.

PSJC - Women's 0-24. Fit Chart LFC-02.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 98% Cotton / 2% Spandex

Protection: Arc Rating ATPV 21 calories/cm² **Color:** Sanded Denim (SD)





WOMEN'S CLASSIC FIT **PRE-WASHED DENIM JEAN**

PEJ3DW

NFPA® 2112 Compliant

One-piece waistband with button closure. Five jean-style pockets. Two-needle felled inseam construction. Soft pre-wash for comfort and look. Updated fit. Classic fit is traditional, sits at the natural waist and has a slimmer leg opening that will fit over boots.

PEJ3 - Women's 4-24. Fit Chart LFC-02.

Fabric: Flame-resistant, 14.75 oz. (500 g/m²) 100% Pre-Washed Cotton Denim

Protection: Arc Rating ATPV 21 calories/cm²

Color: Blue Denim (DW)

DW

WOMEN'S LAB COAT

NFPA® 2112 Compliant

This lab coat is designed especially for women. Princess seams provide a feminine fit and it's also NFPA® 2112 compliant. A button front closure provides for easy donning and doffing and extra protection. This FR lab coat will keep you protected in the lab without getting in the way of your work.

KNL3RB

KNL3 - Women's (Reg) XS-2XL. Fit Chart LFC-01.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) Nomex[®] Essential (93% Nomex[®] Aramid / 5% Kevlar[®] Aramid /2% Other Fiber)

Protection: Arc Rating ATPV 4.4 calories/cm²

Colors: Navy (NV), Red (RDB)*, Royal Blue (RB)

*Contact customer service for availability.



WOMEN'S FR LAB COAT WITH KNIT CUFFS NFPA® 2112 Compliant

hem for ease of walking.

Fit Chart LFC-01.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex[®] Aramid / 5% Kevlar[®]/ 2% other fiber

Protection: Arc Rating ATPV 4.4 calories/cm²

Color: Royal Blue (RB)

RB

KNC3RB

Four exterior pockets for ample storage. Rib knit cuffs to keep you protected even during movement. Concealed and reinforced gripper front for ease of donning and doffing. Side vents at

KNC3 - Women's (Reg) XS-2XL.

WOMEN'S FLAME-RESISTANT (FR) / CHEMICAL-SPLASH **PROTECTION (CP) LAB COAT**

NFPA® 2112 Compliant

Concealed snap-front closure, Black lav flat collar for easy recognition as a CP lab coat. FR-only knit cuffs – safer than typical open cuff. Splash-resistant pass-throughs for easy inner pocket access. Pockets include one twoneedle top-stitched chest pocket with pencil stall and two two-needle top-stitched lower pockets with flaps. Tailored fit specifically for women.

KNR7 - Women's (Reg) XS-2XL. Fit Chart LFC-80.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) 93% Meta-Aramid / 5% Para-Aramid / 2% Antistat

Protection: Short-duration thermal hazards and inadvertent liquid chemical splashes. Arc Rating ATPV 5.2 calories/cm².

Color: Roval Blue (RB)

RB

IO SERIES® WOMEN'S MOBILITY COVERALL

QC21DG

NFPA® 2112 Compliant

The iQ Series® Mobility Coverall was built for comfort. The 5.5 oz. fabric with CAT2 protection feels light and smooth. The mobility design gives plenty of room for movement. This premium coverall features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort.

QC21 - Women's (Reg) XS-2XL. Fit Chart LFC-05.

Fabric: Exclusively with TenCate Evolv[™]. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Dark Grey (DG), Navy (NV)



CAT ILLS HW **iO SERIES®** WOMEN'S MIDWEIGHT MOBILITY COVERALL

NFPA® 2112 Compliant

Built for comfort, this CAT1, 6 oz. coverall feels light and smooth. A patented sleeve pleat gives the arms full range of motion. Our mobility design gives plenty of room for movement and special design features in the lower torso give the wearer room to squat.

QC23RB

QC23 - Women's (Reg) XS-2XL. Fit Chart LFC-05.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flameresistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar[®] / 2% Carbon

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Red (RD), Royal Blue (RB)



PREMIUM COVERALL

NFPA® 2112 Compliant

This lightweight premium coverall provides CAT1 FR/AR protection in a coverall designed to fit women. Includes innovative features for extra comfort and convenience, like eight total pockets to keep your tools and personal effects within reach while you work.

CNB3RD

CNB3 - Women's (Reg) XS-2XL. Fit Chart LFC-36.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) Nomex[®] Essential (93% Nomex[®] Aramid / 5% Kevlar[®] Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 4.4 calories/cm²

Colors: Navy (NV), Orange (ORB)*, Red (RD), Royal Blue (RB), Tan (TNB)*

*Contact customer service for availability.



PREMIUM COVERALL

NFPA® 2112 Compliant

This midweight premium coverall provides CAT1 FR/AR protection in a coverall designed to fit women. Includes innovative features for extra comfort and convenience, like eight total pockets to keep your tools and personal effects within reach while you work.

CNB5RB

CNB5 - Women's (Reg) XS-2XL. Fit Chart LFC-36.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex[®] Essential (93% Nomex[®] Aramid / 5% Kevlar[®] Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Colors: Navy (NV), Red (RD), Royal Blue (RB)



NFPA® 2112 Compliant

This lightweight premium coverall provides CAT2 FR/AR protection without added bulk. Innovative features provide extra comfort and convenience, with sizing designed to fit women. Eight total pockets keep your tools at hand, while elastic waist inserts and deep-pleated action back provide added mobility and comfort while you work.

CLB3 - Women's (Reg) XS-XL. Fit Chart LFC-36.

calories/cm²

CLB3NV

CLB7KHB

PREMIUM COVERALL

Fabric: Flame-resistant, 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6

Colors: Khaki (KH), Navy (NV), Royal Blue (RBB)*

*Contact customer service for availability.



PREMIUM COVERALL

NFPA® 2112 Compliant

Mandarin-style, stand-up, two-way safety collar. Concealed snap closure on cuff. Deep-pleated action back.

CLB7 - Women's (Short) XS-2XL. (Reg) XS-3XL. (Long) XS-3XL. Fit Chart LFC-05.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²

Colors: Khaki (KHB)*, Navy (NVB)*, Royal Blue (RBB)*

*Contact customer service for availability.



SMM5NV

© A ™ WOMEN'S FR FLEECE HOODIE

NFPA® 2112 Compliant

A hoodie designed for women that helps you storm through the workday shielded from the elements – with everything in working order. Featuring HoodShield[™] integrated face covering to shield your face from the wind and cold. A durable water repellent finish to keep you dry. Reinforced forearms that add durability where you need it most. Contoured design for a women's fit. And an oversized hand warmer pocket that includes an extra hidden internal pocket with zipper closure for secure storage. **SMM5** - Women's (Reg) XS-3XL.

Fit Chart LFC-39.

Fabric: Flame-resistant, 12.3 oz (415 g/m²)48% Modacrylic / 38% Lyocell / 10% Para-
armid / 4% Spandex with DWR FinishProtection: Arc Rating ATPV 27 calories/cm²Color: Navy (NV)

NV









WOMEN'S FR FLEECE FULL ZIP HOODIE

NFPA® 2112 Compliant

Forget choosing between warmth and comfort, this full zip jacket has it all. With the HoodShield[™] integrated face covering and durable water repellent finish, you'll stay dry and protected from the coldest temps. Full zip closure allows for easy on and off.

SMM7 - Women's (Reg) XS-3XL. Fit Chart LFC-39.

Fabric: Flame-resistant, 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para-armid / 4% Spandex with DWR Finish

Protection: Arc Rating ATPV 27 calories/cm²

Color: Navy (NV)



DELUXE PARKA

NFPA® 2112 Compliant

Two-way, heavy-duty, Nomex[®] taped separating brass zipper fully covered with insulated storm flap and concealed snap closure. DWR (Durable Water Repellent) finish. Knit Nomex[®] storm cuff within hemmed sleeve end with hook-and-loop suppression tabs. Women's fit.

JLP7 - Women's (Reg) XS-2XL. Fit Chart LFC-38.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 100% Cotton

Insulation package: 14 oz. (475 g/m²) 100% Modacrylic Insulation

Protection: Arc Rating ATPV 36 calories/cm²

Color: Navy (NV)

NV

₩ m WOMEN'S FULL ZIP FLEECE

NFPA® 2112 Compliant

True female fit. Enhanced storage with zipper closure pockets. Fishtail hem for coverage.

SEZ3 - Women's (Reg) XS-3XL. Fit Chart LFC-01.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex

Protection: Arc Rating E_{RT} 17 calories/cm²

Colors: Black (BK), Navy (NV)







ACCESSORIES

In the world of FR, the finishing touches can mean the difference between "scot-free" and 3rd-degree. Make sure you're protected head-to-toe with accessories that meet FR compliance standards.

SINCE '71

HNB4NA

CAT HW

KNIT BALACLAVA

Double-layer head. Single-layer, extra long neck skirt. HNB4 - Men's One size.

Fabric: Flame-resistant, 8.4 oz. (285 g/m²) Nomex[®] Knit

Protection: (Double-layer) Arc Rating ATPV 15 calories/cm² (Single-layer) Arc Rating ATPV 6.5 calories/cm² Color: Natural (NA)

NA

🖲 🔬 💷

GY NV









HEB2NV



HNM2NV



HARD HAT LINER & FACE MASK (SOLD SEPARTELY)

Hook-and-loop chin strap. Secures in place, button holes for four-point suspension.

HNL2 - Men's One size. HNM2 - Men's One size. Attaches to HNL2, sold separately.

Fabric: Flame-resistant

Shell: 4.5 oz. (150 g/m²) Nomex[®] Essential (93% Nomex[®] Aramid / 5% Kevlar[®] Aramid / 2% Other Fiber)

Insulation package: 10 oz. (340 g/m²) 90% Aramid / 10% FR Rayon

Lining: 100% Meta-aramid Protection: Arc Rating E_{pt} 37 calories/cm²

Color: Navy (NV)





CAT IL-HS IL-LS HW

BANDANA & HEAD TIE

Sized to fit under hard hat. Packaged one bandana and one head tie. HLBG - Men's - One Size.

Fabric: Flame-resistant, 7 oz. (185 g/m²) 100% Cotton Protection: Arc Rating ATPV 8.1 calories/cm² **Color:** Light Denim (LD)





KNIT CAP

Double layers. Comfortable. Fit to wear under hard hat. HMC2 - Men's M-L. Fabric: Flame-resistant, 10.5 oz. (360 g/m²) Modacrylic Knit Protection: Arc Rating E_{RT} 28 calories/cm² Color: Black (BK)



HI-VISIBILITY SAFETY VEST

NFPA® 2112 Compliant (Must be worn over NFPA® 2112 compliant shirt)

VMV4 - Men's S/M, L/XL, 2XL/3XL, 4XL/5XL. Fit Chart MFC-18.

Fabric: Flame-Resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm² ANSI 107 Type R Class 2 Compliant

Color: Yellow/Green (HV)



40 CAL/CM² KIT

ArcGuard® PPE

Kit contains hood with protective shield (HLC4NVB), hard hat and safety glasses, bib (BLC4NVB), short coat (CLC4NVB) and duffle bag (DUF4NVB). Please note that duffle bag is not flame-resistant.

KLT4 - (Reg) S-5XL.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Lining: 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 40 calories/cm² Color: Navy (NV)



CAT HW SHORT COAT CLC4NVB - (Reg) S-3XL. Thigh length. Two-piece raglan sleeve.

Double-layer stand-up collar.

DUF4NVB



KLT4NV

Rating

Arc rating

Arc Rati, 40



CLC4NVB

HW

DUFFLE BAG DUF4NVB - One size.

NATIONAL SAFETY APPOL ArcGuard® PPE

> Fabric: 100% Waterproof Nylon Protection: N/A ***NOT FLAME RESISTANT**

HLC4NVB



BLC4NVB

Arc Rating





HOOD WITH **PROTECTIVE SHIELD**

HLC4NVB - One size.

Includes ANSI/ISEA Z87.1 faceshield. Shoulder notches for stability. Fits standard hard hat.

FAC4BNB

REPLACEABLE **FACE SHIELD**

FAC4BNB - One size.

Hook-and-loop tabs placed on inside of detachable face shield for easy removal. Replaceable shield for HLC4NVB.

Protection: ANSI/ISEA Z87.1



BLC4NVB - (Reg) S-5XL.

Quick disconnect straps. Hook-and-loop fly closure. Covered leg zipper with gusset.



DECORATE IT. MODIFY IT. **CUSTOMIZE** IT.

Through our Imagine It' program, we have taken the capability of creating customized uniform items and apparel to a new level. Visualize it... create it... and we'll produce it. This unique program allows you to select stock apparel and modify or customize them to create uniforms that cater directly to your customer's needs. This allows many customers to purchase similar items while maintaining individual expression.



HIGH / ENHANCED VISIBILITY RETRO-REFLECTIVE TRIM

Increased worker visibility can be critical when working in high-traffic areas, around equipment operations or within environments where it is crucial to be seen. Adding striping to your uniform can make a life-saving difference. The American National Standard for High-Visibility Safety Apparel is ANSI/ISEA 107. This standard specifies performance requirements including the type, location and minimum area of the retro-reflective trim, as well as the color, physical properties and minimum area of the fabric used in the construction of high-visibility garment. These performance requirements have been developed by industry experts to provide visibility of wearers in a variety of situations. We recommend following these requirements whenever possible, based on your hazard assessment. ANSI-ISEA 107 compliant garments can be found on pages 40-52.

Simply enhancing your uniform by adding retroreflective striping can also be helpful in providing improved visibility of workers. Select from many trim options, colors and placement to meet your specific worker visibility needs. This distinctive striping can be added to most Bulwark® garments. Flame-resistant striping is always used, for FR garments. The garments and striping you select should depend on the end use requirements and the method of laundering used on the garments.

Above are examples of how a plain stocked garment can be customized with three of our most popular striping configurations. With a few exceptions, stripes shown above the waist can be applied to a shirt, jacket or coverall. Stripes shown below the waist can be applied to a pant or coverall. The specific details of a garment, like the size of a pocket, the placement of closures, an emblem or an additional pocket, may dictate a slight change in the placement from what is shown in these images. Striping applied post-manufacturing will always go around a pocket or emblem. Pockets cannot be removed for reflective trim application. Stripes on a waistband will be moved up or down if the waistband has elastic sections.



TOOLS TO GET YOU STARTED:

IMAGINE IT ONLINE CATALOG



CONTACT YOUR SALES REP FOR MORE INFO!

MAGINE

EMBROIDERY & EMBLEMS


Customize your Bulwark[®] garments by adding a company logo or employee name and department with direct embroidery or emblems.

Thread colors are from A & E Signature threads. They have excellent color retention with a high luster finish, are strong to prevent breakage, and have very good abrasion resistance that will stand up to the rigors of industrial washing. To preserve the flame-resistant qualities of the apparel, minimize the size and number of non-FR emblems applied to a garment.




You can find our online customization catalog at wpg.wwof.com/Information/Imaginelt. The catalog shows you a quick glance of over 100 embroidery thread color options. There is also a section outlining placement of reflective trim along with the different color options and sizes available.

MEN'S MEASUREMENTS




WOMEN'S MEASUREMENTS



A - NECK

Measure around the base of your neck where a collared shirt would fit; or measure a collarband of a shirt that fits you well. Lay the collarband flat. Measure from the beginning of the buttonhole to the center of the button.



B - TRUNK

Measure from the base of the neck (front) down around the crotch and back up to the bottom of the collar. For coveralls only - see Diagram.

C - CHEST / BUST

Measure at the fullest part of your chest / bust. Hold the tape firmly, but not tightly. Be sure the tape is level and straight across your back. Stand naturally with your arms down by your side.

D-WAIST / MID SECTION

First, remove your belt. Then measure over shirt (not over pants) at the position you normally wear your pants. Hold the tape firmly, but not tightly. Note - For shirts and coveralls, measure the largest portion of the mid-section.

E - HIPS

Stand with your heels together. Measure around the fullest part of the hips. Hold the tape measure straight and level.

F - THIGH

Measure the circumference of the upper leg close to the crotch (approximately 1" below crotch).

G - KNEE

With the leg straight, measure the knee circumference over the knee cap and parallel to the floor.

H - CALF

Measure the circumference of the largest part of the lower leg approximately half way between the knee and ankle and parallel to the floor.

I - ANKLE

Measure the ankle circumference over the ankle bone and parallel to the floor.

J - UPPER ARM / BICEP

Measure the maximum circumference of the upper arm just below the underarm.

K - FOREARM

Measure the maximum circumference of the forearm at approximately $6^{\prime\prime}$ above the wrist.

L - CAP / HAT SIZE

Measure the circumference of the head at its widest diameter, approximately 1/8" above the ears.

M - SLEEVE

Bend the elbow as shown (see M). Start at the center back neck and measure across shoulder to the elbow and down to the wrist bone.

N - ACROSS SHOULDER

While standing with arms down, measure across the back from one shoulder joint to the other.

O - WRIST

Measure the wrist circumference over the wrist bone.

P - HEIGHT

Stand straight against a wall without your shoes. Make a mark level with the top of your head. Measure from this point down to the floor.

Q - INSEAM

Standing straight, measure the distance from the crotch to just below the ankle bone. **Or** - using similar style pants that fit you well; lay garment flat and with the front and back creases smooth. Measure the inside seam of one leg from the bottom of the hem to the crotch (see Qb).



R - OVERARM (BLAZERS)

With arms at the sides, measure around the broadest part of the shoulders and upper arms, keeping the tape level at all times. If overarm is more than 7" larger than the chest, go up one size.

S - OUTSEAM

Measure along the outside of the leg from the top of the waistband to the bottom of the hem or just below the ankle bone.


Sa - OUTSEAM ON GARMENT

On an existing garment: lay garment flat, measure along the outseam from the top of the band to the bottom hem.



T - FRONT AND BACK RISES

Front - this is the distance from the center front at the top of the waistband to the intersection of the crotch seam. Back - this is the distance from the center back waistband to the intersection of the crotch seams.



WOMEN'S FIT CHARTS

LFC-01	Х	S		5	1	1	1	L	X	Ľ	X	XL	3)	۲L	42	XL
Size	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32
Bust	31½	32½	33½	34½	35½	36½	38	39½	41½	43½	45½	47½	49½	51½	53½	55½
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
	32	33	34	35	36	37½	39	40½	42½	44½	46½	48½	50½	52½	54½	56½
Waist	23½	24½	25½	26½	27½	28½	30	31½	33	35	37	39	41	43	45	47
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
	24	25	26	27	28	29½	31	32½	34½	36½	38½	40½	42½	44½	46½	48½
Нір	33	34	35	36	37	38	39½	41	42½	44½	46½	48½	50½	52½	54½	56½
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
	33½	34½	35½	36½	37½	39	40½	42	44	46	48	50	52	54	56	58

Height: Petite: 4'11"-5'3" Regular: 5'3½"-5'7" Tall: 5'7½"-5'11"

LFC-	02	х	S		5	1	4		L	X	Ľ	X	XL	32	۲L	42	XL
Size	0	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32
Bust	32	33	34	35	36	37	38	39½	41	42½	44½	46½	48½	50½	52½	54½	56½
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
	33	34	35	36	37	38	39½	41	42½	44½	46½	48½	50½	52½	54½	56½	58½
Waist	25	26	27	28	29	30	31	32½	34	35½	37½	39½	41½	43½	45½	47½	49½
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
	26	27	28	29	30	31	32½	34	35½	37½	39½	41½	43½	45½	47½	49½	51½
Нір	34½	35½	36½	37½	38½	39½	40½	42	43½	45	47	49	51	53	55	57	59
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
	35½	36½	37½	38½	39½	40½	42	43½	45	47	49	51	53	55	57	59	61

Height: Petite: 4'11"-5'3" Regular: 5'3½"-5'7" Tall: 5'7½"-5'11"

LFC-	05	x	S		S	1	1	1	-	X	۲L	X	XL	3)	۲L	42	XL
Size	0	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32
Bust	30 ³ ⁄₄	32¼	33¾	35¼	36¾	38¼	39¾	41¼	42¾	44¼	45¾	47¼	48¾	50¼	51¾	53¼	54¾
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
	32	33½	35	36½	38	39½	41	42½	44	45½	47	48½	50	51½	53	54½	56
Hip	31¾	33¼	34¾	36¼	37¾	39¼	40¾	42¼	43¾	45¼	46¾	48¼	49¾	51¼	52¾	54¼	55¾
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
	33	34½	36	37½	39	40½	42	43½	45	46½	48	49½	51	52½	54	55½	57

Height: Petite: 4'11"-5'3" Regular: 5'3½"-5'7" Tall: 5'7½"-5'11"

LFC-36	X	(S	x	S		S	1	1		L	X	Ĺ	X	۲L	32	(L	4)	XL	5)	KL	6)	XL
Size	00	0	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40
Bust	31¼ ↓ 32	32¼ ↓ 33	33¼ ↓ 34	34¼ ↓ 35	35¼ ↓ 36	36¼ ↓ 37	37¼ ↓ 38	38¼ ↓ 39½	39¼ ↓ 41	41¼ ↓ 43	43¼ ↓ 45	45¼ ↓ 47	47¼ ↓ 49	49¼ ↓ 51	51¼ ↓ 53	53¼ ↓ 55	55¼ ↓ 57	57¼ ↓ 59	59¼ ↓ 61	61¼ ↓ 63	63¼ ↓ 65	65½ ↓ 67
Waist	28½	29¼	30	31	32	33	34	35½	37½	39 ¾	42	44¼	46 ³ ⁄ ₄	49¼	51¼	54¼	56¾	59¼	61¾	64¼	66 ³ ⁄ ₄	69)
Hip	34½ ↓ 35	35¼ ↓ 36	36¼ ↓ 37	37¼ ↓ 38	38¼ ↓ 39	39¼ ↓ 40	40¼ ↓ 41	41¼ ↓ 42½	42¾ ↓ 44	44¼ ↓ 46	46¼ ↓ 48	48¼ ↓ 50	50¼ ↓ 52	52¼ ↓ 54	54¼ ↓ 56	56¼ ↓ 58	58¼ ↓ 60	60¼ ↓ 62	62¼ ↓ 64	64¼ ↓ 66	66¼ ↓ 68	68¼ ↓ 70

Height: Short: 4'11"-5'3" Regular: 5'3½"-5'7" Tall: 5'7"-5'11"

LFC-38 XXS XS S Μ L 6 8 10 12 14 16 Size 0 2 4 33 35 36 32 34 37 38 39½ 41 Bust ŧ ŧ ŧ ŧ Ŧ Ŧ . ₽ ÷. Ŧ 33 34 35 36 37 38 39½ 41 43 25 26 31 32 33 34 35½ 37½ 39¾ Waist ŧ ŧ 26 27
 34½
 35½
 36½
 37½
 38½
 39½
 40½
 42

 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 ↓
 44 Hip ÷ 35½ 36½ 37½ 38½ 39½ 40½ 42 44 46

Height: Petite: 4'11"-5'3" Regular: 5'3½"-5'7" Tall: 5'7½"-5'11"

LFC-39	XXS	XS	S	м	L	XL	XXL	3XL	4XL	5XL
	26½	29½	32½	35½	38½	41½	45	48½	52	55½
Chest	+	+	+	+	+	+	+	+	+	+
	29	32	35	38	41	44½	48	51½	55	58½
	28½	31½	34½	37½	40½	43½	47	50½	54	57½
Hip	÷	ŧ	+	Ļ	+	ŧ	+	ŧ	+	+
	31	34	37	40	43	46½	50	53½	57	60½

Height: Petite: 4'11"-5'3" Regular: 5'3½"-5'7" Tall: 5'7½"-5'11"

LFC-41	XXS	XS	S	М	L	XL	2XL	3XL	4XL	5XL
Chest Size	29¾ - 31½	31¾ - 33½	33¾ - 35½	35¾ - 38	38¼ - 41	41¼ - 45	45¼ - 49	49¼ - 53	53¼ - 57	57¼ - 61
Chest Size	30¾ - 32½	32¾ - 34½	34¾ - 36½	36¾ - 39	39¼ - 42	42¼ - 46	46¼ - 50	50¼ - 54¼	54½ - 59	59¼ - 63½

PANT	SIZE C	HART M	(SPECIE	Y WAIS	T & INS	EAM)		
WAIST	4	6	8	10	12	14	16	1
30								
32								
35U								1

>	(L	x	XL	3)	KL	42	KL	5)	KL	62	(L
18	20	22	24	26	28	30	32	34	36	38	40
43 ↓	45 ↓	47 ↓	49 ↓	51 ↓	53 ↓	55 ↓	57 ↓	59 ↓	61 ↓	63 ↓	65 ↓
45	47	49	51	53	55	57	59	61	63	65	67
42	44¼	46¾	49¼	51¼	54¼	56¾	59¼	61¾	64¼	66¾	69¼
46 ↓ 48	48 ↓ 50¼	50¼ ↓ 52½	52¼ ↓ 54¾	54¾ ↓ 57	57 ↓ 59½	59¼ ↓ 61½	61½ ↓ 63¾	63¾ ↓ 66	66 ↓ 68¼	68¼ ↓ 70½	70½ ↓ 72¾

WOMEN'S FIT CHARTS



MFC-03	XXS	XS	S	М	L	XL	XXL	3XL	4XL	5XL	6XL	7XL	8XL
	29	32	35	38	41	45	49½	54	58½	63	67½	72	76½
Chest	ŧ	ŧ	+	+	+	ŧ	+	+ ·	+	ŧ	+	ŧ	+
	32	35	38	41	45	49 ½	54	58½	63	67½	72	76½	81

Height: Regular: up to 5'11" Tall: over 5'11"

М	FC-07	S	Μ	L	XL	XXL	3XL	4XL	5XL
	Neck	13% ↓ 14½	145% ↓ 15½	15% ↓ 16½	16% ↓ 17½	175% ↓ 18½	18% ↓ 19½	195% ↓ 20½	205% ↓ 21½
(Chest	32½ ↓ 36	36½ ↓ 40	40½ ↓ 44	44½ ↓ 48	48½ ↓ 52	52½ ↓ 56	56½ ↓ 60	60½ ↓ 64
Ma	x. Waist	35¼	39 ¾	44¼	48¾	52¾	56 ³ ⁄ ₄	60¾	64¾
	32	a contraction			Develop		1 Barnes	CAN ST	
	33				Regular B	ack Length			
th*	34	200		No. 19				12. 6	
eng	35				Regular Back I	ength plus 1½"			
Sleeve Length*	36								
Slee	37				Regular Back	Length plus 4"			
	SS		H-HARTS	2	Regular B	ack Length			
	-	CONTRACTOR DOLLARS	F.S. Company of the second		Regular Back	Salles U.V.Ast			252.000

* Sleeve Length is based on actual body measurement. Body length varies accordingly as shown above.

MF	FC-10	S	М	L	XL	XXL	3XL	4XL	5XL
N	leck	13% - 14½	14% - 15½	15% - 16½	16% - 17½	17% - 18½	18% - 19½	19% - 20½	20% - 21½
C	hest	32½ - 36	36½ - 40	40½ - 44	44½ - 48	48½ - 52	52½ - 56	56½ - 60	60½ - 64
Max	. Waist	35¼	39 ³ ⁄ ₄	44¼	48¾	52¾	56¾	60¾	64¾
ع ب	RG	33	33½	34	34½	35	35	35	35
Sleeve Length*	LN	35½	35½	36	36	36	36	36	36
Le	XLN	37	37	37	37	37	37	37	37
ţ	RG				Regular B	ack Length			
Length	LN	and the second	6		Regular Back L	ength plus 1½"	NE LANS		
Le	XLN				Regular Back	Length plus 4"			
Back	SS	1 des			Regular B	ack Length		N. S. S. S. S.	
ä	SSL	1.1.1.2712.	a share a shere	AN 10 100	Regular Back	Length plus 4"	- 1 -	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	

* Sleeve Length is based on actual body measurement. Body length varies accordingly as shown above.

MFC-12	Х	S	:	S	1	Ν		L	Х	Ĺ	X	XL	3)	KL	42	XL	5)	(L	62	XL	7)	(L	82	XL
Chest Size	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72	74	76	78
Chest Max.	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72	74	76	7

NOTE: If waist size is larger than chest size, use waist measurement as size. Height: Short: 5'3"-5'7" Regular: 5'7"-5'11" Long: 5'11"-6'3" X-Long: 6'3"-6'5"

MFC-13	XXS	XS	S	м	L	XL	XXL	3XL	4XL	5XL	6XL	7XL	8XL
Chest	34½	36½	38½	40½	421/2	44½	46½	48½	50½	52½	54½	56½	58½
	ŧ	ŧ	+	+	ŧ	ŧ	+	ŧ	ŧ	↓ ↓	+	+	+
Size	36	38	40	42	44	46	48	50	52	54	56	58	60

MFC-14	X	S		5	1	P	I	L	Х	L	X	۲L	3)	(L	4)	KL	5)	(L	6)	(L	7)	XL
Size	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	7
Chest	28½ ↓ 30	30½ ↓ 32	32½ ↓ 34	34½ ↓ 36	36½ ↓ 38	38½ ↓ 40	40½ ↓ 42	42½ ↓ 44	44½ ↓ 46	46½ ↓ 48	48½ ↓ 50	50½ ↓ 52	52½ ↓ 54	54½ ↓ 56	56½ ↓ 58	58½ ↓ 60	60½ ↓ 62	62½ ↓ 64	64½ ↓ 66	66½ ↓ 68	68½ ↓ 70	70
Waist Max	30½	32½	34½	36½	38½	40½	42½	44½	46½	48½	50 ½	52 ½	54½	56½	58½	60½	62½	64½	66 ½	68½	70 ½	72

Height: Short: 5'3"-5'7" Regular: 5'7"-5'11" Long: 5'11"-6'3" X-Long: 6'3"-6'5"

MFC-15	Х	S		S	1	M		L	Х	L	X	XL	3)	KL	42	XL	52	(L
Size	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64
Chest	28½ ↓ 30	30½ ↓ 32	32½ ↓ 34	34½ ↓ 36	36½ ↓ 38	38½ ↓ 40	40½ ↓ 42	42½ ↓ 44	44½ ↓ 46	46½ ↓ 48	48½ ↓ 50	50½ ↓ 52	52½ ↓ 54	54½ ↓ 56	56½ ↓ 58	58½ ↓ 60	60½ ↓ 62	623 ↓ 64
Waist Max	30½	32½	34½	36½	38½	40½	421/2	441/2	46½	48½	50½	52½	54½	56½	58½	60½	62½	64

MFC-16 XS S L Μ 33½ 361/2 39½ 421/2 Chest Size ŧ ŧ ŧ + 36 39 42 45

MFC-17	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Chest Max.	34	36	40	44	48	50	52	54	56

NOTE: If waist size is larger than chest size, use waist measurement as size.

MFC-18	S/M	L/XL	2XL/3XL	4XL/5XL	6XL/7XL
Chest Max.	40	48	52	56	60

MFC-24	X	S		5	1	1		L	Х	L	XX	XL	32	XL	42	XL	5)	KL
Size	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66
Chest Size	30½ ↓ 32	32½ ↓ 34	34½ ↓ 36	36½ ↓ 38	38½ ↓ 40	40½ ↓ 42	42½ ↓ 44	44½ ↓ 46	46½ ↓ 48	48½ ↓ 50	50½ ↓ 52	52½ ↓ 54	54½ ↓ 56	56½ ↓ 58	58½ ↓ 60	60½ ↓ 62	62½ ↓ 64	64) ↓ 66
Waist Max	30½	321/2	34½	36½	38½	40½	421/2	44½	46½	48½	50½	52½	54½	56½	58½	60½	62½	64

MFC-42	XS	S	М	L	XL	XXL	3XL	4XL	5XL	6XL
Waist Max	35	38	41	45	49	53	57	61	64½	68½

NOTE: If waist size is larger than chest size, use waist measurement as size.

XL	XXL	3XL	4XL	5XL
45½	48½	51½	54½	57½
48	51	54	57	60

MEN'S FIT CHARTS

			1 2 2 2	and the second and					
MFC	C-46	S	м	L	XL	2XL	3XL	4XL	5XL
Ne	eck	13% - 14½	14% - 15½	15% - 16½	16% - 17½	175/8 - 181/2	18% - 19½	19% - 20½	20% - 21%
Ch	est	34½ - 38	38½ - 42	42½ - 46	46½ - 50	50½ - 53	53½ - 56	56½ - 59	59½ - 62
Max.	Waist	36	40	44	48	51½	55	58½	62
ە د	RG	34¼	34¾	35¼	35¾	36¼	36¾	37¼	37¾
Sleeve Length	LN	35¾	36¼	36¾	37¼	37¾	38¼	38¾	39¼
νŢ	XLN	37¼	37¾	38¼	38¾	39¼	39¾	40¼	40¾
	RG				Regular B	ack Length	1. 19	and have been	6
igth	LN		1 1 2		Regular Back I	ength plus 1½"		1.1	
Back Length	XLN			a Artis	Regular Back	Length plus 4"			
Bacl	SS		1	and a sing	Regular B	ack Length		a prese	They are
-	SSL		1		Regular Back	Length plus 4"	1.1	2.30%	

MFC-51	S	М	L	XL	XXL	3XL	4XL	5XL
Waist Max	33	36	39	42	45	48	51	54

MFC-52	S	Μ	L	XL	XXL	3XL	4XL	5XL
Waist Max	39	42	45	48	51	54	57	60

NOTE: If waist size is larger than chest size, use waist measurement as size.

MFC-53	S	Μ	L	XL	XXL	3XL	4XL	5XL
Waist Max	35	39	43	47	51	55	59	63

NOTE: If waist size is larger than chest size, use waist measurement as size.

MFC	C-77	S	М	L	XL	2XL	3XL	4XL	5XL	6XL
Ne	eck	14% ↓ 15¾	157₀ ↓ 163₄	16% ↓ 17¾	17 % ↓ 18 ¾	187⁄8 ↓ 193⁄4	197⁄8 ↓ 203⁄4	20% ↓ 21¾	217⁄8 ↓ 223⁄4	22% ↓ 23¾
Ch	est	34½ ↓ 38	38½ ↓ 42	42½ ↓ 46	46½ ↓ 50	50½ ↓ 54	54½ ↓ 58	58½ ↓ 62	62½ ↓ 66	66½ ↓ 70
Max.	Waist	35½	40	44½	49	53	57	61	65	69
Ъе	RG	34¼	34¾	35¼	35¾	36¼	36¼	36¼	36¼	36¼
Sleeve Length	LN	36¼	36¼	36¾	36¾	36¾	36¾	36¾	36¾	36¾
L N	XLN	37¾	37¾	37¾	37¾	37¾	37¾	37¾	37¾	37¾
	RG			Jack V	Re	gular Back Len	gth			
igth	LN			(· · ·	Regula	Back Length p	olus 1¾″	2		
Back Length	XLN				Regula	r Back Length	plus 4″	1		
Bach	SS		1		Re	gular Back Len	gth		din 18 m	
	SSL		the states	here 5	Regula	r Back Length	plus 4"			a lar

MFC-81	Х	S		S	1	1	I	L	Х	Ľ	X	(L	3)	XL	4)	۲L	5)	(L	6)	KL	7)	XL
Size	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	7
Chest Size	28½ ↓ 30	30½ ↓ 32	32½ ↓ 34	34½ ↓ 36	36½ ↓ 38	38½ ↓ 40	40½ ↓ 42	42½ ↓ 44	44½ ↓ 46	46½ ↓ 48	48½ ↓ 50	50½ ↓ 52	52½ ↓ 54	54½ ↓ 56	56½ ↓ 58	58½ ↓ 60	60½ ↓ 62	62½ ↓ 64	64½ ↓ 66	66½ ↓ 68	68½ ↓ 70	70 1 7
Waist Max	30½	32½	34½	36½	38½	40½	421/2	44½	46½	48½	50 ½	52½	54½	56½	58½	60½	62½	64½	66½	68½	70½	72

MFC-97	х	S		S	1	1	1	-	X	Ľ	x	۲L	32	XL	42	XL	52	KL	62	XL	7)	XL
Size	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72
Chest	29½ ↓ 31	31½ ↓ 33	33½ ↓ 35	35½ ↓ 37	37½ ↓ 39	39½ ↓ 41	41½ ↓ 43	43½ ↓ 45	45½ ↓ 47	47½ ↓ 49	49½ ↓ 51	51½ ↓ 53	53½ ↓ 55	55½ ↓ 57	57½ ↓ 59	59½ ↓ 61	61½ ↓ 63	63½ ↓ 65	65½ ↓ 67	67½ ↓ 69	69½ ↓ 71	71) + 73
Waist Max	26½	28½	30½	321/2	34½	36½	38 ¾	41	43¼	45½	47 ³ ⁄ ₄	50	52¼	54½	56 ³ ⁄ ₄	59	61¼	63½	65¾	68	70¼	72

MFC-99	Х	S		S	1	M	I	-	Х	Ľ	X	KL	3)	(L	42	XL	5)	KL	62	XL	73	KL	8XL
Chest Size	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72	74	76	78
Chest Max	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72	74	76	78	80

MFC-100	XS	S	М	L	XL	2XL	3XL	4XL	5XL	6XL	7XL	8XL
Chest	29½ ↓	33½ ↓	37½ ↓	41½ ↓	45½ ↓	49½ ↓	53½ ↓	57½ ↓	61½ ↓	65½ ↓	69½ ↓	73½ ↓
	33	37	41	45	49	53	57	61	65	69	73	77

MFC-101	XS	S	М	L	XL	XXL	3XL	4XL	5XL	6XL
Chest	29½ ↓	33½ ↓	37½ ↓	41½ ↓	45½ ↓	49½ ↓	53½ ↓	57½ ↓	61½ ↓	65½ ↓
	33	37	41	45	49	53	57	61	65	69
Waist Max	29	33	37	41	45	49	53	57	61	65

Height: Short: 5'3"-5'7" Regular: 5'7"-5'11" Long: 5'11"-6'3" X-Long: 6'3"-6'5"

MFC-102	М	L
Men's Shoe	4-7½	8-121/2
Women's Shoe	5½-9½	10-13
Foot Length	8½-10	10-11%

MFC-112	XXS	XS	S	м	L	XL	2XL	3XL	4XL	5XL	6XL	7XL	8XL
Chest Size	33 ¼	34 ¼	35 ¼	36 ¼	37 ¼	41 ¼	45 ¼	49 ¼	55 ¼	59 ¼	67 ¼	73 ¼	81 ¼
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
	34	35	36	37	41	45	49	55	59	67	73	81	87

Height: Short: 5'3"-5'7"Regular: 5'7"-5'11"Long: 5'11"-6'3"XLong: 6'3"- 6'5"*Note: If waist size is larger than chest size, use waist measurement as size.

Height: Short: 5'3"-5'7" Regular: 5'7"-5'11" Long: 5'11"-6'3" X-Long: 6'3"-6'7" *NOTE: If waist size is larger than chest size, use waist measurement as size.

MEN'S FIT CHARTS

MFC-144	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
Neck Max	14	15	16	17	18	19	20	21	22	23
Chest Max	30 ↓ 34	34 ↓ 38	38 ↓ 42	42 ↓ 46	46 ↓ 50	50 ↓ 54	54 ↓ 58	58 ↓ 62	62 ↓ 66	66 ↓ 70
Waist Max	31	36	41	45	50	54	58	62	66	70
Hip Max	36	40	44	48	52	56	60	64	68	72

MFC-151	XS	S	М	L	XL	2XL	3XL	4XL	5XL	6XL
Neck Max	13	14	15	16	17	18	19	20	21	22
Chest Max	30 ↓ 34	34 ↓ 38	38 ↓ 42	42 ↓ 46	46 ↓ 50	50 + 53	53 ↓ 56	56 ↓ 59	59 ↓ 61	61 + 65
Waist Max	32	37	42	46	50	53	57	60	64	68
Hip Max	36	40	44	48	52	56	60	64	68	72

Height: Short: 5'3"-5'7" Regular: 5'7"-5'11" Long: 5'11"-6'3" XLong: 6'3"- 6'7"

MFC-152	XS	S	М	L	XL	2XL	3XL	4XL	5XL	6XL
Neck Max	14	15	16	17	18	19	20	21	22	23
Chest Max	30 + 35	35 ↓ 39	38 ↓ 43	43 ↓ 47	47 ↓ 51	51 ↓ 53	53 ↓ 57	57 ↓ 61	61 ↓ 63	63 ↓ 60
Waist Max	32	37	42	46	50	54	58	61	64	68
Hip Max	36	40	44	48	52	56	60	64	68	72

Height: Short: 5'3"-5'7" Regular: 5'7"-5'11" Long: 5'11"-6'3" XLong: 6'3"-6'7"

MFC-179	2	S	Х	S	S	М	ſ	1	L	_	Х	Ĺ	2	L	3	L	4	L	5	L	6	L	7	L	8	L
	3	6	3	57	3	8	4	0	4	2	4	6	5	0	5	4	6	0	6	4	7	0	7	6	8	4
Chest	36	37	37	38	38	39	39	41	41	43	43	47	47	51	51	55	55	61	61	65	65	71	71	77	77	85
Waist Max		39		40		41	1	42		45		49		53		57		63	5	67		73		79		91
Hip Max		41		42		43	1.10	43		47		51	200	55	-	59		65	12	69		75		81		93

Height: Extra Short: 5'1"-5'3" Short: 5'3"-5'7" Regular: 5'7"-5'9" Long: 5'9"-5'11" X-Long: 5'11"-6'1" LN6: 6'1"-6'3" LN6: 6'3"-6'7"

PANT SIZE CHART A (SPECIFY WAIST & INSEAM) 30 WAIST 28 32 34 36 38 37 UNF 🔺 🔺

PANT S	SIZE CH	IART B (SPECIFY	WAIST 8	FINSEAN	4]
WAIST	28	29	30	31	32	33
36 UNF						

PANT SIZE CHART G (SPECIFY WAIST & INSEAM)

WAIST	28	30	32	34	36	3
36 UNF		1				1
37 UNF						

PANT SIZE CHART H (SPECIFY WAIST & INSEAM)

37 UNF 🔺 🔺 🔺 🔺 🔺	WAIST	28	30	31	32	33	34	35
	37 UNF							

PANT SIZE CHART I (SPECIFY WAIST & INSEAM)


WAIST	28	29	30	31	32	33	34
30		-					A 55
32	1.16	No. Fr					
34		S. Ke					
36		SEN.		+ 12.20			
38		ROPN					1.
	and a straight of			and the second sec	the second se		the second s

PANT SIZE CHART J (SPECIFY WAIST & INSEAM)

IANI			(01 - 011	I TIAIU		-Ari	
WAIST	30	31	32	33	34	35	36
30				· · · · ·			
32							
34							
36							
1		1.	11	a state of the second		7. 2-17. min. 1	1. 1. 2

PANT	SIZE C	HART	K (SPE	CIFY	WAIST	6 INS	EAM)		
WAIST	28	29	30	31	32	33	34	35	
37 UNF									

30	32	33	34	32	35	36
	30 ▲	30 32	30 32 33 A A A A A A A A A A A A	30 32 33 34 A A A A A A A A A A A A A A A A A A A A	30 32 33 34 32 A A A A A A A A A A A A A A A A A A A A A A A A	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$



NO **RMATI** E \leq AL DDITION

4

POLICY STANDARD TERMS & CONDITIONS OF SALE

Please refer to our website at www.bulwark.com for Standard Terms and Conditions of Sale, or call:

USA: 1-800-223-3372 Canada: 1-800-667-0700 Distributors: 1-800-733-5271

INVENTORY & CATALOG UPDATES

Not all sizes for a particular garment identified in this catalog are maintained in inventory. Upon receipt of your order, you will be provided an estimated shipping date.

PRODUCT RETURNS

For latest information, visit our website at www.bulwark.com. Prior authorization for returns may be obtained by calling Customer Care: USA: 1-800-223-3372 and Canada: 1-800-667-0700. For Distributors, call 1-800-733-5271.

PAYMENT TERMS

Refer to Standard Terms and Conditions of Sale.

CUSTOMIZATION

Bulwark[®] offers several options for customizing your garments from stock. See your Bulwark* Product Guide or inquire for details on pricing.

HEMMING

Refer to your Bulwark® Product Guide. For latest information visit our website at www.bulwark.com.

GARMENT CARE

Refer to the care label in your Bulwark® apparel. For latest information, visit our website at www.bulwark.com.

PRODUCT SPECIFICATIONS

All trademark and logos shown in this catalog are for the product illustration only and are not available to a customer, nor are they an endorsement by or for any person or other entity. At time of order, please provide the appropriate proof of authorization for your use of trademark's copyrights, patents and other intelleuctual property.

Bulwark garments are not intended for fire entry, structural or wildlands fire fighting activities and, unless otherwise indicated, provide no protection from chemical exposures. They should be removed at once if fouled with flammable material. To prevent generation of potentially hazardous static electricity, do not don or remove any garments in a hazardous area.

Bulwark[®] garments are not intended for personal, family or household use as defined in the Manguson-Moss Warranty Act, 15 U.S.C. 2301-2312. For latest information, visit our website at www.bulwark.com.

ARC RATINGS

Arc ratings published in this catalog are supplied to us by our fabric suppliers or are the result of our own arc testing. An arc rating can be reported in cal/cm² as either ATPV or E_{pt} and is the incident energy at which there is 50% probability of occurrence of a second degree burn or of fabric breakopen, respectively. As with all tests, some level of variation in test results is normal and expected among fabrics of identical fiber content and nominal weight. In order to assist end users with their hazard analysis by providing the most conservative arc rating, Bulwark[®] will publish the lowest arc rating for that fabric weight in our catalog and on our garment label.

Bulwark® garments are designed for continuous wear. They meet applicable standards such as NFPA® 2112, Standard on Flame-Resistant Clothing for Protection of Industrial Personnel Against Short-Duration Thermal Exposures from Fire, ASTM F2302, Standard Performance Specification for Labeling Protective Clothing Which Provides Resistance to Incidental Exposures to Heat or Open Flame, National Fire Protection Association (NFPA®) Standard 70E. Standard for Electrical Safety in the Workplace, ASTM F1506, Standard Performance Specification For Flame Resistant And Electric Arc Rated Protective Clothing Worn By Workers Exposed To Flames And Electric Arcs. Refer to individual garment labels to confirm compliance with specific performance standards. Because these fabrics are flame-resistant, they are acceptable under the Occupational Safety & Health Administration (OSHA) Final Rule 1910.269. Final Rule on Electrical Protective Equipment. For complete information on these products, as well as laundering instructions, please visit bulwark.com.

Bulwark®, EXCEL FR®, ComforTouch®, iQ Series®, ImagineIt[®], and HoodShield[™] are registered trademarks of Workwear Outfitters, LLC. Nomex®, Kevlar[®] and Sontara[®] are registered trademarks of E.I. duPont de Nemours and Company. TenCate Evolv™ and TECASAFE® PLUS are trademarks of TenCate Protect bv. Lenzing FR[®] is a registered trademark of Lenzing[®] Aktiengesellschaft. Molten Metal® is a registered trademark of Revlon Consumer Products Corporation. NFPA® is a registered trademark of National Fire Protection Association. UL is a registered trademark of UL, LLC. Westex G2[™], ShieldCXP[™] and Moda-Quilt[®] are registered trademarks of Milliken®. Insect Shield® is a registered trademark of Insect Shield LLC.

40 CAL	VIT	CNB3ORB.	150	QS40GE	70
40 CAL	KII				
DI C (M)	·D 101	CNB3RB		QS40GY	
	/B161	CNB3RD		QS40KH	
	/B161	CNB3TNB		QS40LB	
	/B161	CNB5NV		QS40NE	
FAC4BN	IB161	CNB5RB		QS40NV	29
HLC4N\	/B161	CNB5RD		QS41GY	29, 139
KLT4NV		CNB6NV		QS41KH	29, 139
		CNB6OR		QS41NV	29.139
ACCESS	ORIES	CNB6RB		QS50DG	
		CNBCNV		QS50DI	
HEB2GY		CNBCRB		QS50EV	
	/	CNBCRD		QS50NE	
		CNBCRD			
				QS50NV	
		CNR6NV		QS51DG	
	R111	CNR6RB		QS51DI	
	3111	CTBANV		QS51NV	
HLH4BD	0	CTBARB		QS52BI	
HMC2B	<159	CTBBOR		QS52GI	
HNB4N	A 158			QS52KH	
	/	DISPOSABL	ES	QS52KI	
	3111			QS52LB	
		KDE4SB	105	QS52LG	
	/	KEE2SB		QS53KH	
		REEZ3D	105		
	V158	INCE OT OUT		QS53KI	
	/	INSECT SHI	ELD	QT12BK	
VMV4H	V 48, 159			QT12BL	
		ISLSCH		QT12CH	
BASE L	AYERS	PEJ8DI		QT12DB	
States	and the second	PSJ4SI		QT12KH	
MPS4G	(QC20DI		QT12RD	
	1	QC21DI		QT15BKB	
		QP14BI		QT15BLB	
				QT15CH	
MPSONF	177	QP14NI			
		QP15NI		QT15DB	
BIB OVE	RALLS	QS50DI		QT15KH	
		QS51DI		QT15RD	
BLC8GY		QS52BI		QT20BK	
BLC8NV	/	QS52GI		QT20BL	
BLCSOF		QS52KI		QT20CH	
		QS53KI		QT20CI	
		QT20CI		QT20DB	
		QT31CI		QT20KH	
	·	SMK8HI		QT20RD	
				QT30BK	
)	iQ SERIES		QT30BL	
	/			QT30CH	
BNF8RE	3B90	QC20DG	25	QT30DB	
BNNTRE	3	QC20DI	57	QT31CH	20, 145
		QC20EV	25	QT31CI	
COVER	ALLS	QC20NE		QT31DB	20. 145
The second second		QC20NV		QT31KH	
CEB2GY		QC21DG		QT32BK	
		QC21DI		QT32BL	
	104	QC21NV		QT32CH	
	/	QC22NE		QT32DB	
		QC22NE			
	R 104			QT32KH	
	/	QC22RB		QT32RD	
	V103	QC22RD		QT34OR	
	/101	QC22RE		QT370R	
	R101	QC23NV	27, 152	QT40CH	
CED2RE	3	QC23RB	27, 152	QT40KH	
CEH2N\	/103	QC23RD	27, 152		
	G103	QC24NV		JACKET LIN	ERS
		QC24RB			
	/	QP10NV		LLL8NV	112
		QP11NV		LLS8BD	
	1	QP14BK		LNL8NV LNS8NV	
		QP14BI			
	B 153	QP14NE		LML4GY	109
		QP14NI			
CLB7KH	IB 153	QP14NV	23	LAB COATS	
CLB7NV	/B153	QP15NI		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
CLB7RB	B 153	QP15NV	23, 147	KEL2LB	
CLBCN	/97	QP16NV		KEM2VG	
	R97	QP16RB		KEM4VG	
	397	QP16RD		KEW2VG	
	R	QP17NV		KLL6NV	
	·	QP17RB		KNC2RB	
		QP17RD		KNC3RB	
	1	QP18NV		KNL2NV	
	/	QP19NV		KNL2RB	
	3 100	QS23NV		KNL2RDB	
CLD6G)		QS23RB	13, 138	KNL3NV	132, 151
CLZ4N\	/101	QS24BN		KNL3RB	
	B97	QS24NV		KNL3RDB	
	H102	QS24RB		KNL6RB	
	V102	QS25NV		KNR6RB	
	V				
		QS25RB		KNR7RB	135, 151
	V102	QS26NE		0	
	/	QS26NV		OUTERWEA	R
	393	QS26RB			100
		QS26RE		JET2NV	
CNB2TN	93	QS27RD	15 139	IEI 2NV	109

152

QS27RD.

QS28RD

.... 15, 139

.. 15

JEL2NV

JLB6BD.

CNB2TN

JLC6BD
JLP8NV110 JLPCNV110 JLPCRB110 JLPSOR111 JLR8GY114 JLR8NV114 JLR8RBB114 JMJ6HV47, 113 JNJ6RB114
JNJCRB
PANTS & JEANS
PEJ2DD83 PEJ3DW150 PEJ4DW83 PEJ6SW80 PEJ8DI56
PEJ8DW82 PEJ8SW82 PEJMSD80 PEM2VG87
PEW2CH87 PEW2KH87 PEW2NV87
PEW2ORB87 PEW2RBB87 PEW2VG87 PEW3KHB148
PEW3NV148
PLJ6KH
PLW2RBB87 PLW3BKB149 PLW3NVB149 PLW3RBB149
PMU2KH
PMW2NV
PNW2NV
PSJ2SD
PSJ6SD
RAINGEAR
BXN4YE 50, 128 BXN6YE 51, 129 JXN4YE 50, 128

..109

... 35. 117

BXN6YE 51,	129
JXN4YE50,	128
JXN6YE51,	129

SHIRTS

S1B2NV	
S1W2NV	
SEG5KHB	140
SEG6LB	67
SEK2NV	
SEL2CH	76
SEL2KH	76
SEL2LB	76
SEL2NV	76
SEL2OR	76
SEL3KHB	
SEL3NV	
SES2NVB	

SES2RB 60 SES2TN 60	
SET2CH74	
SET2NV	
SET8CH72	
SET8NV72	
SEW2KH 70	
SEW2LB70	
SEW2NV 70	
SEW2SY70	
SLATOR 65	
SLB4HG 43, 64	
SLDTGY63	
SLDTKH63	
SLDTLB63	
SLDTNV63	
SLP2KH 66	
SLS2LB70	
SLS2NV	
SLS3LBB143	
SLS3NV	
3L33NV	
SLU2GY67	
SLU2KH67	
SLU2LB67	
SLU2NV67	
SLU2RB67	
SLU2SY67	
SLU3KH 140	
SLU3LB 140	
SLU3NV 140	
SLU3ORB 140	
SLU3RBB 140	
SLU3SYB 140	
SLU8GY62	
SLU8KH62	
SLU8LB	
SLU8NV62	
SLU80R62	
SLUCNV	
SLUSOR 65	
SLW2GY67	
SLW2KH67	
SLW2LB67	
SLW2NV67	
SLW2ORB67	
SLW2RBB67	
SMB2HN 44	
SMK8HV 45	
SMK8HI55	
SML2GY75	
SML2KH75	
SML2NV	
SML2NV75 SMI 4HV 44	
SML4HV 44	
SML4HV 44 SML8KH	
SML4HV 44 SML8KH75 SMP2GY76	
SML4HV	
SML4HV	
SML4HV	
SML4HV	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2NV 76 SMP8GY 76 SMP8GY 76 SMP8QY 76 SMS2GY 70	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2NV 76 SMP8GY 76 SMP8GY 76 SMP8QY 76 SMP3QY 70 SMS2GY 70 SMS2LB 70	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2KH 76 SMP2NV 76 SMP8GY 76 SMP2GY 70 SMS2GY 70 SMS2NV 70 SMS2NV 70	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2NV 76 SMP8GY 76 SMP8GY 76 SMS2GY 70 SMS2GY 70 SMS2LB 70 SMS2NV 70 SMS2LB 143	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2NV 76 SMP8GY 76 SMP8GY 76 SM22KH 70 SM22KH 70 SM22KH 70 SM52LB 70 SM52LN 70 SM52NV 70 SM55LB 143 SM5NV 143	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2NV 76 SMP8GY 76 SMP8GY 76 SM2KH 76 SM2KH 76 SM2SQY 70 SM52LB 70 SM52LNV 70 SM55LB 143 SM56LB 71	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2KH 76 SMP2NV 76 SMP8GY 76 SMS2GY 70 SMS2GY 70 SMS2LB 70 SMS2NV 70 SMS5LB 143 SMS5NV 143 SMS6LB 71	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2KH 76 SMP2NV 76 SMP8GY 76 SMS2GY 70 SMS2GY 70 SMS2LB 70 SMS2NV 70 SMS5LB 143 SMS5NV 143 SMS6LB 71	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2NV 76 SMP8GY 76 SMP2NV 76 SMP2SQ 70 SMS2LB 70 SMS2LB 70 SMS5LB 143 SMS6LB 71 SMS6NV 71 SMS6NV 71 SMT2GY 72	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2NV 76 SMP2NV 76 SMP2NV 76 SMS2GY 70 SMS2GY 70 SMS2LB 70 SMS5LB 143 SMS6LB 71 SM56LN 71 SMT2GY 72 SMT2RY 72 SMT2NV 72 SMT2NV 72 SMT6KH 74	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2NV 76 SMP2NV 76 SMP2NV 76 SMS2GY 70 SMS2GY 70 SMS2LB 70 SMS5LB 143 SMS6LB 71 SM56LN 71 SMT2GY 72 SMT2RY 72 SMT2NV 72 SMT2NV 72 SMT6KH 74	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2NV 76 SMP2NV 76 SMP2NV 76 SMS2GY 70 SMS2GY 70 SMS2LB 70 SMS5NV 143 SMS5NV 143 SMS6LB 71 SM56LV 71 SMT2GY 72 SMT2NV 72 SMT6KH 74 SMT6KN 74	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2NV 76 SMP2NV 76 SMP2NV 76 SMS2GY 70 SMS2GY 70 SMS2LB 70 SMS5LB 143 SMS6LB 71 SM56LN 71 SMT2GY 72 SMT2RY 72 SMT2NV 72 SMT2NV 72 SMT6KH 74	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2NV 76 SMP2NV 76 SMP2SW 76 SMS2LB 70 SMS2LB 70 SMS2NV 70 SMS5LB 143 SMS6LB 71 SMS6LB 71 SMS6NV 71 SMT2GY 72 SMT6KH 74 SMT6NV 74 SMT6NV 74 SMT8KH 75	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2KH 76 SMP2NV 76 SMP8GY 76 SMP2KH 76 SMP2SQY 70 SMS2LB 70 SMS5LB 143 SMS6LB 71 SMS6NV 71 SM52GY 72 SMT2GY 72 SMT6KH 74 SMT6NV 74 SMT6NV 74 SMT8NV 75 SMT8NV 75	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2KH 76 SMP2NV 76 SMS2GY 70 SMS2GY 70 SMS2B 70 SMS2LB 70 SMS5LB 143 SMS5NV 143 SMS6LB 71 SM56LB 71 SM56LB 71 SM56LB 72 SMT6KH 74 SMT8NV 75 SMT8NV 75 SMU2LH 65 SMU2LB 65	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2KH 76 SMP2NV 76 SMP8GY 76 SMS2LB 70 SM52LB 70 SM52LB 70 SM52LB 143 SM55LB 143 SM56LB 71 SM56LB 71 SM56LB 72 SM76KH 74 SM76KH 74 SM76NV 74 SM76NV 75 SM12NV 75 SM12NV 75 SM12NV 75 SM12NV 75 SM12LB 65 SM12LB 65 SM12NV 65	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2NV 76 SMP2NV 76 SMP2NV 76 SMP2NV 76 SMS2GY 70 SMS2GY 70 SMS2LB 70 SMS5LB 143 SMS6LB 71 SM52NV 72 SMT2NV 72 SMT2NV 72 SMT2NV 72 SMT6KH 74 SMT6KH 74 SMT8NV 75 SMU2KH 65 SMU2LB 65 SMU2LB 65 SMU2NV 65 SMU2NV 65 SMU2NV 65 SMU2NV 65 SMU2NV 65 SMU2NV 65 SMU4KH 61	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2KH 76 SMP2NV 76 SMP2NV 76 SMP2NV 76 SMS2GY 70 SMS2LB 70 SMS2NV 70 SMS5LB 143 SM5SNV 143 SM56LB 71 SMT2GY 72 SMT6KH 74 SMT8KH 75 SMT8KH 75 SMU2KH 65 SMU2LB 65 SMU2LB 65 SMU2LB 65 SMU2LB 65 SMU2LB 65 SMU2NV 65 SMU2NV 65 SMU2NV 65 SMU2NV 65 SMU2NV 65 SMUCNV 63	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2KH 76 SMP2NV 76 SMP2SW 76 SMS2GY 70 SMS2GY 70 SMS2LB 70 SMS5LB 143 SMS5NV 143 SMS6LB 71 SM56LB 71 SM56LB 71 SM56NV 71 SMT6KH 74 SMT8NV 75 SMU2KH 65 SMU2KH 65 SMU2NV 65 SMU2NV 65 SMU2NV 63 SMU3NHVB 143	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2KH 76 SMP2NV 76 SMP2NV 76 SMP2NV 76 SMP2NV 76 SMS2GY 70 SMS2LB 70 SMS5LB 143 SMS5NV 143 SMS6NV 71 SM56B 71 SM56NV 71 SMT2RY 72 SMT2NV 72 SMT2NV 72 SMT8NV 75 SMU2NV 75 SMU2NV 75 SMU2KH 65 SMU2LB 65 SMU2LW 65 SMU4KH 61 SMW3HVB 143 SMW4HV 43, 71	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2RV 76 SMP2NV 76 SMP2NV 76 SMP2NV 76 SMS2GY 70 SMS2LB 70 SMS5LB 143 SMS5NV 143 SMS6LB 71 SM56LB 71 SM56LN 71 SM56LN 71 SM56LN 71 SM56LN 71 SM56LN 71 SM12GY 72 SMT2NV 72 SMT6KH 74 SMT6KH 74 SM12KH 65 SMU2LB 65 SMU2LB 65 SMU2NV 65 SMU2NV 63 SMW3HVB 143 SMW4HV 43, 71 SM2GB 61	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2RV 76 SMP2NV 76 SMP2NV 76 SMS2NV 70 SMS2LB 70 SMS2LB 70 SMS5LB 143 SMS5NV 143 SMS6LB 71 SM56LB 71 SM56NV 71 SM56NV 71 SMT6KH 74 SMT8NV 75 SMU2KH 65 SMU2KH 65 SMU2NV 63 SMW3HVB 143 SMW3HVB 143 SMW3HVB 143 SMW3HVB 143 SMW4HV 43, 71 SND2QNV 61	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2KH 76 SMP2NV 76 SMP2NV 76 SMP2NV 76 SMS2NV 70 SMS2LB 70 SMS2NV 70 SMS5NV 143 SMS6LB 71 SM56LB 71 SM56LB 71 SM56LB 72 SMT2NV 72 SMT6KH 74 SMT2NV 75 SMU2KH 65 SMU2KH 65 SMU2KH 61 SMU2NV 63 SMW3HVB 143 SMW4HV 43, 71 SND2RDB 61	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2RV 76 SMP2NV 76 SMP2NV 76 SMP2NV 76 SMS2GY 70 SMS2GY 70 SMS2LB 70 SMS5LB 143 SMS6LB 71 SM52NV 72 SMT2NV 72 SMT8NV 75 SMU2NV 65 SMU2LB 65 SMU2LB 65 SMU2NV 63 SMW3HVB 143 SMU2NV 63 SMW3HVB 143 SMU2NV 63 SMU2NV 63 SM	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2NV 76 SMP2NV 76 SMP2NV 76 SMS2GY 70 SMS2GY 70 SMS2LB 70 SMS5NV 143 SMS5NV 143 SMS6LB 71 SMT2GY 72 SMT6KH 74 SMT8KH 75 SMU2NV 72 SMT6KH 74 SMT2NV 65 SMU2NV 65 SMU2LB 65 SMU2NV 65 SMU2NV 63 SMW3HVB 143 SMW3HVB 143 SMW4HV 43, 71 SND2RDB 61	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2KH 76 SMP2NV 76 SMP2NV 76 SMS2GY 70 SMS2GY 70 SMS2GY 70 SMS2LB 70 SMS5NV 143 SMS5NV 143 SMS6LB 71 SM66LB 71 SM56LV 72 SMT2NV 72 SMT6KH 74 SMT2NV 75 SMU2KH 65 SMU2KH 65 SMU2KH 65 SMU2KH 65 SMU2NV 63 SMW3HVB 143 SMW4HV 43, 71 SND2RD 61 SND2RD 61 SND2RD 61 SND2RD 61 SND2RD 61 SND2RB 61 SND2RD 61 SND2RD </td <td></td>	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2RV 76 SMP2NV 76 SMP2NV 76 SMP2NV 76 SMS2GY 70 SMS2LB 70 SMS5LB 143 SMS5NV 143 SMS6LB 71 SM56LB 71 SM52NV 72 SMT2NV 75 SMU2NV 65 SMU2LB 65 SMU2LB 65 SMU2LB 65 SMU2NV 65 SMU2NV 65 SMU2NV 65 SMU2NV 61 SND2R	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2KH 76 SMP2NV 76 SMP2NV 76 SMP2NV 76 SMS2GY 70 SMS2LB 70 SMS5LB 143 SMS6LB 71 SM52NV 72 SMT2NV 72 SMT2NV 72 SMT2NV 72 SMT6KH 74 SMT6KH 74 SMT8KH 75 SMU2NV 65 SMU2LB 65 SMU2LB 65 SMU2LB 65 SMU2NV 63 SMW3HVB 143 SMW4HV 43, 71 SND2RB 61 SND2RDB 61 SND2RDB 61 SND2RB 61 SND3TNB 140	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2RV 76 SMP2NV 76 SMP2NV 76 SMP2NV 76 SMS2GY 70 SMS2LB 70 SMS2NV 70 SMS5LB 143 SMS6LB 71 SM55NV 143 SM55NV 72 SMT6KH 74 SMT8KH 75 SMU2NV 65 SMU2LH 65 SMU2LH 65 SMU2LH 65 SMU2LH 65 SMU2LH 65 SMU2LH 65 SMU2NV 63 SMW3HVB 143 SMW3HVB 143 SMW2NV 61 SND2RDE 61 SND2RDE 61 SND2RDE 61 SND2RDE 61 SND2RDE 61	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2GY 76 SMP2RV 76 SMP2NV 76 SMP2NV 76 SMP2NV 76 SMS2GY 70 SMS2LB 70 SMS5LB 143 SMS5NV 143 SMS6NV 71 SM56LB 71 SM56LB 71 SM56NV 72 SMT2NV 72 SMT2NV 72 SMT2NV 72 SMT2NV 72 SMT2NV 72 SMT8NV 75 SMU2NV 65 SMU2LB 65 SMU2LB 65 SMU2LW 65 SMU2NV 65 SMD2NV 61 SMD2RDB 61 SND2RB 61 SND2RB 61 SND3RBB 140 SN	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2KH 76 SMP2NV 76 SMP2NV 76 SMS2GY 70 SMS2LB 70 SMS2LB 70 SMS5LB 143 SMS6LB 71 SM52NV 72 SMT2NV 72 SMT2NV 72 SMT2NV 72 SMT6KH 74 SMT6KH 74 SMT8KH 75 SMU2NV 65 SMU2LB 65 SMU2LH 65 SMU2LH 65 SMU2NV 63 SMW3HVB 143 SMU2NV 61 SND2RB 61 SND2RB 61 SND2TN 61 SND3TNB 140 SND3TNB 140 SND4RB 61 SND2LBB 61 <td< td=""><td></td></td<>	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2RV 76 SMP2NV 76 SMP2NV 76 SMS2GY 70 SMS2LB 70 SMS2LB 70 SMS2NV 70 SMS5NV 143 SMS6LB 71 SM56LB 71 SM56LN 71 SM56LN 71 SMT2RY 72 SMT6KH 74 SMT8KH 75 SMU2NV 65 SMU2LB 65 SMU2LB 65 SMU2LB 65 SMU2NV 61 SND2RB	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2RV 76 SMP2NV 76 SMP2NV 76 SMP2NV 76 SMS2GY 70 SMS2LB 70 SMS2LB 70 SMS5LB 143 SMS5NV 143 SMS6NV 71 SM56LB 71 SM56LB 71 SM56LM 72 SMT2NV 72 SMT2NV 72 SMT2NV 72 SMT2NV 72 SMT2NV 72 SMT8NV 75 SMU2KH 65 SMU2KH 65 SMU2KH 65 SMU2KH 61 SMU2NV 65 SMU2NV 65 SMU2NV 61 SND2RDE 61 SND2RDE 61 SND2RDE 61 SN	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2RV 76 SMP2NV 76 SMP2NV 76 SMP2NV 76 SMS2GY 70 SMS2LB 70 SMS2LB 70 SMS5LB 143 SMS6LB 71 SM52NV 72 SMT2NV 72 SMT3NV 75 SMU4KH 65 SMU2LB 65 SMU2LB 65 SMU2LW 65 SMU2NV 63 SMD2RD 61 SND2RB 61 SND2RB 140 SND3R	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2RY 76 SMP2NV 76 SMP2NV 76 SMS2GY 70 SMS2LB 70 SMS2LB 70 SMS2NV 70 SMS5NV 143 SMS6LB 71 SM56LB 71 SM56LB 71 SM56LB 71 SM56LB 71 SM56LB 72 SMT6KH 74 SMT8KH 75 SMU2NV 65 SMU2LB 65 SMU2LB 65 SMU2NV 65 SMD2NN	
SML4HV 44 SML8KH 75 SMP2GY 76 SMP2RV 76 SMP2NV 76 SMP2NV 76 SMP2NV 76 SMS2GY 70 SMS2LB 70 SMS2LB 70 SMS5LB 143 SMS6LB 71 SM52NV 72 SMT2NV 72 SMT3NV 75 SMU4KH 65 SMU2LB 65 SMU2LB 65 SMU2LW 65 SMU2NV 63 SMD2RD 61 SND2RB 61 SND2RB 140 SND3R	

SNS3RBB	141
SNS3RDB	141
SNS3TNB	141
SNS6NVB	60
SNS6RDB	60
SNS6RB	60
STG2CH	68
STG2NV	68
STG3CH	141
STG4CH	69
STG4KH	69
STG4NV	69
STG5CH	142
STG5KH	142
STG5NV	142
STL2BK	73
STL2CH	73
STL2KH	73
STL2LB	73
STL2NV	73
STL2RD	
STL3NV	145
STT2BK	72
STT2CH	72
STT2KH	72
STT2LB	72
STT2NV	72
STT3BK	144
STT3CH	144
STT3KH	
STT3LB	
STT3NV	144
SWW2SY	70

SOCKS

ISLSCH.

SWEATSHIRTS

SEB4NV	122
SEC2NV	121
SEH4CH	121
SEH4NV	121
SEH8NV	121
SEZ2BK	120
SEZ2NV	120
SEZ3BK	
SEZ3NV	155
SEZ4NV	
SEZ8NV	
SMB4HG4	6. 126
SMH4HV4	
SMH6NV	
SMH8BK	
SMM4NV	
SMM5NV	
SMM6NV	
SMM7NV	
SMZ4HV4	
STZ2BK	
STZ2NV	

Ш× PRODUCT IND



BULWARK.COM



Bulwark®, a brand of Workwear Outfitters, LLC 24-573